



## Honeywell Safety Products PERSONAL PROTECTIVE EQUIPMENT 2013 – U.S.

## HONEYWELL SAFETY PRODUCTS

**Honeywell Safety Products** is a leading global manufacturer solely focused on PPE, providing safety solutions for all industries. Our brands include Honeywell®, Uvex®, Miller®, North®, Howard Leight®, Fibre-Metal®, Oliver™ and Servus®.


We have united the most respected safety brands in the world to deliver best-in-class safety, quality and performance to you and your workers every day. The combined strengths of these leading PPE brands create a unique set of solutions unparalleled in the safety industry. Our ongoing commitment to innovation, combined with our worldwide engineering and R&D resources, will transform the industry and offer you a single, premier source for the most complete solutions available.

We are united not only by name, but by our singular focus on being the best safety partner, today and in the future. We are Honeywell Safety Products.

	<b>Industrial PPE</b>	Honeywell Safety Products is a worldwide manufacturer of high-performance industrial PPE products. Honeywell combines advanced technology, design, comfort and ergonomic features into the most complete line of PPE products available, including eye, face, hand, body and respiratory protection and more.
	<b>Eye and Face Protection</b>	Uvex is the world's top-selling protective eyewear brand, known for comfortable, high-performing products and innovative services that inspire a culture of safety in the workplace.
	<b>Safety at Height</b>	Honeywell Safety Products provides a comprehensive line of personal fall protection equipment; engineered fall arrest systems; professional services including training, audits, consulting, product inspection and repairs; and collective fall prevention/barrier solutions.
	<b>Industrial PPE</b>	North offers top-performing industrial PPE products including respiratory, head, eye, face and hand protection, first aid and more.
	<b>Hearing Protection</b>	Howard Leight offers industry-leading passive and intelligent hearing protection products and hearing conservation solutions that deliver superior quality, performance and comfort for a diverse range of applications.
	<b>Welding Safety, Head and Face Protection</b>	Fibre-Metal welding helmets, faceshields and hard hats are preferred by construction and welding professionals for their advanced design, outstanding quality, comfort and performance.
	<b>Industrial Protective Footwear</b>	Oliver and Servus brand footwear offer the ultimate combination of rugged and comfortable workboots, so workers in hazardous industries can conquer any challenge, and take pleasure in the superior footwear they rely on every day.

**WARNING:** This product guide provides only an overview of the products shown. It does not provide important product warnings and instructions. Honeywell recommends all users of its products undergo thorough training and that all warnings and instructions provided with the products be thoroughly read and understood prior to use. It is necessary to assess hazards in the work environment and to match the appropriate personal protective equipment to particular hazards that may exist. At a minimum, a complete and thorough hazard assessment must be conducted to properly identify the appropriate personal protective equipment to be used in a particular work environment.

FAILURE TO READ AND FOLLOW ALL PRODUCT WARNINGS AND INSTRUCTIONS AND TO PROPERLY PERFORM A HAZARD ASSESSMENT MAY RESULT IN SERIOUS PERSONAL INJURY, ILLNESS OR DEATH.



## HEAD-TO-TOE OFFERING

	UVEX	EYE & FACE PROTECTION	8
	UVEX	SAFETY Rx EYEWEAR	50
	NORTH	EYE & FACE PROTECTION	58
	NORTH	HEAD PROTECTION	86
	FIBRE-METAL	HEAD, FACE & WELDING	92
Enabled Safety Product	HONEYWELL	EMERGENCY EYEWASH	114
	HONEYWELL	LASER SAFETY PRODUCTS	126
	HONEYWELL	VISION SCREENERs	134
	HOWARD LEIGHT	HEARING PROTECTION	136
Enabled Safety Product	MILLER	FALL PROTECTION	162
	HONEYWELL & NORTH	RESPIRATORY PROTECTION	192
	HONEYWELL & NORTH	HAND & ARM PROTECTION	224
	HONEYWELL	PROTECTIVE CLOTHING	250
	OLIVER • SERVUS MUCK • XTRATUF	PROTECTIVE FOOTWEAR	254
	NORTH	FIRST-AID	278
	HONEYWELL	LOCK-OUT/TAG-OUT	300
	HARLEY-DAVIDSON®	PERSONAL SAFETY WEAR	306

\* Learn more about Enabled Safety Products on page 6.

WHAT'S NEW IN



# PPE

With our focus on innovation and voice of customer, Honeywell Safety Products is able to consistently introduce new and exciting PPE safety solutions.

## SAFETY EYEWEAR



Uvex combines style, safety, and technology with Uvex Carbonvision™, Uvex Bayonet™ and Uvex Mercury™ eyewear. See pages 17, 22 and 32.




Exclusive North Signature Fit of the Relentless™ and Conspire™ – Simple, adjustment-free fit for a wide range of faces See pages 60 and 61.

## LASER SAFETY PRODUCTS



Laser-Gard® Barrier System offers a unique, customizable way to securely enclose a laser set-up on an optical table. See page 130.



## WELDING PROTECTION



At 110 mm x 110 mm, the Wide View Tigerhood Futura® XXL with ADC Plus ADF allows for superior viewing, resulting in higher quality welds. See page 102.

## RESPIRATORY PROTECTION



North N-Series lower-profile cartridges and combos – increasing worker's field of vision. See page 197.

FALL PROTECTION

Experience Comfort in the Air with the Miller AirCore™ Harness. See page 166-167.



Miller Fusion™ Roof Anchor Posts – permanent or temporary solution for roof safety. See page 179.

*Standing Seam shown*



Miller QuickPick™ Rescue Kits deliver peace of mind during unexpected, stressful peer-rescue situations. See page 183.

HEARING PROTECTION



Introducing the next generation of digital radio and sound amplification earmuffs to the Howard Leight family. The new Sync Digital AM/FM Radio, Sync Hi-Vis AM/FM Radio, and Sync Electro® See page 151.



MAX® Small single-use earplugs. See page 137.

PROTECTIVE FOOTWEAR



by Honeywell




Australia's #1 rugged work boot brand, now available in North America. See page 255.

## HONEYWELL SAFETY PRODUCTS: READY TO HELP

Safety directors and managers worldwide are more committed than ever to reducing the occurrence of injuries. Their ultimate goal is achieving zero accidents. Safety incidents endanger the life and health of every worker and take heavy tolls in lost time, lost revenue, and lost productivity. Perceptive managers are embracing the vision of a culture of safety. From job site to factory floor, they are creating a working world where safety isn't just something that company leaders occasionally address. It's how every worker acts, every day. Environmental health and safety managers are leading their people to safety by inspiring workers to change behaviors and to make safer choices by themselves — for their own protection and that of their friends and co-workers.



The team at Honeywell Safety Products understands this need and is ready to help.



Creating a culture of safety in the workplace involves more than directing training, reporting accidents, and complying with regulations — it means transforming the environment where we work.

Honeywell Safety Products partners with safety managers to build and sustain this culture. We understand their needs and expectations for improving the work environment.

Our customers benefit from more than 50 years of safety expertise that helps protect their workers. We make this happen by offering high-performance products and innovative technologies, along with comprehensive educational programs.



SUPPORT FOR YOUR CULTURE OF SAFETY

We support the growth of a lasting safety culture by offering

**EQUIPMENT**



■ The broadest portfolio of personal protective equipment, solutions, and brands delivering premium performance, fit, comfort, and style.

**EDUCATION**



■ The most comprehensive education and training services, enabling organizations to learn and adopt best practices.

**ANALYTICS**



■ The most innovative analytic and diagnostic technologies that monitor and collect the data essential for creating an informed safety environment.

**LEADERSHIP**



■ The greatest organizational commitment and collaborative approach to protecting every worker whose life depends on our solutions.



white papers  
employee  
engagement  
partnerships

When combined with the safety manager's leadership programs, these solutions inspire workers to make safer choices on their own.



Visit our website to learn more about our training and support resources and for updates on how to build an enduring culture of safety.

[honeywellsafety.com/culture](http://honeywellsafety.com/culture)

## PPE ASSET MANAGEMENT SOLUTIONS

### Enabled Safety Products

Honeywell's Enabled Safety Products deliver an easy-to-use and implement web-based asset management solution that helps you effectively manage assets across your organization – both equipment and personnel – to achieve a higher level of operational efficiency, worker safety, asset utilization, and regulatory compliance necessary for today's business.



- Manage database of assets and uniquely-identified safety equipment
- Track and manage diverse assets that change location, owner, and status
- Support scheduled inspection audits and maintenance
- Leverage mobile computing and RFID technologies to easily manage assets
- Monitor location and inspection status of equipment



With Enabled Safety Products you can easily perform periodic inspections and track your critical assets and safety equipment across multiple locations:

*Look for this call-out for Enabled Safety Products in the Fall Protection and Emergency Eyewash products sections.*

- Assigned Location of Worker
- Type and Classification of Equipment
- Model and Serial Number
- Status and Condition of Asset
- Date and Time of Last Inspection
- Missing or Stolen Assets
- Scheduled Maintenance and Repairs



54-70-04

We understand that every company has unique business needs, and budget. The Enabled Safety Products asset tracking and management solutions range from standard off-the-shelf and scalable offerings to highly- customized solutions tailored to your specific needs.

**▲ WARNING:** This product guide provides only an overview of the products shown. It does not provide important product warnings and instructions. Honeywell recommends all users of its products undergo thorough training and that all warnings and instructions provided with the products be thoroughly read and understood prior to use. It is necessary to assess hazards in the work environment and to match the appropriate personal protective equipment to particular hazards that may exist. At a minimum, a complete and thorough hazard assessment must be conducted to properly identify the appropriate personal protective equipment to be used in a particular work environment.

FAILURE TO READ AND FOLLOW ALL PRODUCT WARNINGS AND INSTRUCTIONS AND TO PROPERLY PERFORM A HAZARD ASSESSMENT MAY RESULT IN SERIOUS PERSONAL INJURY, ILLNESS OR DEATH.

Call Customer Care at 800 430-5490.



**PPE ASSET MANAGEMENT SOLUTIONS**

**Advanced Identification and Tagging Technology**

An electronic product code is written to an ultra-high frequency (UHF) RFID tag which is applied to Honeywell PPE utilizing the Enabled Safety Products platform when it is manufactured. This “birth certificate” information includes product description, serial number, date of manufacture, and other critical item specific data. This data is stored in a secure database accessible only by your Enabled Safety Products program administrators.

Upon scanning Honeywell PPE for the first time with a hand-held computer or scanner pre-loaded with Enabled Safety Products software, you can now pull this unique “birth certificate” into your company’s dedicated, secure portal and manage this product information from its time of service to decommission.

**Access Anytime, Anywhere – Securely**

When you use Honeywell Enabled Safety Products technology, you can actively gather and track important safety information about your workers and PPE from any location. Simply log-on from anywhere you have an internet connection. Honeywell adheres to strict standards when it comes to handling your information and data records.



**PPE Asset Management and Tracking Software with UHF RFID Technology**

- Secure, hosted web-based solution provides 24/7/365 access to real-time information for effective asset management and visibility
- Flexible and cost-effective subscription plans enable rapid payback and utilization, and lower overall cost of ownership (includes daily maintenance/back-ups, updates, unlimited users, etc.)
- Proprietary RFID technology enables quick and reliable identification of assets



54-70-03



54-70-02



54-80-01

SKU	Description
<b>Subscription Plan (Yearly)</b>	
54-90-01	Basic (up to 1,000 assets; unlimited users)
54-90-02	Standard (up to 2,000 assets; unlimited users)
54-90-03	Premium (up to 5,000 assets; unlimited users)
54-90-04	Premium Plus (up to 10,000 assets; unlimited users)
<b>Barcode and RFID Readers</b>	
54-70-02	Handheld 2D Bar Code Only Reader (wired)
54-70-03	Handheld Dual 2D Bar Code and RFID (UHF) Reader (wired)
54-70-04	Portable Handheld 2D Bar Code and RFID (UHF) Reader with Mobile PC Interface and Docking Station (wireless)
<b>RFID Tags</b>	
54-80-01	UHF RFID Retrofit Quick Tag (pack of 10 tags)
54-80-02	UHF RFID Retrofit Quick Tag (pack of 100 tags)

Call Customer Care at 800 430-5490.

## WHAT'S INSIDE



- 14 • Safety Eyewear
- 31 • Specialty Eyewear
- 32 • Safety Goggles
- 36 • Face Shields
- 37 • Accessories
- 39 • Reference: Application Selection and Technical Information, Lens Tints, Lens Coatings, Chemical Resistance Chart
- 42 • Full Line SKU Listing
- 50 • Uvex Rx Eyewear



## About Uvex®

We realize that keeping people safe begins with a commitment to exceeding safety standards and embracing change to create a culture of safety. Delivering safety glasses and products that can be worn with confidence is one of the ways we are working to help build a culture of safety in the workplace. From best-in-class lens coatings that perform under the harshest conditions, to task-specific lens tints that optimize visual acuity, to ballistic impact resistance to a lifetime frame guarantee that backs up our promise, we're about inspiring safety in the minds of workers everywhere.

*For more information visit [www.uvex.us](http://www.uvex.us).*



**▲ WARNING!** Uvex® equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury including diminution or loss of vision.

Uvex® brand safety eyewear is offered for sale by Honeywell Safety Products exclusively in the Americas.

**FEATURED PRODUCTS**

Featured Products represent a collection of our top sellers and newest designs that combine function and style with unparalleled comfort and superior protection. We leverage extensive research and technological developments to continuously evolve our product line to consistently deliver high-performance products with lasting value.

**Genesis®**

Engineered for comfort, protection and style, the Genesis is the number one selling premium eyewear in the world, delivering an incredible range of superior product benefits including MMT — Multi-Material Technology® and a high level of adjustability. To view full product details see page 19.

**Uvex Seismic®**

The Uvex Seismic provides protection against impact, sun, wind, dust and debris coupled with durable performance and minimized fogging. Its design offers a range of comfort and adjustability features for all-day wear as well as popular black and metallic-blue colored frame options. To view full product details see page 25.

**Uvex Protégé®**

Designed with our proprietary Floating Lens™ technology, an expandable wraparound brow, soft temple tip pads and molded rubber nose pads, the Uvex Protégé combines sport styling with flexible design for a final product that weighs less than an ounce. To view full product details see page 24.

**Uvex Bayonet™**

Combining proprietary Uvex® lens tints, coatings and impact protection with sport-inspired styling and enhanced comfort features, Uvex Bayonet eyewear strikes the perfect balance between high-performance protection, comfort and sleek styling that drives worker acceptance. To view full product details see page 17.



Call Customer Care at 800 430-5490.

**UVEX TECHNOLOGIES**

# Uvex® Technologies

Since our earliest days, we have focused our research and development efforts on creating innovations in safety eyewear that directly benefit the workers who wear them. By constantly searching for ways to improve the protective capabilities, comfort, fit, durability, and look of our products, Uvex has become the acknowledged leader in safety eyewear innovation. We have secured dozens of industry patents for the many technological firsts that we have introduced to the marketplace, as well as something far more important: the accolades and gratitude of millions of workers who rely on our safety eyewear all day, every day.

## Designed for Comfort



## Uvex® Lens Coatings

Whether the problem is lenses that fog or lenses that scratch, Uvex lens coatings offer a solution for almost any working environment.

**Uvextreme®** anti-fog coating offers superior performance under the most extreme conditions and will not wear off after repeated cleanings.

**Uvextreme® Plus** offers the same anti-fog performance as Uvextreme, but with extended wear. It is permanently bonded to the lens, which helps it retain its anti-fog, anti-static and UV protection properties.

**Ultra-dura®** anti-scratch hard coat is one of the toughest anti-scratch coatings in the world: permanently bonded to the lens, it offers unparalleled scratch and chemical resistance.

**Supra-Dura®** advanced anti-scratch coating is perfect for high-particulate environments where lens scratching is a severe problem. This coating lasts 5X\* longer than any other anti-scratch coating on the market.

**Dura-streme®** dual coating technology combines the benefits of the Uvex industry leading anti-fog and anti-scratch coatings onto one lens. While the advanced anti-fog properties of Uvextreme help keep the interior of the lens clear from fogging, the rugged properties of Ultra-dura anti-scratch coating protect the exterior of the lens from scuffs and scratches, adding up to 3X\* longer lens life.

\*Comparative lens life test performed using a Bayer Abrasion Test method, and may vary between environment and application.

## Spectrum Control Technology® (SCT)

All Uvex styles are available with an assortment of standard lens tints — both clear and sunglass shades — and many are offered with specialized lens tints designed for task-specific lighting situations. These Spectrum Control Technology (SCT) lens tints incorporate unique dyes in the polycarbonate lens material that absorb select wavelengths of light to enhance vision. The charts on pages 39-41 are designed to help you determine which lens tint best addresses the challenges in your workplace. All Uvex lenses offer 99.9% ultra-violet protection.



**UVEX™**  
by Honeywell

Call Customer Care at 800 430-5490.

---

CERTS & STANDARDS

---



## Certifications and Standards

Our commitment to rigorous testing and extensive research and development ensures that every product meets or exceeds industry safety standards and certifications. And we stand behind our products so you and your workers can have peace of mind every time you put on a Uvex product.

### **ANSI Accreditation**

The American National Standards Institute (ANSI) provides accreditation in accordance with ISO/IEC Guide 65 for product certification programs to ensure that the marketplace can gain confidence for their activities. All Uvex eyewear products comply with the ANSI standard.

### **CSA Certification**

Many of our safety eyewear products are also certified to the requirements of the Canadian Standards Association (CSA). CSA certification is indicated in the description of each applicable product.

### **Ballistic Impact Protection**

For even greater security and protection from the unexpected, the core line of Uvex safety eyewear has undergone and passed Military V<sub>0</sub> (V-sub zero) ballistic impact testing. This means each of these eyewear styles can withstand impact energies 7X greater than the impact tests required by ANSI and CSA. (Does not apply to specialty tints and welding shades.)

### **Uvex Lifetime Frame Guarantee**

Uvex guarantees lifetime replacement for any qualifying eyewear model if something should happen to the frame during the course of normal use, regardless of age.

### **Uvex<sup>®</sup> Lens Replacement System**

Most of our eyewear products also come with an easy and economical lens replacement system, allowing wearers to reduce their annual safety eyewear expenditures while reaping the benefits of high quality eyewear.

### **Made in USA**

Many of our products are manufactured in the United States.



Call Customer Care at 800 430-5490.

## SAFETY EYEWEAR



### Uvex Ambient™ OTG (Over-the-Glass)

Exceptional coverage, fits comfortably over most prescription eyewear

- Exceptional peripheral vision and coverage in a lightweight, wrap-around uni-lens design
- Available with multiple high-performance coating options
- Soft, flexible nasal fingers conform to a variety of facial profiles and minimize slippage
- Bendable, wire-core temples offer flexibility with a secure, customized fit
- Offered in two lens sizes (medium and large) to fit comfortably over most prescription eyewear (medium is 13% smaller)
- Lifetime frame guarantee and economical lens replacement system
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard

Item #	Frame Color/Lens Tint	Coating	Temple Style
S3150	Blue (Large)/Clear	Ultra-dura HC	Bendable Wire-core
S3150X	Blue (Large)/Clear	Uvextreme AF	Bendable Wire-core
S3150D	Blue (Large)/Clear	Dura-streme HC/AF	Bendable Wire-core
S3151	Blue (Large)/Amber	Ultra-dura HC	Bendable Wire-core
S3151X	Blue (Large)/Amber	Uvextreme AF	Bendable Wire-core
S3152	Blue (Large)/Standard Gray	Ultra-dura HC	Bendable Wire-core
S3152X	Blue (Large)/Standard Gray	Uvextreme AF	Bendable Wire-core
S3153	Blue (Large)/Shade 3.0	Ultra-dura HC	Bendable Wire-core
S3155	Blue (Large)/Shade 5.0	Ultra-dura HC	Bendable Wire-core

Additional SKUs available – see full SKU listing at end of Uvex section



S3152

### Uvex Astrospec 3000®

Simple yet effective design applicable in many fields, offers an economical lens replacement system

- Lightweight unilens offers panoramic vision
- Lifetime frame guarantee and economical lens replacement system
- Adjustable lens inclination and temple length
- Custom imprinting available
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard
- Clear, Gray, Amber, Silver Mirror, and SCT-Reflect 50 tints meet Mil V<sub>0</sub> ballistic test for impact
- Made in USA



S135C

SKU	Frame Color/Lens Tints	Lens Coating	Temple Style
S135	Black/Clear	Ultra-dura HC	Spatula
S1359	Black/Clear	Ultra-dura	Duoflex
S136	Black/Clear	Ultra-dura	Spatula
S135C	Black/Clear	Uvextreme AF	Spatula
S1359C	Black/Clear	Uvextreme AF	Duoflex
S1299C	Blue/Clear	Uvextreme AF	Duoflex

Additional SKUs available – see full SKU listing at end of Uvex section



Call Customer Care at 800 430-5490.



**Uvex Astrospec 3000® S (Slim)**

Offers a 10mm smaller frame for workers with narrow facial profiles

- Lifetime frame guarantee and economical lens replacement system
- Same features and benefits as the Uvex Astrospec with a smaller frame size
- Available with high-performance Ultra-dura® anti-scratch and Uvextreme® anti-fog coatings
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard
- Clear and gray lens tints meet Mil V<sub>0</sub> ballistic test for impact

SKU	Frame Color/Lens Tints	Lens Coating	Temple Style
S2700	Black/Clear	Ultra-dura HC	Spatula
S2700C	Black/Clear	Uvextreme AF	Spatula
S2701	Black/Gray	Ultra-dura HC	Spatula
S2701C	Black/Gray	Uvextreme AF	Spatula
S2709	Black/Shade 5.0 Infradura	Ultra-dura HC	Spatula

Additional SKUs available – see full SKU listing at end of Uvex section



S2700

**Uvex Astrospec 3000® CB (Custom Bridge)**

Fits individuals with low nasal profiles and high cheekbones

- Same adjustability features as the Uvex Astrospec 3000
- Designed to fit low profile nasal areas and high profile cheeks
- Lifetime frame guarantee and economical lens replacement system
- Meets ANSI Z87.1-2001 standard
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2200	Black/Clear	Ultra-dura HC	Spatula
S2200C	Black/Clear	Uvextreme AF	Spatula

Additional SKUs available – see full SKU listing at end of Uvex section



S2201

**Uvex Astrospec 3000® S CB (Slim Custom Bridge)**

Fits individuals with narrow faces, low nasal profiles and high cheekbones

- Same adjustability features as the Uvex Astrospec 3000
- Designed to fit low profile nasal areas and 10 mm smaller for employees with slender facial profiles
- Lifetime frame guarantee and economical lens replacement system
- Meets ANSI Z87.1-2001 standard
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2212	Blue/Clear	Ultra-dura HC	Spatula

Additional SKUs available – see full SKU listing at end of Uvex section



S2212



Call Customer Care at 800 430-5490.

## SAFETY EYEWEAR



S2500

### Uvex Astro OTG® 3001

Fits comfortably over most prescription eyewear

- Same features as the Uvex Astrospec 3000® with attractive OTG (over-the-glass) styling
- Designed to be worn over prescription eyewear
- Lifetime frame guarantee and economical lens replacement system
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard
- Clear, Gray and Amber tints meet Mil V<sub>0</sub> ballistic test for impact
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2500	Black/Clear	Ultra-dura HC	Duoflex
S2500C	Black/Clear	Uvextreme AF	Duoflex
S2501	Black/Amber	Ultra-dura HC	Duoflex
S2504	Black/Gray	Ultra-dura HC	Duoflex
S2504C	Black/Gray	Uvextreme AF	Duoflex
S2505	Black/SCT-Low IR	Ultra-dura HC	Duoflex
S2506	Black/SCT-Gray	Ultra-dura HC	Duoflex
S2508	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Duoflex
S2509	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Duoflex

Additional SKUs available – see full SKU listing at end of Uvex section



S2572

### Uvex Astrospec Rx® 3003

Designed for workers who require vision correction and protection

- Propionate carrier can be fitted with Rx lenses
- Same adjustability features as the Uvex Astrospec 3000®
- Carrier and lenses may be tinted
- Lifetime frame guarantee
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2570	Black/Clear	N/A	Duoflex
S2572	Blue/Clear	N/A	Duoflex
S2574	Patriot RWB/Clear	N/A	Duoflex

Additional SKUs available – see full SKU listing at end of Uvex section



S1730

### Bandido®

Sleek, frameless style offers the features of the Bandit in a lightweight design

- Economical, frameless design for excellent peripheral vision
- Lightweight for all-day wear
- Contemporary wraparound styling
- Available with high-performance Ultra-dura® anti-scratch and Uvextreme® anti-fog coatings
- Meets ANSI Z87.1-2010 standard
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S1730	Black/Clear	Ultra-dura HC	Spatula
S1730X	Black/Clear	Uvextreme AF	Spatula
S1731	Black/Esspresso	Ultra-dura HC	Spatula
S1732	Black/Amber	Ultra-dura HC	Spatula

Additional SKUs available – see full SKU listing at end of Uvex section



Call Customer Care at 800 430-5490.

**SAFETY EYEWEAR**

**Bandit™**

Comfort and protection, with a contemporary frame styled for a dual-lens look

- Contemporary styling, sporty wrap-around temples provide non-slip fit and comfort
- Adjustable temple length
- Lifetime frame guarantee and economical lens replacement system
- Clear, Espresso, Amber, all Mirror and SCT-Reflect 50 tints meet Mil V<sub>0</sub> ballistic test for impact
- Meets ANSI Z87.1-2010 standard
- Made in USA



S1600

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S1600	Black/Clear	Ultra-dura HC	Spatulite
S1600X	Black/Clear	Uvextreme AF	Spatulite
S1601	Black/Amber	Ultra-dura HC	Spatulite
S1603	Black/Espresso	Ultra-dura HC	Spatulite
S1603X	Black/Espresso	Uvextreme AF	Spatulite
S1604	Black/Gold Mirror	Ultra-dura HC	Spatulite
S1606	Black/SCT-Reflect 50	Ultra-dura HC	Spatulite
S1607	Black/Red Mirror	Ultra-dura HC	Spatulite
S1608X	Black/SCT-Gray	Uvextreme AF	Spatulite

Additional SKUs available – see full SKU listing at end of Uvex section

**Uvex Bayonet™**

The perfect balance of high performance protection, comfort and sleek styling

- Proprietary Floating Lens™ design
- Custom designed temples offer sleek styling
- Flexible wrap-around brow expands and contracts to comfortably fit a variety of wearers
- Weighs less than one ounce
- Soft inserts along the temple provide a comfortable, head-hugging fit
- Soft, flexible “fingers” conform to a variety of nasal profiles and minimize slippage
- Offered in two high performance lens coating options: Supra-Dura® advanced anti-scratch and Uvextreme® anti-fog coating
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard



S0500

Item #	Frame Color/Lens Tints	Lens Coating	Temple Style
S0500	Gloss Black & Gray/Clear	Supra-Dura	Cushioned
S0500X	Gloss Black & Gray/Clear	Uvextreme AF	Cushioned
S0501	Gloss Black & Gray/Gray	Supra-Dura	Cushioned
S0501X	Gloss Black & Gray/Gray	Uvextreme AF	Cushioned
S0502	Gloss Black & Gray/Amber	Supra-Dura HC	Cushioned
S0502X	Gloss Black & Gray/Amber	Uvextreme AF	Cushioned
S0503	Gloss Black & Gray/Silver Mirror	Supra-Dura	Cushioned
S0504	Gloss Black & Gray/SCT-Reflect 50	Supra-Dura	Cushioned
S0505X	Gloss Black & Gray/SCT-Gray	Uvextreme AF	Cushioned
S0509X	Gloss Black & Gray/SCT-Low IR	Uvextreme AF	Cushioned



Call Customer Care at 800 430-5490.

## SAFETY EYEWEAR



SX0300



### Uvex ExtremePro™

Ideal for foundries, chemical plants, metalworking, machining, pulp and paper, shipbuilding or oil and gas industries

- Replaceable MoistureWick™ brow accessory absorbs and wicks away perspiration to keep lenses clear in hot environments
- Can be worn with or without browbar accessory
- Choose from Supra-Dura® advanced anti-scratch, Uvextreme® Plus anti-fog or Dura-streme™ dual HC/AF coating options
- GripClick™ frame width adjustment ensures a comfortable fit for most face sizes
- FlexFit™ bendable temples and replaceable nosepiece for a more comfortable, customized fit
- Ratcheting temples adjust the lens angle for a close fit
- Lifetime frame guarantee and economical lens replacement system
- Replaceable nosepiece and brow accessory
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
SX0300	Black & Gray/Clear	Supra-Dura HC	Bendable Wire-core
SX0300XP	Black & Gray/Clear	Uvextreme Plus AF	Bendable Wire-core
SX0300D	Black & Gray/Clear	Dura-streme HC/AF	Bendable Wire-core
SX0301	Black & Gray/Espresso	Supra-Dura HC	Bendable Wire-core
SX0301XP	Black & Gray/Espresso	Uvextreme Plus AF	Bendable Wire-core
SX0301D	Black & Gray/Espresso	Dura-streme HC/AF	Bendable Wire-core
SX0303	Black & Gray/Silver Mirror	Supra-Dura HC	Bendable Wire-core
SX0304	Black & Gray/SCT-Reflect 50	Supra-Dura HC	Bendable Wire-core
SX0307	Black & Gray/Shade 3.0 Infra-dura	Supra-Dura HC	Bendable Wire-core
SX0308	Black & Gray/Shade 5.0 Infra-dura	Supra-Dura HC	Bendable Wire-core
SX0312	Black & Gray/Dark Gray	Supra-Dura HC	Bendable Wire-core
SX0312XP	Black & Gray/Dark Gray	Uvextreme Plus AF	Bendable Wire-core

Additional SKUs available – see full SKU listing at end of Uvex section



S501X

### Falcon®

Ultimate peripheral vision in a uni-lens design

- Ultra lightweight design (22 grams) for all-day comfort
- Available with high-performance Ultra-dura® anti-scratch and Uvextreme® anti-fog coatings
- Lens inclination system features ratcheting temples for a close and customized fit
- Molded-in nose bridge, adjustable spatulite temples for all-day comfort
- Lifetime frame guarantee and economical lens replacement system
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4500	Black/Clear	Ultra-dura HC	Spatulite
S4500X	Black/Clear	Uvextreme AF	Spatulite
S4501	Black/Espresso	Ultra-dura HC	Spatulite
S4501X	Black/Espresso	Uvextreme AF	Spatulite
S4502X	Black/Amber	Uvextreme AF	Spatulite
S4503	Black/Gold Mirror	Ultra-dura HC	Spatulite
S4504	Black/SCT-Reflect 50	Ultra-dura HC	Spatulite



Call Customer Care at 800 430-5490.

**SAFETY EYEWEAR**

**Flashback®**

Features a classic dual lens look in a single lens design

- Lifetime frame guarantee and economical lens replacement system
- Excellent peripheral protection
- Adjustable Duoflex® cushioned temple length and lens inclination
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4000	Black/Clear	Ultra-dura HC	Duoflex
S4000C	Black/Clear	Uvextreme AF	Duoflex
S4001	Black/Gray	Ultra-dura HC	Duoflex
S4001C	Black/Gray	Uvextreme AF	Duoflex
S4004	Black/Shade 2.0 Infra-dura	Ultra-dura HC	Duoflex
S4005	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Duoflex
S4006	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Duoflex

Additional SKUs available – see full SKU listing at end of Uvex section



S4000C

**Genesis®**

Built with Multi-Material Technology® (MMT) and a high level of adjustability

- Dual 9-base wrap-around lens provides uncompromised peripheral vision, superior coverage and adjustable temple length and lens inclination
- Nosepiece with soft flexible “fingers” adjust and conform to almost any nasal profile and reduce slippage
- Soft elastomer browguard diffuses and deflects impact
- Lifetime frame guarantee and economical lens replacement system
- Available with high-performance Uvextreme anti-fog, Ultra-dura® anti-scratch and Dura-streme® dual anti-fog/anti-scratch coatings, as well as a wide range of lens tints
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard
- Clear, Espresso, Amber, Gold Mirror, Dark Gray, 50% Gray and SCT-Reflect 50 tints meet Mil V<sub>0</sub> ballistic test for impact
- Made in USA

SKU	Frame Color/Lens Tints	Lens Coating	Temple Style
S3200	Black/Clear	Ultra-dura HC	Spatulite
S3200X	Black/Clear	Uvextreme AF	Spatulite
S3201X	Black/Espresso	Uvextreme AF	Spatulite
S3200-ADV	Black Adv TPE/Clear	Ultra-dura HC	Spatulite
S3200X-ADV	Black Adv TPE/Clear	Uvextreme AF	Spatulite
S3200D	Black/Clear	Dura-streme HC/AF	Spatulite
S3202	Black/Amber	Ultra-dura HC	Spatulite
S3203	Black/Gold Mirror	Ultra-dura HC	Spatulite
S3204	Black/SCT-Reflect 50	Ultra-dura HC	Spatulite
S3205X	Black/SCT-Gray	Uvextreme AF	Spatulite
S3206	Black/Shade 2.0 Infra-dura	Ultra-dura HC	Spatulite
S3207	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Spatulite
S3208	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Spatulite

Additional SKUs available – see full SKU listing at end of Uvex section



S3200



Call Customer Care at 800 430-5490.

## SAFETY EYEWEAR



S3760

### Genesis® Reading Magnifiers

Excellent choice for workers needing increased magnification for close-up inspection, fine detail work and reading small print

- Available in Clear, Amber, Standard Gray and SCT-Reflect 50 lens tints with Ultra-dura® anti-scratch coating and five diopter strengths from +1.0 to +3.0 magnifications
- Same cushioned comfort and adjustability as Genesis
- Lifetime frame guarantee and economical lens replacement system
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards
- Made in USA



Item #	Frame Color/Lens Tint	Lens Coating	Magnification
S3760	Black/Clear	Ultra-dura HC	+1.0
S3761	Black/Clear	Ultra-dura HC	+1.5
S3762	Black/Clear	Ultra-dura HC	+2.0
S3763	Black/Clear	Ultra-dura HC	+2.5
S3764	Black/Clear	Ultra-dura HC	+3.0

Additional SKUs available – see full SKU listing at end of Uvex section

### Genesis® S (Slim)

Offers a 6% smaller frame for workers with narrow facial profiles

- Available with high-performance Uvextreme® anti-fog, Ultra-dura® anti-scratch and Dura-streme® dual anti-fog/anti-scratch coatings, as well as standard lens tints
- Frame and lens are 6% smaller than Genesis to fit narrow facial profiles
- Lifetime frame guarantee and economical lens replacement system
- Soft browguard absorbs and diffuses impact, flexible “fingers” on nosepiece minimize slippage
- Padded temples and tips provide all-day comfort
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard
- All Genesis S lens tints meet Mil V<sub>0</sub> ballistic test for impact



S3701

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S3700	Pewter & Black/Clear	Ultra-dura HC	Padded
S3700X	Pewter & Black/Clear	Uvextreme AF	Padded
S3700D	Pewter & Black/Clear	Dura-streme HC/AF	Padded
S3701	Pewter & Black/Gray	Ultra-dura HC	Padded
S3701X	Pewter & Black/Gray	Uvextreme AF	Padded
S3702	Pewter & Black/Amber	Ultra-dura HC	Padded
S3702X	Pewter & Black/Amber	Uvextreme AF	Padded
S3703	Pewter & Black/SCT-Reflect 50	Ultra-dura HC	Padded
S3704	Pewter & Black/Dark Gray	Ultra-dura HC	Padded

Additional SKUs available – see full SKU listing at end of Uvex section



Call Customer Care at 800 430-5490.

**SAFETY EYEWEAR**

**Genesis XC®**

Rx lens insert offers an alternative for workers requiring vision correction, shielding prescription lenses from damage

- Same cushioned comfort and adjustability features as Genesis®
- Extended wrap-around lens for extra cheek and extra side coverage (up to 20% more than the standard Genesis lens)
- Rx lens insert available\*
- Available with high-performance Uvextreme anti-fog, Ultra-dura anti-scratch and Dura-streme dual anti-fog/anti-scratch coatings, as well as a wide range of lens tints
- Available with cushioned temples for all-day comfort
- Lifetime frame guarantee and economical lens replacement system
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard
- Clear, Gray, Amber, Silver Mirror, 50% Gray and SCT-Reflect 50 tints meet Mil V<sub>0</sub> ballistic test for impact
- Made in USA

SKU	Frame Color/Lens Tints	Lens Coating	Temple Style
S3300	Black/Clear	Ultra-dura HC	Cushioned
S3300D	Black/Clear	Dura-streme HC/AF	Cushioned
S3300X	Black/Clear	Uvextreme AF	Cushioned
S3301X	Black/Gray	Uvextreme AF	Cushioned
S3302	Black/SCT-Reflect 50	Ultra-dura HC	Cushioned

*Additional SKUs available – see full SKU listing at end of Uvex section*



S3300



*\*With the Rx lens insert, Genesis XC offers an alternative for workers requiring vision correction.*

**Genesis X2®**

All-day comfort and performance with active, sport-inspired styling

- Available with high-performance Uvextreme® anti-fog, Ultra-dura anti-scratch and Dura-streme dual anti-fog/anti-scratch coatings, as well as a wide range of lens tints
- Soft elastomer browguard diffuses and deflects impact, flexible “fingers” on the nosepiece reduce slippage
- Adjustable, ratcheting temples with cushioned tips allow customized lens inclination and comfort
- Lifetime frame guarantee and economical lens replacement system
- Meets the ANSI Z87.1-2010 standard
- Clear, Espresso, Amber, Gold Mirror, Gray, 50% Gray and SCT-Reflect 50 tints meet Mil V<sub>0</sub> ballistic test for impact
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S3520	Black & Yellow/Clear	Ultra-dura HC	Cushioned
S3520-ADV	Black Adv.TPE/Clear	Ultra-dura HC	Cushioned
S3520D	Black & Yellow/Clear	Dura-streme HC/AF	Cushioned
S3520X	Black & Yellow/Clear	Uvextreme AF	Cushioned
S3520X-ADV	Black Adv.TPE/Clear	Uvextreme AF	Cushioned
S3521	Black & Yellow/Espresso	Ultra-dura HC	Cushioned
S3521X	Black & Yellow/Espresso	Uvextreme AF	Cushioned
S3522	Black & Yellow/Amber	Ultra-dura HC	Cushioned
S3523	Black & Yellow/Gold Mirror	Ultra-dura HC	Cushioned
S3524	Black & Yellow/SCT-Reflect 50	Ultra-dura HC	Cushioned
S3530X	Black & Yellow/SCT-Vermilion	Uvextreme AF	Cushioned
S3531X	Black & Yellow/SCT-Blue	Uvextreme AF	Cushioned
S3532X	Black & Yellow/Gray	Uvextreme AF	Cushioned
S3533X	Black & Yellow/50% Gray	Uvextreme AF	Cushioned

*Additional SKUs available – see full SKU listing at end of Uvex section*



S3520



Call Customer Care at 800 430-5490.

## SAFETY EYEWEAR



S4410

### Uvex Ignite™

**Bold temple style, hot colors and an array of high-performance lens tints**

- 9-base wraparound lens design provides protection and superior coverage
- Available in a scratch-resistant hardcoat or Uvextra anti-fog coating
- Sleek, sporty frameless design for lightweight, all-day comfort
- Adjustable nosepiece reduces slippage and provides comfortable fit
- Soft temple tip pads ensure a fit that is both comfortable and secure
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4410	Metallic Red & Silver/Clear	Hardcoat	Cushioned
S4410X	Metallic Red & Silver/Clear	Uvextra AF	Cushioned
S4411	Metallic Red & Silver/Gray	Hardcoat	Cushioned
S4411X	Metallic Red & Silver/Gray	Uvextra AF	Cushioned
S4412	Metallic Red & Silver/SCT-Reflect 50	Hardcoat	Cushioned
S4413	Metallic Red & Silver/Silver Mirror	Hardcoat	Cushioned

*Additional SKUs available – see full SKU listing at end of Uvex section*



### Uvex Mercury™

**Comfortable fit and modern styling with clean lines to appeal to workers**

- Wraparound dual lens design offers panoramic field of vision and added side protection
- Sturdy frame has just enough flex to provide a comfortable yet snug fit
- Nosepiece has soft flexible “fingers” that adjust and conform to almost any nasal profile
- Soft padding runs the length of the temples for added comfort and secure fit
- Available in a variety of lens tints with a choice of anti-scratch hardcoat or Uvextra® anti-fog lens coatings
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard

Item #	Frame Color/ Lens Tint	Lens Coating
S1500	Black & Gray/Clear	Hardcoat
S1500X	Black & Gray/Clear	Uvextra AF
S1501	Black & Gray/Gray	Hardcoat
S1501X	Black & Gray/Gray	Uvextra AF
S1502	Black & Gray/Amber	Hardcoat
S1502X	Black & Gray/Amber	Uvextra AF
S1503	Black & Gray/SCT-Reflect 50	Hardcoat
S1504	Black & Gray/Silver Mirror	Hardcoat
S1505	Black & Gray/Blue Mirror	Hardcoat



S1503



Call Customer Care at 800 430-5490.



**SAFETY EYEWEAR**

**Uvex Milan™ (Photochromic)**

Lenses automatically adapt to changes in light conditions minimizing sunlight and glare

- 8-base dual lens design for superior coverage
- Adjustable saddle pad nosepiece and lightweight frame for all day comfort
- Wire-core, spring hinge temples for a personalized fit
- Changes from light to dark in 8 seconds, and changes from dark to light in 60 seconds
- Meets the ANSI Z87.1-2010 standard

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4025	Silver & Blue/Photochromic	Hardcoat	Bendable Wire-core



S4025

**Uvex Millennia™**

Innovation and convenience create the perfect blend of style and performance

- Comfortable and lightweight wraparound uni-lens provides exceptional coverage
- Available with Uvextreme® anti-fog and Ultra-dura® anti-scratch coatings as well as a variety of lens tints
- Includes adjustable breakaway hang cord for added security and convenience
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard
- Clear, Gray, Amber, Silver Mirror, and SCT-Reflect 50 tints meet Mil V<sub>0</sub> ballistic test for impact
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
11150350	Black/Clear	Ultra-dura HC	Bayonette
11150351	Black/Gray	Ultra-dura HC	Bayonette
11150352	Black/Amber	Ultra-dura HC	Bayonette
11150353	Black/SCT-Reflect 50	Ultra-dura HC	Bayonette
11150354	Black/Silver Mirror	Ultra-dura HC	Bayonette
11150355	Black/Clear	Uvextreme AF	Bayonette
11150356	Black/Gray	Uvextreme AF	Bayonette
11150367	Black/SCT-Low IR	Ultra-dura HC	Bayonette
11150368	Black/SCT-Gray	Ultra-dura HC	Bayonette



11150352

*Additional SKUs available – see full SKU listing at end of Uvex section*

**Uvex® Polarized**

Comfortable, attractive and effective at reducing glare

- High quality polarized lens allows the wearer to see fine detail and deep colors
- Helps eliminate eye strain, eye fatigue, discomfort and poor visual acuity
- Nosepiece with adjustable saddle pads improves comfort and fit
- Meets the ANSI Z87.1-2010 standard

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4100	Brushed Silver Metal/Gray Polarized	Hardcoat	Padded Metal Tips



S4100



Call Customer Care at 800 430-5490.

## SAFETY EYEWEAR



SX0202



### Uvex PrecisionPro™

Ideal for quality control, inspection, technical applications, lab work, aerospace, fine maintenance and mechanics

- Frameless ultra lightweight design
- FlexFit™ bendable temples and replaceable nosepiece for a more comfortable, customized fit
- Ratcheting temples adjust lens angle for a close fit
- Available with high-performance Supra-Dura® advanced anti-scratch and Uvextreme® anti-fog coatings
- Specialized, task-specific SCT Spectrum Control Technology® lens tints optimize lighting and enhance visual perception
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
SX0200	Blue & Black/Clear	Supra-Dura HC	Bendable Wire-core
SX0200X	Blue & Black/Clear	Uvextreme AF	Bendable Wire-core
SX0202	Blue & Black/Amber	Supra-Dura HC	Bendable Wire-core
SX0209	Blue & Black/SCT-Low IR	Supra-Dura HC	Bendable Wire-core
SX0210X	Blue & Black/SCT-Vermillion	Uvextreme AF	Bendable Wire-core
SX0211X	Blue & Black/SCT-Blue	Uvextreme AF	Bendable Wire-core
SX0213X	Blue & Black/50% Gray	Uvextreme AF	Bendable Wire-core
SX0214	Blue & Black/Blue Mist	Supra-Dura HC	Bendable Wire-core

### Uvex Protégé®

Protection with lightweight comfort and style

- Proprietary Floating Lens™ design offers increased flexibility to fit more wearers
- Secure wraparound brow expands to fit a wide range of users
- Soft temple tip pads provide a secure fit while flexible “fingers” on the nosepiece reduce slippage
- Available with Uvex high-performance Uvextreme® anti-fog and Ultra-dura® anti-scratch lens coatings, as well as a wide range of lens tints
- Lifetime frame guarantee
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard
- Clear, Gray, Amber, Silver Mirror, and SCT-Reflect 50 tints meet Mil V<sub>0</sub> ballistic test for impact



S4200

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4200	Metallic Black/Clear	Ultra-dura HC	Cushioned
S4200X	Metallic Black/Clear	Uvextreme AF	Cushioned
S4201	Metallic Black/Gray	Ultra-dura HC	Cushioned
S4201X	Metallic Black/Gray	Uvextreme AF	Cushioned
S4202	Metallic Black/SCT-Reflect 50	Ultra-dura HC	Cushioned
S4203	Metallic Black/Silver Mirror	Ultra-dura HC	Cushioned
S4205X	Metallic Black/SCT-Gray	Uvextreme AF	Cushioned
S4221XC	Metallic Black/SCT-Blue	Ultra-dura HC	Cushioned
S4221XXC	Metallic Black/SCT-Blue	Uvextreme AF	Cushioned
S4222XC	Metallic Black/Amber	Ultra-dura HC	Cushioned
S4222XXC	Metallic Black/Amber	Uvextreme AF	Cushioned



Call Customer Care at 800 430-5490.

Additional SKUs available – see full SKU listing at end of Uvex section

**SAFETY EYEWEAR**

**Uvex Seismic® (Sealed Eyewear)**

Protection against impact, sun, wind, dust and debris

- Available with high-performance Uvextreme® anti-fog, Dura-streme® dual anti-fog/anti-scratch, Uvextra® anti-fog coatings and a scratch-resistant hardcoat
- Soft and flexible nasal pads conform to a variety of facial profiles and minimize slippage
- Soft, high quality face cushioning and padded temple tips offer all-day comfort
- Adjustable flame-resistant headband provides excellent fit
- Replaceable flame-resistant, cushion-lined subframe extends the life of the eyewear
- Meets the ANSI Z87.1-2010 standard (ANSI-approved for use with and without cushion-lined frame)
- Headband and cushion-lined subframe are latex free
- Certified to the requirements of the CSA Z94.3 standard only with subframe in place



S0600

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S0600	Black/Clear	Hardcoat	Cushioned/Headband
S0600X	Black/Clear	Uvextra AF	Cushioned/Headband
S0600D	Black/Clear	Dura-streme HC/AF	Cushioned/Headband
S0601X	Black/Esspresso	Uvextra AF	Cushioned/Headband
S0602X	Black/Amber	Uvextra AF	Cushioned/Headband
S0604X	Black/SCT-Reflect 50	Uvextra AF	Cushioned/Headband
S0605X	Black/SCT-Gray	Uvextreme AF	Cushioned/Headband
S0609X	Black/SCT-Low IR	Uvextreme AF	Cushioned/Headband

Additional SKUs available – see full SKU listing at end of Uvex section

**Uvex Seismic® Readers**

A range of diopter strengths for workers needing increased magnification for reading, inspection, and other fine detail work

- Available in Clear with Uvextra® anti-fog coating and three diopter strengths: +1.5, +2.0 and +2.5 magnifications

Item #	Frame Color/Lens Tint	Lens Coating	Magnification
S0661X	Black/Clear	Uvextra AF	+1.5
S0662X	Black/Clear	Uvextra AF	+2.0
S0663X	Black/Clear	Uvextra AF	+2.5

Additional SKUs available – see full SKU listing at end of Uvex section



S0661X



Call Customer Care at 800 430-5490.

## SAFETY EYEWEAR



S1902



### Skyper®

The simplicity of a uni-lens with a sleek stylish appeal

- Wraparound design offers exceptional peripheral protection from side impact
- Molded-in nose bridge and browguard provide additional protection from flying particulates
- Available with high-performance Ultra-dura® anti-scratch and Uvextreme anti-fog coatings
- Adjustable temple length and lens inclination system ensure a customized fit
- Lifetime frame guarantee and economical lens replacement system
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard
- Clear, Espresso, Amber, Gold Mirror, Gray and SCT-Reflect 50 tints meet Mil V<sub>0</sub> ballistic test for impact
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S1900	Black/Clear	Ultra-dura HC	Duoflex
S1900X	Black/Clear	Uvextreme AF	Duoflex
S1901	Black/Espresso	Ultra-dura HC	Duoflex
S1901X	Black/Espresso	Uvextreme AF	Duoflex
S1902	Black/Amber	Ultra-dura HC	Duoflex
S1903	Black/Gold Mirror	Ultra-dura HC	Duoflex
S1904X	Black/SCT-Gray	Uvextreme AF	Duoflex
S1905	Black/SCT-Reflect 50	Ultra-dura HC	Duoflex
S1906	Black/Shade 2.0 Infra-dura	Ultra-dura HC	Duoflex
S1907	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Duoflex
S1908	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Duoflex
S1930X	Black/SCT-Low IR	Uvextreme AF	Duoflex
S1931X	Black/SCT-Vermilion	Uvextreme AF	Duoflex
S1932X	Black/SCT-Blue	Uvextreme AF	Duoflex
S1933X	Black/SCT-Orange	Uvextreme AF	Duoflex
S1934X	Black/Gray	Uvextreme AF	Duoflex



S4110

### Uvex Slate™

Industrial protection workers need and the modern style they want

- Lightweight, durable metal frame with dual-lens for excellent coverage and all-day wear
- Flexible spring hinge temples and soft rubber temple tips provide a comfortable fit
- Nosepiece with adjustable saddle pads adds comfort and helps prevent slippage
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4110	Matte Gunmetal/Clear	Hardcoat	Padded Metal Tips
S4110X	Matte Gunmetal/Clear	Uvextra AF	Padded Metal Tips
S4111	Matte Gunmetal/Gray	Hardcoat	Padded Metal Tips
S4111X	Matte Gunmetal/Gray	Uvextra AF	Padded Metal Tips
S4112	Matte Gunmetal/Gold Mirror	Hardcoat	Padded Metal Tips



Call Customer Care at 800 430-5490.

**SAFETY EYEWEAR**

**Uvex SolarPro™**

Ideal for construction, utility line work, landscaping, oil and gas industries and other outdoor applications

- Available in a variety of lens tints including mirrored, polarized and photochromic to help reduce solar glare and eye fatigue
- Sport-inspired wraparound design
- Ratcheting temples, and padded nosepiece for a comfortable non-slip fit
- Lifetime frame guarantee
- Available with high-performance Supra-Dura® advanced anti-scratch, Uvextreme® anti-fog, Dura-streme® dual anti-fog/anti-scratch coatings and a scratch-resistant hardcoat
- 100% dielectric
- Meets the ANSI Z87.1-2010 standard



SX0401

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
SX0400	Gray/Clear	Supra-Dura HC	Cushioned
SX0400X	Gray/Clear	Uvextreme AF	Cushioned
SX0401	Gray/Gray	Supra-Dura HC	Cushioned
SX0401X	Gray/Gray	Uvextreme AF	Cushioned
SX0401D	Gray/Gray	Dura-streme HC/AF	Cushioned
SX0402	Gray/SCT Reflect 50	Supra-Dura HC	Cushioned
SX0403	Gray/Silver Mirror	Hardcoat	Cushioned
SX0404	Gray/Blue Mirror	Hardcoat	Cushioned
SX0405	Gray/Polarized	Hardcoat	Cushioned
SX0406	Gray/Photochromic	Anti-Fog/Hardcoat	Cushioned

**Spitfire®**

Frameless wraparound lens provides superior coverage and unobstructed peripheral vision

- Lightweight frameless design
- Available with high-performance Ultra-dura® anti-scratch and Uvextreme® anti-fog coatings
- Lens inclination system features ratcheting temples for a close and customized fit
- Molded-in nose bridge, adjustable Spatulite temples for all-day comfort
- Lifetime frame guarantee and economical lens replacement system
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard
- Made in USA



S1800X

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S1800	Black/Clear	Ultra-dura HC	Spatulite
S1800X	Black/Clear	Uvextreme AF	Spatulite
S1801	Black/Esspresso	Ultra-dura HC	Spatulite
S1801X	Black/Esspresso	Uvextreme AF	Spatulite
S1802	Black/Amber	Ultra-dura HC	Spatulite
S1803	Black/Gold Mirror	Ultra-dura HC	Spatulite



Call Customer Care at 800 430-5490.

## SAFETY EYEWEAR



S2451

### Tomcat®

Powerfully stylish, offers a tight-wrap dual lens design

- Sleek, wraparound full frame design
- Provides exceptional peripheral coverage and protection
- Nosepiece with adjustable saddle pads for fit and comfort
- Spring-hinge temples with soft temple tips for a comfortable fit
- Meets the ANSI Z87.1-2010 standard

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2450	Gunmetal/Clear	Hardcoat	Padded Metal Tips
S2451	Gunmetal/Gray	Hardcoat	Padded Metal Tips
S2453	Gunmetal/Silver Mirror	Hardcoat	Padded Metal Tips
S2454	Gunmetal/SCT-Reflect 50	Hardcoat	Padded Metal Tips



### Uvex U2®

Comfort and protection meet style with this wraparound design

- Available with Uvex high-performance Uvextreme anti-fog and Ultra-dura anti-scratch coatings as well as a variety of lens tints
- Molded-in nose bridge fits a variety of facial profiles and minimizes slippage
- Adjustable temples for a customized fit and all-day wear
- Lifetime frame guarantee and economical lens replacement system
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard
- Clear, Espresso, Amber, Gold Mirror, and SCT-Reflect 50 tints meet Mil V<sub>0</sub> ballistic test for impact
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S3100	Black/Clear	Ultra-dura HC	Spatulite
S3100X	Black/Clear	Uvextreme AF	Spatulite
S3101	Black/Espresso	Ultra-dura HC	Spatulite
S3101X	Black/Espresso	Uvextreme AF	Spatulite
S3102	Black/Amber	Ultra-dura HC	Spatulite
S3103	Black/Gold Mirror	Ultra-dura HC	Spatulite
S3104	Black/SCT-Reflect 50	Ultra-dura HC	Spatulite



S3100



Call Customer Care at 800 430-5490.

**SAFETY EYEWEAR**

**Ultra-spec® 1000**

Simple safety and comfort, ideal for visitors

- Uncoated 100% polycarbonate wraparound uni-lens design with side shields
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S300CS	Clear/Clear	Uncoated	Spatula
S302SS	Black/Clear	Uncoated	Spatula
S305CS	Clear/Gray	Uncoated	Spatula
S301CS	Clear/Clear	Uncoated	Spatula



S300CS

**Ultra-spec® 2000**

Expanded performance and comfort features for longer wear

- Adjustable temple length
- Available with high-performance Ultra-dura® anti-scratch and Uvextreme® anti-fog coatings and additional lens tints
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S0390	Clear/Clear	Ultra-dura HC	Standard
S0250X	Clear/Clear	Uvextreme AF	Spatula
S0300	Clear/Clear	Ultra-dura HC	Spatula
S0290X	Amber/Amber	Uvextreme AF	Spatula
S0340	Amber/Amber	Ultra-dura HC	Spatula
S0391	Gray/Gray	Ultra-dura HC	Standard
S0280X	Gray/Gray	Uvextreme AF	Spatula
S0330	Gray/Gray	Ultra-dura HC	Spatula
S0360X	Orange/SCT-Orange	Uvextreme AF	Spatula



S0391



Call Customer Care at 800 430-5490.

## SAFETY EYEWEAR



S0112C

### Ultra-spec® 2001 OTG (Over-the-Glass)

Lightweight uni-lens design fits over most Rx eyewear

- Adjustable Duoflex® cushioned temples
- Available with high-performance Ultra-dura® anti-scratch and Uvextreme® anti-fog coatings
- Fits comfortably over most prescription eyewear
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S0112	Clear/Clear	Ultra-dura HC	Duoflex
S0112C	Clear/Clear	Uvextreme AF	Duoflex
S0113	Gray/Gray	Ultra-dura HC	Duoflex
S0113C	Gray/Gray	Uvextreme AF	Duoflex



### Uvex VersaPro™

Ideal for assembly line work, shipping, machine operation and other light manufacturing tasks

- Sleek, streamlined lens provides excellent coverage and protection
- FlexFit™ bendable temples and replaceable nosepiece for a more comfortable, customized fit
- Ratcheting temples adjust lens angle for a close fit
- Offered in two sizes to fit more workers
- Lifetime frame guarantee and economical lens replacement system
- Available with Uvex high-performance lens coatings, including Supra-Dura® advanced anti-scratch and Uvextreme® anti-fog
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard

Item #	Frame Color (Size)/Lens Tint	Lens Coating	Temple Style
SX0100	Blue & Black (Medium)/Clear	Supra-Dura HC	Bendable Wire-core
SX0100X	Blue & Black (Medium)/Clear	Uvextreme AF	Bendable Wire-core
SX0101	Blue & Black (Medium)/Espresso	Supra-Dura HC	Bendable Wire-core
SX0101X	Blue & Black (Medium)/Espresso	Uvextreme AF	Bendable Wire-core
SX0102	Blue & Black (Medium)/Amber	Supra-Dura HC	Bendable Wire-core
SX0102X	Blue & Black (Medium)/Amber	Uvextreme AF	Bendable Wire-core
SX0103	Blue & Black (Medium)/Silver Mirror	Supra-Dura HC	Bendable Wire-core
SX0104	Blue & Black (Medium)/SCT-Reflect 50	Supra-Dura HC	Bendable Wire-core
SX0105X	Blue & Black (Medium)/SCT-Gray	Uvextreme AF	Bendable Wire-core

Additional SKUs available – see full SKU listing at end of Uvex section



SX0102



Call Customer Care at 800 430-5490.



**SPECIALTY EYEWEAR**

**Uvex Horizon™**

Classic flip-up style, perfect for welders and industrial workers

- Shaded lens protects against high-intensity light while clear lens offers superior impact protection
- Flip-up lenses are offered in Infra-dura® Welding Shade 3.0, Shade 5.0 or SCT-Cobalt Blue
- Side shields for extra protections against flying particles
- Meets the ANSI Z87.1-2010 standard



S213

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S212	Black/Clear with Shade 3.0	Hardcoat	Spatula with Metal Core
S213	Black/Clear with Shade 5.0	Hardcoat	Spatula with Metal Core
S214	Black/Clear with Cobalt Blue	Hardcoat	Spatula with Metal Core

**Uvex® S4150**

S7 shape designed to fit Uvex 870 series Klip Lifts

- Smoke frame with polycarbonate lenses and clear side shields
- Rx compatible
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard



S4150

Item #	Lens Tint	Description
S4150	Clear	Safety Eyewear for Uvex 870 Series Klip Lifts

**Uvex® 870 Series**

Quickly and easily convert existing plastic safety eyewear into furnace or laboratory viewing safety eyewear

- Integral spring clip holds the Uvex 870 Series securely without screws, fasteners or tools
- Klip Lifts fit safety eyewear with 48mm S7 shaped plastic frames (Uvex S4150)



32-00LFB8-0000

Item #	Lens Tint	Description
32-0LFFB6-0000	Cobalt Blue Shade 6	Klip Lift-Full Front
32-00LFB8-0000	Cobalt Blue Shade 8	Klip Lift-Half Front
32-0LFF08-0000	6C Didymium	Klip Lift-Full Lens
32-0LFFW4-0000	Welding Shade 4	Klip Lift-Full Front
32-0LFFW5-0000	Welding Shade 5	Klip Lift-Full Front
32-0LFFW6-0000	Welding Shade 6	Klip Lift-Full Front
32-0LFFW8-0000	Welding Shade 8	Klip Lift-Full Front
32-00LFW6-0000	Welding Shade 6	Klip Lift-Half Front

Additional SKUs available – see full SKU listing at end of Uvex section



Call Customer Care at 800 430-5490.

## SPECIALTY EYEWEAR



32-8LFFB4-0000

### Uvex® 880 Series

Clips easily onto hard hat or bump cap brims for convenience & protection

- Quickly flip down to enhance vision, then flip up when not needed
- Integral spring clip holds Uvex 880 Series securely without screws, fasteners or tools
- Available with half or full lenses in a variety of tints

Item #	Lens Tint	Description
32-8LFFB3-0000	Cobalt Blue Shade 3	Hard Hat Klip Lift-Full Front
32-8LFFB4-0000	Cobalt Blue Shade 4	Hard Hat Klip Lift-Full Front
32-8LFFB8-0000	Cobalt Blue Shade 8	Hard Hat Klip Lift-Full Front
32-08LFB6-0000	Cobalt Blue Shade 6	Hard Hat Klip Lift-Half Front
32-8LFFW5-0000	Welding Shade 5	Hard Hat Klip Lift-Full Front
32-8LFFW6-0000	Welding Shade 6	Hard Hat Klip Lift-Full Front
32-8LFFW8-0000	Welding Shade 8	Hard Hat Klip Lift-Full Front
32-08LFW4-0000	Welding Shade 4	Hard Hat Klip Lift-Half Front
32-08LFW6-0000	Welding Shade 6	Hard Hat Klip Lift-Half Front

Additional SKUs available – see full SKU listing at end of Uvex section

## SAFETY GOGGLES



S1650D

### Uvex Carbonvision™

Exceptional performance in a compact, lightweight, comfortable design

- Ultra lightweight frame with flexible soft components provides both high-performance protection and all-day comfort
- Flexible soft components adapt to your face shape and ensure a perfect fit and seal around the eyes
- Ideal for protection from impact, dust/airborne particles as well as chemical splash hazards-when worn with Neoprene headband
- Low profile is ideal for wearing with disposable respirators and protective caps
- High-quality headband is available in Neoprene or Fabric and offers a comfortable fit and long-lasting durability
- Available in Clear and Gray, lens tints with Dura-streme® dual anti-fog/anti-scratch coating technology
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard

Item #	Body Color/Lens Tints	Lens Coating	Headband
S1650D	Black & Gray/Clear	Dura-streme HC/AF	Neoprene
S1651D	Black & Gray/Gray	Dura-streme HC/AF	Neoprene
S1650DF	Black & Gray/Clear	Dura-streme HC/AF	Fabric
S1651DF	Black & Gray/Gray	Dura-streme HC/AF	Fabric

### Uvex Classic™

Four models for a variety of work applications including direct vent, closed vent, indirect vent and indirect vent with foam lining

- Fits over most prescription eyewear
- Frosted browguard reduces overhead glare
- Indirect venting system along with high-performance Uvextreme® anti-fog coating minimizes fogging in extreme environments
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard



Call Customer Care at 800 430-5490.

**SAFETY GOGGLES**

*(Uvex Classic continued)*

Item #	Body Color/Lens Tint	Lens Coating	Description
S350	Clear/Clear	Uvextreme AF	Hood Indirect Vent
S350CF*	Clear/Clear	Uvextreme AF	Face Foam
S360	Clear/Clear	Uvextreme AF	Indirect Vent
S364	Clear/Clear	Uvextreme AF	Closed Vent

\*S350CF not for chemical splash applications



S350

**Uvex Climazone™**

Ski-inspired design for cold and extreme weather conditions

- Replaceable dual pane lens: interior lens with anti-fog coating; exterior lens with Ultra-dura® anti-scratch coating
- Ventilation system along with anti-fog coating helps keep lenses clear
- Not for chemical splash
- Meets the ANSI Z87.1-2003 standard and is certified to the requirements of the CSA Z94.3 standard (SKUs ending in “CSA”)

Item #	Body Color/Lens Tint	Lens Coating	Description
S390	Black/Clear	Anti-fog/Ultra-dura HC	Dual Pane Lens
S391	Black/Gray	Anti-fog/Ultra-dura HC	Dual Pane Lens
S393	Black/Amber	Anti-fog/Ultra-dura HC	Dual Pane Lens
S390CSA	Black/Clear	Anti-fog/Ultra-dura HC	Dual Pane Lens
S391CSA	Black/Gray	Anti-fog/Ultra-dura HC	Dual Pane Lens
S393CSA	Black/Amber	Anti-fog/Ultra-dura HC	Dual Pane Lens



S390

**Flex Seal®**

Lightweight, silicone body conforms to the face to assure the highest level of comfort and eye protection

- Silicone body stays supple even in extreme temperatures and seals to almost any face shape while offering exceptional all-day comfort
- Fits comfortably over most prescription eyewear
- Indirect venting system along with high-performance Uvextreme® anti-fog coating minimizes fogging in extreme environments
- Economical lens replacement
- Headband available in fabric or neoprene for chemical applications
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard
- Made in USA

Item #	Body Color/Lens Tint	Lens Coating	Headband
S3400X	Navy/Clear	Uvextreme AF	Neoprene
S3405X	Navy/Clear	Uvextreme AF	Fabric
S3410X	Navy Body/Gray	Uvextreme AF	Neoprene
S3420X	Gray/Clear	Uvextreme AF	Neoprene
S3425X	Gray Body/Gray	Uvextreme AF	Neoprene
S3430X	Navy/Shade 3.0 Infra-dura	Uvextreme AF	Neoprene
S3435X	Navy/Shade 5.0 Infra-dura	Uvextreme AF	Neoprene



S3400X



Call Customer Care at 800 430-5490.

## SAFETY GOGGLES



S1890X

### Fury®

Integrates the fit of a goggle and the look of eyewear

- Sleek frameless design with wraparound 9-base uni-lens
- Soft, flame resistant replaceable face foam and headband
- Suggested for use in areas with fine particulates and dust
- Not for chemical splash
- Economical lens replacement
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Headband
S1890X	Black/Clear	Uvextreme AF	Fabric



S345C

### Uvex Futura™

Wraparound design features excellent panoramic vision, fits over most prescription eyewear

- Wraparound sport style with frosted browguard reduces overhead glare
- Offers protection against dust, mist, impact and chemical splash as well as welding infrared radiation
- Indirect venting system along with high-performance Uvextreme® anti-fog coating minimizes fogging in extreme environments
- Economical lens replacement
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard

Item #	Body Color/Lens Tint	Lens Coating	Description	Headband
S345C	Clear/Clear	Uvextreme AF	Indirect Vent	Neoprene
S347C	Black/Shade 3.0 Infra-dura	Uvextreme AF	Indirect Vent	Neoprene
S348C	Black/Shade 5.0 Infra-dura	Uvextreme AF	Indirect Vent	Neoprene



S3960C

### Uvex Stealth®

High end styling and comfort for unmatched protection from chemical splash and impact

- Toric lens provides superior optics and peripheral vision
- Soft, elastomer body flexes and conforms to the face for a secure, comfortable, gap-free fit
- Pivoting, quick-adjust headband provides easy adjustment for a comfortable fit
- Indirect ventilation system and high performance lens coatings minimize fogging
- Economical lens replacement
- Available with Rx lens insert
- Available in Clear, Amber and Gray lens tints for a variety of applications
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard
- Made in USA

Item #	Body Color/Lens Tint	Lens Coating	Headband
S3960CI	Gray & Gray/Clear	Uvextreme AF	Fabric
S3961C	Gray & Gray/Gray	Uvextreme AF	Neoprene
S39610C	Teal & Gray/Clear	Uvextreme AF	Neoprene
S39630CI	Orange & Gray/Clear	Uvextreme AF	Fabric
S39631C	Orange & Gray/Gray	Uvextreme AF	Neoprene



\*Uvex Stealth Rx lens insert.

S3959



Call Customer Care at 800 430-5490.

Additional SKUs available – see full SKU listing at end of Uvex section

**SAFETY GOGGLES**

**Uvex Stealth® Goggle Retainer**

Ideal for use in oil and gas, chemical, manufacturing and construction where workers are required to wear hard hats and goggles

- Simple design helps ensure a tight seal around the eyes
- Available in two models to fit standard, cap-style hard hats or full brim hard hats (not for use on hard hats with “rain gutters”)

Item #	Description
S520	Fits Protective Caps
S521	Fits Full Brim Hats



S521  
hard hat not included

**Uvex Stealth® OTG (Over-the-Glass)**

Protection from impact, dust, airborne particles, chemical splash and optical radiation (UV and welding/heat radiation)

- Fits comfortably over most prescription eyewear
- Soft, elastomer body flexes and conforms to the face for a secure, comfortable, gap-free fit
- Pivoting, quick-adjust headband provides easy adjustment for a comfortable fit
- Available exclusively with high-performance Dura-streme® dual anti-fog/anti-scratch coating, as well as a wide range of lens tints
- Economical lens replacement
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard
- Made in USA

Item #	Body Color/Lens Tint	Lens Coating	Headband
S3970D	Navy/Clear	Dura-streme HC/AF	Neoprene
S3971D	Navy/Standard Gray	Dura-streme HC/AF	Neoprene
S3972D	Navy/Amber	Dura-streme HC/AF	Neoprene
S3973D	Navy/Shade 3.0	Dura-streme HC/AF	Neoprene
S3975D	Navy/Shade 5.0	Dura-streme HC/AF	Neoprene
S3970DF	Navy/Clear	Dura-streme HC/AF	Fabric (Logoed)
S3971DF	Navy/Standard Gray	Dura-streme HC/AF	Fabric (Logoed)
S3972DF	Navy/Amber	Dura-streme HC/AF	Fabric (Logoed)



S3970D

**Uvex Stealth® Reading Magnifiers**

Ideal for those workers who need the added protection of a goggle and increased magnification for close-up inspection or fine detail work

- Available in Clear with Uvextreme® anti-fog coating and five diopter strengths from +1.0 to +3.0 magnification
- Soft, elastomer body flexes and conforms to the face for a secure, comfortable, gap-free fit
- Pivoting, quick-adjust headband provides easy adjustment for a comfortable fit
- Economical lens replacement
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard
- Made in USA

Item #	Body Color/Lens Tint	Lens Coating	Headband	Magnification
S3990X	Navy/Clear	Uvextreme AF	Neoprene	+1.0
S3992X	Navy/Clear	Uvextreme AF	Neoprene	+2.0
S3994X	Navy/Clear	Uvextreme AF	Neoprene	+3.0



S3990X



Additional SKUs available – see full SKU listing at end of Uvex section

Call Customer Care at 800 430-5490.

## SAFETY GOGGLES



S3805

### Uvex Strategy®

Industry's only economical over-the-glass goggle that delivers both premium comfort and maximum protection

- Headband available in fabric or neoprene for chemical splash applications
- Lightweight, TPE body provides exceptional comfort and fit for maximum protection
- Fits comfortably over most prescription eyewear
- Available in four models for a variety of applications: direct vent, closed vent, indirect vent and indirect vent with foam for fine particle protection
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard

Item #	Body Color/Lens Tint	Lens Coating	Description	Headband
S3800	Gray/Clear	Uvextra AF	Direct Vent	Fabric
S3805	Gray/Clear	Uvextra AF	Closed Vent	Neoprene
S3810	Gray/Clear	Uvextra AF	Indirect Vent	Neoprene
S3815	Gray/Clear	Uvextra AF	Indirect Vent with Foam	Fabric
S3820	Hot Orange/Clear	Uvextra AF	Indirect Vent	Neoprene

## FACE SHIELDS



S8500

### Bionic® Shield

Full shield design provides built-in chin protection and extended top-of-head coverage\*

- Perfect for workers exposed to falling or flying objects, impact, chemical splash and airborne debris
- Excellent optics provide increased visibility
- Lightweight, balanced, ergonomic design for extended use
- Dual position headgear provides a customizable fit
- Comfortable cell foam on back of headgear
- Breathable, removable, washable headband
- Easily replaceable visor—available in Clear, Shade 3.0 and Shade 5.0—allows for multiple tints and use in a variety of applications
- Comfortably worn with most goggles and respirators
- 100% dielectric – no metal parts
- Meets the ANSI Z87.1-2010 standard
- Certified to the requirements of the CSA Z94.3 standard
- Made in USA



S8590

Item #	Visor Tint/Visor Coating	Description
S8500	Clear Polycarbonate/Uncoated	Black Matte Face Shield
S8505	Clear Polycarbonate/Uncoated	Black Matte Face Shield & Hard Hat Adapter (No Suspension)
S8510	Clear Polycarbonate/Anti-fog/Hardcoat	Black Matte Face Shield
S8515	Clear Polycarbonate/Anti-fog/Hardcoat	Black Matte Face Shield & Hard Hat Adapter (No Suspension)

\*Face shield is secondary protection and must be worn with safety eyewear or goggles



### Bionic® Hard Hat Adapter

Hard hat accessory (dielectric) expands face shield use and is compatible with multiple hard hats, including North® brand and most other major manufacturers' styles.

Item #	Description
S8590	Bionic Hard Hat Adapter

Call Customer Care at 800 430-5490.

**ACCESSORIES**

Long-term safety eyewear requires long-lasting maintenance. Our line of accessories offers protection, storage and cleaning solutions, all designed specifically for your Uvex eyewear.

**Accessories**

**Uvex® Lens Care Products**

Specifically formulated for anti-fog and scratch resistant hard coats

- Alcohol- and silicone-free solution is available in a 16 oz. refillable spray, 1 gallon refill or pre-moistened lens cleaning towelettes (100/box)
- Pre-moistened towelettes are pocket-sized and convenient for use anywhere on-the-go
- Non-abrasive dry tissues (S462) are designed for use with lens cleaning solution products (500/box)
- Made in USA

Item #	Description
S462	Uvex Clear Tissues (500/box)
S463	Uvex Clear Solution 16 oz.
S464	Uvex Clear Refill Solution 1 gallon
S468	Uvex Clear Towelettes (100/box)



S463

**Uvex Clear® Permanent Lens Cleaning Station**

Includes one 16 oz. Uvex Clear cleaning solution, 4 boxes of 500 tissues and a 3.5" x 4.5" mirror

- Screw mounts and adhesive foam for quick wall mounting
- Measures 22.5" x 12.5"
- Made in USA

Item #	Description
S461	Uvex Clear Permanent Station



S461

**Uvex Clear® Portable Cleaning Station**

Inspire safety everywhere, by bringing this portable cleaning station to any location

- Portable and disposable station holds 16 oz. of Uvex Clear cleaning spray and 1500 tissues
- Made in USA

Item #	Description
S467	Uvex Clear Disposable Lens Station



S467

**Uvex® Fog Eliminator Cloths**

Formulated to effectively protect lenses from all types of fogging caused by cold, humidity or sudden temperature changes

- Safe for all surfaces, including polycarbonate and glass
- Each cloth provides multiple applications
- Streak- and film-free, alcohol- and silicone-free
- Non-flammable and non-toxic
- Made in USA

Item #	Description
S477	Uvex Fog Eliminator Cloths (100/box)



S477

Call Customer Care at 800 430-5490.

## ACCESSORIES



S489

### Uvex® Eyewear Cases

Fit most Uvex eyewear to protect lenses from scratches and abrasion

- Available in a nylon drawstring pouch, hard case\* or economy case\*\*

*\*not suitable for Uvex Astrospec 3000 Series*

*\*\*not suitable for Uvex Astrospec OTG 3001*

Item #	Description
S487	Rip-Stop Nylon Bag Eyewear Case, Black
S489	Hard Eyewear Case with Belt Loop
S490	Economy Eyewear Case, Black




S491

### Uvex® Packs

Fit most protective eyewear to shield your eyewear from scratches and abrasion

- Made of durable nylon, zippers and belt loops
- Available in eyewear and goggle sizes

Item #	Description
S491	Economy Eyewear Pack, Black
S493	Universal Goggle Pack, Black



S501

### Uvex® Hang Cords

Provide convenient access to safety eyewear and encourage compliance

- Available in a universal or snap-fit cord

Item #	Description
S501	Universal Neck Cord, Black
S505D	Snap-fit Neck Cord for Duoflex Cushioned Temples, Black



Call Customer Care at 800 430-5490.



**REFERENCE: APPLICATION SELECTION AND TECHNICAL INFO**

	Clear	Espresso	Gray	Amber	50% Gray	Light Gray	Dark Gray	Silver Mirror	Gold Mirror	Red Mirror	Blue Mirror	SCT-Reflect 50	SCT-Vermilion	SCT-Blue	SCT-Orange	SCT-Gray	SCT-Low IR	Infra-dura® 2.0	Infra-dura® 3.0	Infra-dura® 5.0	Cobalt	Didymium (glass)	Blue Mist	Photochromic	Polarized	
<b>Specifications</b>																										
VLT (Visual Light Transmission)	92%	15%	15%	90%	50%	35%	10%	15%	15%	15%	15%	50%	55%	57%	45%	15%	80%	35%	14%	2%	0.2%	48%	86%	21%	12%	
UV Absorption (UVA, UVB and UVC)	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	80.0%	99.9%	86.0%	99.9%	
<b>Applications</b>																										
Most indoor applications	■																						■	■		
Low light applications in which contrast may be enhanced				■									■											■		
Reduce lens glare from fluorescent and halogen lights													■													
Outdoor applications where sunlight and glare cause eye strain and fatigue		■	■		■	■	■	■	■	■	■	■				■										■
Indoor/outdoor applications	■			■	■							■													■	
Strong sunlight and glare		■	■				■	■	■	■	■					■									■	■
Indoor applications where peripheral infrared radiation protection is required (under welding helmets, near welding sites)																	■									
Work areas with high levels of yellow light using sodium vapor lighting														■												
Situations with high heat applications such as metal glare and glass blowing																					■	■				
Torch welding, torch brazing and cutting																		■	■	■						
Reduces eye fatigue by absorbing blue and green light (good for UV lamp exposure)															■											

## REFERENCE: EYEWEAR LENS TINT OFFERINGS

	Clear	Espresso	Gray	Amber	50% Gray	Light Gray	Dark Gray	Silver Mirror	Gold Mirror	Red Mirror	Blue Mirror	SCT-Reflect50	SCT-Vermilion	SCT-Blue	SCT-Orange	SCT-Gray	SCT-Low IR	Infra-dura® 2.0	Infra-dura® 3.0	Infra-dura® 5.0	Cobalt	Didymium (glass)	Blue Mist	Photochromic	Polarized	
<b>Safety Eyewear</b>																										
Uvex AcoustiMaxx™																										
Uvex Ambient™ OTG																										
Uvex Astrospec 3000®																										
Uvex Astrospec 3000® S																										
Uvex Astrospec 3000® CB																										
Uvex Astrospec 3000® S CB																										
Uvex Astrospec® OTG 3001																										
Uvex Astro Rx® 3003																										
Bandido®																										
Bandit™																										
Uvex Bayonet™																										
Uvex ExtremePro™																										
Falcon®																										
Flashback®																										
Genesis®																										
Genesis® Reading Magnifiers																										
Genesis® S																										
Genesis® XC																										
Genesis® X2																										
Uvex Horizon™																										
Uvex Ignite™																										
Uvex Mercury™																										
Uvex Milan™ Photochromic																										
Uvex Millennia™																										
Uvex® Polarized																										
Uvex PrecisionPro™																										
Uvex Protégé®																										
Uvex Seismic®																										
Uvex Seismic® Reading Magnifiers																										
Skyper®																										
Uvex Slate™																										
Uvex SolarPro™																										
Spitfire®																										
Tomcat®																										
Uvex U2®																										
Ultra-spec® 1000																										
Ultra-spec® 2000																										
Ultra-spec® 2001 OTG																										
Uvex VersaPro™																										
Uvex® 870 Series																										
Uvex® 880 Series																										
Uvex® S4150																										
<b>Safety Goggles</b>																										
Uvex Carbonvision™																										
Uvex Classic™																										
Uvex Climazone™																										
Flex Seal®																										
Fury®																										
Uvex Futura™																										
Uvex Stealth®																										
Uvex Stealth® OTG																										
Uvex Stealth® Reading Magnifiers																										
Uvex Strategy®																										
<b>Face Shields</b>																										
Bionic®																										

**REFERENCE: LENS COATING DESCRIPTIONS & CHEMICAL RESISTANCE**

Proprietary Uvex® coatings meet the demands of even the most challenging work environments. Uvextreme® anti-fog coating offers superior performance under the most extreme conditions and will not wear off after repeated cleanings. Uvextreme® Plus offers the same anti-fog performance with extended wear. It is permanently bonded to the lens which helps it retain its anti-scratch, anti-static and UV protection properties. Ultra-dura® hardcoat is one of the toughest anti-scratch coatings in the world. It is also permanently bonded to the lens and offers excellent scratch and chemical resistance. Our new Supra-Dura™ advanced anti-scratch coating is superior in high particulate environments where lens scratching is a severe problem. It lasts 5x\* longer than any other anti-scratch coating on the market today. In addition, Dura-streme™ technology combines the benefits of these industry-leading anti-fog and hardcoats onto one lens. While the advanced anti-fog properties of Uvextreme help keep the interior of the lens clear from fogging, the rugged properties of Ultra-dura hardcoat protect the exterior of the lens from scuffs and scratches, adding up to 3x\* more life to lenses. The chemical resistance chart below will help to determine the preferred coating for environments where workers are subject to chemical exposure.

**Key:** Y = Resistant  
• = Limited resistance  
N = Not resistant

Chemical	Ultra-dura Hardcoat	Supra-Dura Hardcoat	Uvextreme/ Uvextreme Plus Anti-Fog	Dura-streme Dual Coating	
				(Ultra-dura Lens Exterior)	(Uvextreme Lens Interior)
Acetone	Y	Y	N	Y	N
Ammonia 10%	Y	Y	Y	Y	Y
Benzene	Y	Y	N	Y	N
Butanol	Y	Y	Y	Y	Y
Butyl Acetate	Y	Y	N	Y	N
Carbon Tetrachloride	Y	Y	Y	Y	Y
Cyclohexanol	Y	Y	N	Y	N
Diethylether	Y	Y	Y	Y	Y
Ethanol	Y	Y	Y	Y	Y
Ethylene Glycol	Y	Y	Y	Y	Y
Formic Acid 30%	Y	Y	Y	Y	Y
Gasoline (normal)	Y	Y	Y	Y	Y
Gasoline (super)	Y	Y	N	Y	N
Hydrofluoric Acid	•	•	Y	•	Y
Hydrofluoric Acid 20%	Y	Y	Y	Y	Y
Isopropyl Alcohol	Y	Y	•	Y	•
Methanol	Y	Y	Y	Y	Y
Methylene Chloride	Y	Y	N	Y	N
Potassium Carbonate 30%	Y	Y	Y	Y	Y
Sodium Carbonate 30%	Y	Y	Y	Y	Y
Sulfuric Acid 50%	Y	Y	Y	Y	Y
Toluene	Y	Y	N	Y	N
Trichloroethylene	Y	Y	N	Y	N
Xylene	Y	Y	N	Y	N

\*Comparative lens life test performed using a Bayer Abrasion Test method and may vary between environment and application.

## UVEX SKU LISTING

### SAFETY EYEWEAR

#### Uvex Ambient™ OTG

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S3150	Blue (Large)/Clear	Ultra-dura HC	Bendable wire-core
S3150X	Blue (Large)/Clear	Uvextreme AF	Bendable wire-core
S3150D	Blue (Large)/Clear	Dura-streme HC/AF	Bendable wire-core
S3151	Blue (Large)/Amber	Ultra-dura HC	Bendable wire-core
S3151X	Blue (Large)/Amber	Uvextreme AF	Bendable wire-core
S3152	Blue (Large)/Std. Gray	Ultra-dura HC	Bendable wire-core
S3152X	Blue (Large)/Std. Gray	Uvextreme AF	Bendable wire-core
S3153	Blue (Large)/Shade 3.0	Ultra-dura HC	Bendable wire-core
S3155	Blue (Large)/Shade 5.0	Ultra-dura HC	Bendable wire-core
S3160	Blue (Medium)/Clear	Ultra-dura HC	Bendable wire-core
S3160X	Blue (Medium)/Clear	Uvextreme AF	Bendable wire-core
S3161	Blue (Medium)/Amber	Ultra-dura HC	Bendable wire-core
S3162	Blue (Medium)/Std. Gray	Ultra-dura HC	Bendable wire-core
S3163	Blue (Medium)/Shade 3.0	Ultra-dura HC	Bendable wire-core
S3165	Blue (Medium)/Shade 5.0	Ultra-dura HC	Bendable wire-core

#### REPLACEMENT LENSES

Item #	Frame Size	Lens Tint	Lens Coating
S6440	Large	Clear	Ultra-dura Anti-Scratch
S6440X	Large	Clear	Uvextreme Anti-Fog
S6440D	Large	Clear	Dura-streme (Anti-Fog/Anti-Scratch)
S6441	Large	Amber	Ultra-dura Anti-Scratch
S6441X	Large	Amber	Uvextreme Anti-Fog
S6442	Large	Standard Gray	Ultra-dura Anti-Scratch
S6442X	Large	Standard Gray	Uvextreme Anti-Fog
S6443	Large	Shade 3.0	Ultra-dura Anti-Scratch
S6445	Large	Shade 5.0	Ultra-dura Anti-Scratch
S6450	Medium	Clear	Ultra-dura Anti-Scratch
S6451	Medium	Amber	Ultra-dura Anti-Scratch
S6452	Medium	Standard Gray	Ultra-dura Anti-Scratch
S6453	Medium	Shade 3.0	Ultra-dura Anti-Scratch
S6455	Medium	Shade 5.0	Ultra-dura Anti-Scratch

#### Uvex Astrospec 3000®

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S135	Black/Clear	Ultra-dura HC	Spatula
S1359	Black/Clear	Ultra-dura HC	Duoflex
S135C	Black/Clear	Uvextreme AF	Spatula
S1359C	Black/Clear	Uvextreme AF	Duoflex
S136	Black/Gray	Ultra-dura HC	Spatula
S1369	Black/Gray	Ultra-dura HC	Duoflex
S136C	Black/Gray	Uvextreme AF	Spatula
S1360	Black/Light Gray	Ultra-dura HC	Spatula
S145	Black/Amber	Ultra-dura HC	Spatula
S137	Black/Silver Mirror	Ultra-dura HC	Spatula
S1379	Black/Silver Mirror	Ultra-dura HC	Duoflex
S112	Black/SCT-Low IR	Ultra-dura HC	Spatula
S1361	Black/SCT-Gray	Ultra-dura HC	Spatula
S1362C	Black/SCT-Vermilion	Uvextreme AF	Spatula
S13659X	Black/SCT-Blue	Uvextreme AF	Duoflex
S111029	Black/Shade 2.0 Infra-dura	Ultra-dura HC	Duoflex
S1111	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Spatula
S1112	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Spatula
S129	Blue/Clear	Ultra-dura HC	Spatula
S129C	Blue/Clear	Uvextreme AF	Spatula
S1299C	Blue/Clear	Uvextreme AF	Duoflex
S130	Blue/Gray	Ultra-dura HC	Spatula
S130C	Blue/Gray	Uvextreme AF	Spatula
S1169	Patriot RWB/Clear	Ultra-dura HC	Duoflex
S1169C	Patriot RWB/ Clear	Uvextreme AF	Duoflex
S1179	Patriot RWB/Gray	Ultra-dura HC	Duoflex

S1179C	Patriot RWB/Gray	Uvextreme AF	Duoflex
S11791	Patriot RWB/Light Gray	Ultra-dura HC	Duoflex
S1159	Patriot RWB/Amber	Ultra-dura HC	Duoflex
S1149	Patriot RWB/Silver Mirror	Ultra-dura HC	Duoflex

#### REPLACEMENT LENSES

Item #	Lens Tint	Lens Coating
S535	Clear	Ultra-dura HC
S535C	Clear	Uvextreme AF
S536	Gray	Ultra-dura HC
S536C	Gray	Uvextreme AF
S537	Amber	Ultra-dura HC
S538	Silver Mirror	Ultra-dura HC
S541	SCT-Gray	Ultra-dura HC
S539C	SCT-Vermilion	Uvextreme AF
S540	SCT-Low IR	Ultra-dura HC
S544C	SCT-Blue	Uvextreme AF
S5410	SCT-Reflect 50	Ultra-dura HC
S5412	Shade 2.0 Infra-dura	Ultra-dura HC
S542	Shade 3.0 Infra-dura	Ultra-dura HC
S543	Shade 5.0 Infra-dura	Ultra-dura HC

#### Uvex Astrospec 3000® S (Slim)

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2700	Black/Clear	Ultra-dura HC	Spatula
S2700C	Black/Clear	Uvextreme AF	Spatula
S2701	Black/Gray	Ultra-dura HC	Spatula
S2701C	Black/Gray	Uvextreme AF	Spatula
S2709	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Spatula
S2710	Blue/Clear	Ultra-dura HC	Spatula
S2710C	Blue/Clear	Uvextreme AF	Spatula
S2711	Blue/Gray	Ultra-dura HC	Spatula
S2711C	Blue/Gray	Uvextreme AF	Spatula
S2730	Patriot RWB/Clear	Ultra-dura HC	Spatula
S2730C	Patriot RWB/Clear	Uvextreme AF	Spatula
S2731	Patriot RWB/Gray	Ultra-dura HC	Spatula
S2731C	Patriot RWB/Gray	Uvextreme AF	Spatula

#### REPLACEMENT LENSES

Item #	Lens Tint	Lens Coating
S570	Clear	Ultra-dura HC
S570C	Clear	Uvextreme AF
S571	Gray	Ultra-dura HC
S571C	Gray	Uvextreme AF

#### Uvex Astrospec 3000® CB (Custom Bridge)

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2200	Black/Clear	Ultra-dura HC	Spatula
S2200C	Black/Clear	Uvextreme AF	Spatula

#### REPLACEMENT LENSES

Item #	Lens Tint	Lens Coating
S528C	Clear	Uvextreme AF

#### Uvex Astrospec 3000® S CB (Slim Custom Bridge)

Item #	Frame Color/Lens	Tint Lens Coating	Temple Style
S2212	Blue/Clear	Ultra-dura HC	Spatula

#### Uvex Astrospec® OTG 3001

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2500	Black/Clear	Ultra-dura HC	Duoflex
S2500C	Black/Clear	Uvextreme AF	Duoflex
S2501	Black/Amber	Ultra-dura HC	Duoflex
S2504	Black/Gray	Ultra-dura HC	Duoflex
S2504C	Black/Gray	Uvextreme AF	Duoflex
S2505	Black/SCT-Low IR	Ultra-dura HC	Duoflex
S2506	Black/SCT-Gray	Ultra-dura HC	Duoflex

Call Customer Care at 800 430-5490.

**UVEX SKU LISTING**

S2508	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Duoflex
S2509	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Duoflex
S2510	Blue/Clear	Ultra-dura HC	Duoflex
S2510C	Blue/Clear	Uvextreme AF	Duoflex
S2514	Blue/Gray	Ultra-dura HC	Duoflex
S2514C	Blue/Gray	Uvextreme AF	Duoflex
S2530	Patriot RWB/Clear	Ultra-dura HC	Duoflex
S2530C	Patriot RWB/Clear	Uvextreme AF	Duoflex
S2534	Patriot RWB/Gray	Ultra-dura HC	Duoflex
S2534C	Patriot RWB/Gray	Uvextreme AF	Duoflex
S2536	Patriot RWB/SCT-Gray	Ultra-dura HC	Duoflex

**REPLACEMENT LENSES**

Item #	Lens Tint	Lens Coating
S560	Clear	Ultra-dura HC
S561	Clear	Uvextreme AF
S562	Gray	Ultra-dura HC
S562C	Gray	Uvextreme AF
S563	SCT-Gray	Ultra-dura HC
S566	Amber	Ultra-dura HC
S568	Shade 3.0 Infra-dura	Ultra-dura HC
S569	Shade 5.0 Infra-dura	Ultra-dura HC

**Uvex Astro Rx® 3003**

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2570	Black/Clear	N/A	Duoflex
S2572	Blue/Clear	N/A	Duoflex
S2574	Patriot RWB/Clear	N/A	Duoflex

**Bandit™**

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S1600	Black/Clear	Ultra-dura HC	Spatulite
S1600X	Black/Clear	Uvextreme AF	Spatulite
S1601	Black/Amber	Ultra-dura HC	Spatulite
S1603	Black/Esspresso	Ultra-dura HC	Spatulite
S1603X	Black/Esspresso	Uvextreme AF	Spatulite
S1604	Black/Gold Mirror	Ultra-dura HC	Spatulite
S1606	Black/SCT-Reflect 50	Ultra-dura HC	Spatulite
S1607	Black/Red Mirror	Ultra-dura HC	Spatulite
S1608X	Black/SCT-Gray	Uvextreme AF	Spatulite
S1620	Slate Blue/Clear	Ultra-dura HC	Spatulite
S1620X	Slate Blue/Clear	Uvextreme AF	Spatulite
S1621	Slate Blue/Amber	Ultra-dura HC	Spatulite
S1623	Slate Blue/Esspresso	Ultra-dura HC	Spatulite
S1623X	Slate Blue/Esspresso	Uvextreme AF	Spatulite
S1624	Slate Blue/Gold Mirror	Ultra-dura HC	Spatulite
S1626	Slate Blue/SCT-Reflect 50	Ultra-dura HC	Spatulite
S1627	Slate Blue/Blue Mirror	Ultra-dura HC	Spatulite

**REPLACEMENT LENSES**

Item #	Lens Tint	Lens Coating
S6310	Clear	Ultra-dura HC
S6310X	Clear	Uvextreme AF
S6311	Amber	Ultra-dura HC
S6312	Esspresso	Ultra-dura HC
S6312X	Esspresso	Uvextreme AF
S6313	Gold Mirror	Ultra-dura HC
S6314	SCT-Reflect 50	Ultra-dura HC

**Bandido®**

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S1730	Black/Clear	Ultra-dura HC	Spatula
S1730X	Black/Clear	Uvextreme AF	Spatula
S1731	Black/Esspresso	Ultra-dura HC	Spatula
S1732	Black/Amber	Ultra-dura HC	Spatula
S1700	Hot Red & Black/Clear	Ultra-dura HC	Spatula
S1700X	Hot Red & Black/Clear	Uvextreme AF	Spatula
S1701	Hot Red & Black/Esspresso	Ultra-dura HC	Spatula

**Uvex Bayonet™**

SKU	Frame Color/Lens Tints	Lens Coating	Temple Style
S0500	Gloss Black & Gray/Clear	Supra-Dura	Cushioned
S0500X	Gloss Black & Gray/Clear	Uvextreme AF	Cushioned
S0501	Gloss Black & Gray/Gray	Supra-Dura	Cushioned
S0501X	Gloss Black & Gray/Gray	Uvextreme AF	Cushioned
S0502	Gloss Black & Gray/Amber	Supra-Dura HC	Cushioned
S0502X	Gloss Black & Gray/Amber	Uvextreme AF	Cushioned
S0503	Gloss Black & Gray/Silver Mirror	Supra-Dura HC	Cushioned
S0504	Gloss Black & Gray/SCT-Reflect 50	Supra-Dura	Cushioned
S0505X	Gloss Black & Gray/SCT-Gray	Uvextreme AF	Cushioned
S0509X	Gloss Black & Gray/SCT-Low IR	Uvextreme AF	Cushioned

**Uvex ExtremePro™**

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
SX0300	Black & Gray/Clear	Supra-Dura HC	Bendable Wire-core
SX0300XP	Black & Gray/Clear	Uvextreme Plus AF	Bendable Wire-core
SX0300D	Black & Gray/Clear	Dura-streme HC/AF	Bendable Wire-core
SX0301	Black & Gray/Esspresso	Supra-Dura HC	Bendable Wire-core
SX0301XP	Black & Gray/Esspresso	Uvextreme Plus AF	Bendable Wire-core
SX0301D	Black & Gray/Esspresso	Dura-streme HC/AF	Bendable Wire-core
SX0303	Black & Gray/Silver Mirror	Supra-Dura HC	Bendable Wire-core
SX0304	Black & Gray/SCT-Reflect 50	Supra-Dura HC	Bendable Wire-core
SX0307	Blk & Gray/Shade 3.0 Infra-dura	Supra-Dura HC	Bendable Wire-core
SX0308	Blk & Gray/Shade 5.0 Infra-dura	Supra-Dura HC	Bendable Wire-core
SX0312	Black & Gray/Dark Gray	Supra-Dura HC	Bendable Wire-core
SX0312XP	Black & Gray/Dark Gray	Uvextreme Plus AF	Bendable Wire-core

**REPLACEMENT LENSES**

Item #	Lens Tint	Lens Coating
SX5300	Clear	Supra-Dura HC
SX5300XP	Clear	Uvextreme Plus AF
SX5300D	Clear	Dura-streme HC/AF
SX5301	Esspresso	Supra-Dura HC
SX5301XP	Esspresso	Uvextreme Plus AF
SX5301D	Esspresso	Dura-streme HC/AF
SX5303	Silver Mirror	Supra-Dura HC
SX5304	SCT-Reflect 50	Supra-Dura HC
SX5307	Shade 3.0 Infra-dura	Supra-Dura HC
SX5308	Shade 5.0 Infra-dura	Supra-Dura HC
SX5312	Dark Gray	Supra-Dura HC
SX5312XP	Dark Gray	Uvextreme Plus AF

**Falcon®**

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4500	Black/Clear	Ultra-dura HC	Spatulite
S4500X	Black/Clear	Uvextreme AF	Spatulite
S4501	Black/Esspresso	Ultra-dura HC	Spatulite
S4501X	Black/Esspresso	Uvextreme AF	Spatulite
S4502X	Black/Amber	Uvextreme AF	Spatulite
S4503	Black/Gold Mirror	Ultra-dura HC	Spatulite
S4504	Black/SCT-Reflect 50	Ultra-dura HC	Spatulite

**REPLACEMENT LENSES**

Item #	Lens Tint	Lens Coating
S6700	Clear	Ultra-dura HC
S6700X	Clear	Uvextreme AF
S6701	Esspresso	Ultra-dura HC
S6701X	Esspresso	Uvextreme AF
S6702X	Amber	Uvextreme AF
S6703	Gold Mirror	Ultra-dura HC
S6704	SCT-Reflect 50	Ultra-dura HC

Call Customer Care at 800 430-5490.

## UVEX SKU LISTING

### Flashback®

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4000	Black/Clear	Ultra-dura HC	Duoflex
S4000C	Black/Clear	Uvextreme AF	Duoflex
S4001	Black/Gray	Ultra-dura HC	Duoflex
S4001C	Black/Gray	Uvextreme AF	Duoflex
S4004	Black/Shade 2.0 Infra-dura	Ultra-dura HC	Duoflex
S4005	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Duoflex
S4006	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Duoflex

### REPLACEMENT LENSES

Item #	Lens Tint	Lens Coating
S6410	Clear	Ultra-dura HC
S6410C	Clear	Uvextreme AF
S6411	Gray	Ultra-dura HC
S6411C	Gray	Uvextreme AF
S6413	Shade 2.0 Infra-dura	Ultra-dura HC
S6414	Shade 3.0 Infra-dura	Ultra-dura HC
S6415	Shade 5.0 Infra-dura	Ultra-dura HC

### Genesis®

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S3200	Black/Clear	Ultra-dura HC	Spatulite
S3200-ADV	Black Adv TPE/Clear	Ultra-dura HC	Spatulite
S3200X	Black/Clear	Uvextreme AF	Spatulite
S3200X-ADV	Black Adv TPE/Clear	Uvextreme AF	Spatulite
S3200D	Black/Clear	Dura-streme HC/AF	Spatulite
S3201	Black/Esspresso	Ultra-dura HC	Spatulite
S3201X	Black/Esspresso	Uvextreme AF	Spatulite
S3202	Black/Amber	Ultra-dura HC	Spatulite
S3202X	Black/Amber	Uvextreme AF	Spatulite
S3203	Black/Gold Mirror	Ultra-dura HC	Spatulite
S3204	Black/SCT-Reflect 50	Ultra-dura HC	Spatulite
S3205X	Black/SCT-Gray	Uvextreme AF	Spatulite
S3206	Black/Shade 2.0 Infra-dura	Ultra-dura HC	Spatulite
S3207	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Spatulite
S3208	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Spatulite
S3209	Black/SCT-Low IR	Ultra-dura HC	Spatulite
S3210X	Black/SCT-Vermilion	Uvextreme AF	Spatulite
S3211X	Black/SCT-Blue	Uvextreme AF	Spatulite
S3212X	Black/Dark Gray	Uvextreme AF	Spatulite
S3213X	Black/50% Gray	Uvextreme AF	Spatulite
S3220	Earth/Clear	Ultra-dura HC	Spatulite
S3220X	Earth/Clear	Uvextreme AF	Spatulite
S3221	Earth/Esspresso	Ultra-dura HC	Spatulite
S3221X	Earth/Esspresso	Uvextreme AF	Spatulite
S3222	Earth/Amber	Ultra-dura HC	Spatulite
S3223	Earth/Gold Mirror	Ultra-dura HC	Spatulite
S3224	Earth/SCT-Reflect 50	Ultra-dura HC	Spatulite
S3240	Vapor Blue/Clear	Ultra-dura HC	Spatulite
S3240X	Vapor Blue/Clear	Uvextreme AF	Spatulite
S3241	Vapor Blue/Esspresso	Ultra-dura HC	Spatulite
S3241X	Vapor Blue/Esspresso	Uvextreme AF	Spatulite
S3242	Vapor Blue/Amber	Ultra-dura HC	Spatulite
S3243	Vapor Blue/Gold Mirror	Ultra-dura HC	Spatulite
S3244	Vapor Blue/SCT-Reflect 50	Ultra-dura HC	Spatulite
S3260	Patriot RWB/Clear	Ultra-dura HC	Spatulite
S3260X	Patriot RWB/Clear	Uvextreme AF	Spatulite
S3263	Patriot RWB/Gold Mirror	Ultra-dura HC	Spatulite
S3600	Mercury Red/Clear	Ultra-dura HC	Spatulite
S3600X	Mercury Red/Clear	Uvextreme AF	Spatulite
S3601	Mercury Red/Esspresso	Ultra-dura HC	Spatulite
S3601X	Mercury Red/Esspresso	Uvextreme AF	Spatulite
S3602	Mercury Red/Amber	Ultra-dura HC	Spatulite
S3603	Mercury Red/Gold Mirror	Ultra-dura HC	Spatulite
S3604	Mercury Red/SCT-Reflect 50	Ultra-dura HC	Spatulite

### REPLACEMENT LENSES

Item #	Lens Tint	Lens Coating
S6900	Clear	Ultra-dura HC
S6900D	Clear	Dura-streme HC/AF
S6900X	Clear	Uvextreme AF
S6901	Espresso	Ultra-dura HC
S6901X	Espresso	Uvextreme AF
S6902	Amber	Ultra-dura HC
S6902X	Amber	Uvextreme AF
S6903	Gold Mirror	Ultra-dura HC
S6904	SCT-Reflect 50	Ultra-dura HC
S6905X	SCT-Gray	Uvextreme AF
S6906	Shade 2.0 Infra-dura	Ultra-dura HC
S6907	Shade 3.0 Infra-dura	Ultra-dura HC
S6908	Shade 5.0 Infra-dura	Ultra-dura HC
S6909	SCT-Low IR	Ultra-dura HC
S6910X	SCT-Vermilion	Uvextreme AF
S6911X	SCT-Blue	Uvextreme AF
S6912X	Dark Gray	Uvextreme AF
S6913X	50% Gray	Uvextreme AF

### Genesis® Reading Magnifiers

Item #	Frame Color/Lens Tint	Lens Coating	Magnification
S3760	Black/Clear	Ultra-dura HC	+1.0
S3761	Black/Clear	Ultra-dura HC	+1.5
S3762	Black/Clear	Ultra-dura HC	+2.0
S3763	Black/Clear	Ultra-dura HC	+2.5
S3764	Black/Clear	Ultra-dura HC	+3.0
S3765	Black/Amber	Ultra-dura HC	+1.0
S3766	Black/Amber	Ultra-dura HC	+1.5
S3767	Black/Amber	Ultra-dura HC	+2.0
S3768	Black/Amber	Ultra-dura HC	+2.5
S3769	Black/Amber	Ultra-dura HC	+3.0
S3770	Black/Standard Gray	Ultra-dura HC	+1.0
S3771	Black/Standard Gray	Ultra-dura HC	+1.5
S3772	Black/Standard Gray	Ultra-dura HC	+2.0
S3773	Black/Standard Gray	Ultra-dura HC	+2.5
S3774	Black/Standard Gray	Ultra-dura HC	+3.0
S3775	Black/SCT-Reflect 50	Ultra-dura HC	+1.0
S3776	Black/SCT-Reflect 50	Ultra-dura HC	+1.5
S3777	Black/SCT-Reflect 50	Ultra-dura HC	+2.0
S3778	Black/SCT-Reflect 50	Ultra-dura HC	+2.5
S3779	Black/SCT-Reflect 50	Ultra-dura HC	+3.0

### REPLACEMENT LENSES

Item #	Lens Tint	Lens Coating	Magnification
S6710	Clear	Ultra-dura HC	+1.0
S6711	Clear	Ultra-dura HC	+1.5
S6712	Clear	Ultra-dura HC	+2.0
S6713	Clear	Ultra-dura HC	+2.5
S6714	Clear	Ultra-dura HC	+3.0

### Genesis® S (Slim)

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S3700	Pewter & Black/Clear	Ultra-dura HC	Cushioned
S3700X	Pewter & Black/Clear	Uvextreme AF	Cushioned
S3700D	Pewter & Black/Clear	Dura-streme HC/AF	Cushioned
S3701	Pewter & Black/Gray	Ultra-dura HC	Cushioned
S3701X	Pewter & Black/Gray	Uvextreme AF	Cushioned
S3702	Pewter & Black/Amber	Ultra-dura HC	Cushioned
S3702X	Pewter & Black/Amber	Uvextreme AF	Cushioned
S3703	Pewter & Black/SCT-Reflect 50	Ultra-dura HC	Cushioned
S3704	Pewter & Black/Dark Gray	Ultra-dura HC	Cushioned
S3720	Blue Gray/Clear	Ultra-dura HC	Cushioned
S3720X	Blue Gray/Clear	Uvextreme AF	Cushioned
S3720D	Blue Gray/Clear	Dura-streme HC/AF	Cushioned

Call Customer Care at 800 430-5490.

**UVEX SKU LISTING**

S3721	Blue Gray/Gray	Ultra-dura HC	Cushioned
S3721X	Blue Gray/Gray	Uvextreme AF	Cushioned
S3722	Blue Gray/Amber	Ultra-dura HC	Cushioned
S3722X	Blue Gray/Amber	Uvextreme AF	Cushioned
S3723	Blue Gray/SCT-Reflect 50	Ultra-dura HC	Cushioned
S3724	Blue Gray/Dark Gray	Ultra-dura HC	Cushioned

**REPLACEMENT LENSES**

Item #	Lens Tint	Lens Coating	
S6610	Clear	Ultra-dura HC	
S6610X	Clear	Uvextreme AF	
S6610D	Clear	Dura-streme HC/AF	
S6611	Gray	Ultra-dura HC	
S6611X	Gray	Uvextreme AF	
S6612	Amber	Ultra-dura HC	
S6612X	Amber	Uvextreme AF	
S6613	SCT-Reflect 50	Ultra-dura HC	
S6614	Dark Gray	Ultra-dura HC	

**Genesis XC®**

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S3300	Black/Clear	Ultra-dura HC	Cushioned
S3300-ADV	Black Adv TPE/Clear	Ultra-dura HC	Cushioned
S3300X	Black/Clear	Uvextreme AF	Cushioned
S3300X-ADV	Black Adv TPE/Clear	Ultra-dura HC	Cushioned
S3300D	Black/Clear	Dura-streme HC/AF	Cushioned
S3301	Black/Gray	Ultra-dura HC	Cushioned
S3301X	Black/Gray	Uvextreme AF	Cushioned
S3302	Black/SCT-Reflect 50	Ultra-dura HC	Cushioned
S3303X	Black/SCT-Gray	Uvextreme AF	Spatulite
S3304X	Black/SCT-Low IR	Uvextreme AF	Cushioned
S3305	Black/Shade 2.0 Infra-dura	Ultra-dura HC	Spatulite
S3306	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Cushioned
S3307	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Spatulite
S3308	Black/Silver Mirror	Ultra-dura HC	Cushioned
S3309	Black/Amber	Ultra-dura HC	Spatulite
S3310X	Black/50% Gray	Uvextreme AF	Cushioned
S3311X	Black/SCT-Vermilion	Uvextreme AF	Spatulite
S3312X	Black/SCT-Blue	Uvextreme AF	Cushioned

**REPLACEMENT LENSES**

Item #	Lens Tint	Lens Coating	
S6950	Clear	Ultra-dura HC	
S6950X	Clear	Uvextreme AF	
S6950D	Clear	Dura-streme HC/AF	
S6951	Gray	Ultra-dura HC	
S6951X	Gray	Uvextreme AF	
S6952	SCT-Reflect 50	Ultra-dura HC	
S6953X	SCT-Gray	Uvextreme AF	
S6954X	SCT-Low IR	Uvextreme AF	
S6955	Shade 2.0 Infra-dura	Ultra-dura HC	
S6956	Shade 3.0 Infra-dura	Ultra-dura HC	
S6957	Shade 5.0 Infra-dura	Ultra-dura HC	
S6958	Silver Mirror	Ultra-dura HC	
S6959	Amber	Ultra-dura HC	
S6960X	50% Gray	Uvextreme AF	
S6961X	SCT-Vermilion	Uvextreme AF	
S6962X	SCT-Blue	Uvextreme AF	

**ACCESSORIES**

Item #	Description
S3350	Rx Insert
S3351	Rx Pattern

**Genesis X2®**

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S3500	Silver & Navy/Clear	Ultra-dura HC	Cushioned
S3500X	Silver & Navy/Clear	Uvextreme AF	Cushioned
S3501	Silver & Navy/Esspresso	Ultra-dura HC	Cushioned
S3501X	Silver & Navy/Esspresso	Uvextreme AF	Cushioned
S3502	Silver & Navy/Amber	Ultra-dura HC	Cushioned
S3503	Silver & Navy/Gold Mirror	Ultra-dura HC	Cushioned
S3504	Silver & Navy/SCT-Reflect 50	Ultra-dura HC	Cushioned
S3510X	Silver & Navy/SCT-Vermilion	Uvextreme AF	Cushioned
S3511X	Silver & Navy/SCT-Blue	Uvextreme AF	Cushioned
S3512X	Silver & Navy/Gray	Uvextreme AF	Cushioned
S3513X	Silver & Navy/50% Gray	Uvextreme AF	Cushioned
S3520	Black & Yellow/Clear	Ultra-dura HC	Cushioned
S3520-ADV	Black Adv. TPE/Clear	Ultra-dura HC	Cushioned
S3520D	Black & Yellow/Clear	Dura-streme HC/AF	Cushioned
S3520X	Black & Yellow/Clear	Uvextreme AF	Cushioned
S3520X-ADV	Black Adv.TPE/Clear	Uvextreme AF	Cushioned
S3521	Black & Yellow/Esspresso	Ultra-dura HC	Cushioned
S3521X	Black & Yellow/Esspresso	Uvextreme AF	Cushioned
S3522	Black & Yellow/Amber	Ultra-dura HC	Cushioned
S3523	Black & Yellow/Gold Mirror	Ultra-dura HC	Cushioned
S3524	Black & Yellow/SCT-Reflect 50	Ultra-dura HC	Cushioned
S3530X	Black & Yellow/SCT-Vermilion	Uvextreme AF	Cushioned
S3531X	Black & Yellow/SCT-Blue	Uvextreme AF	Cushioned
S3532X	Black & Yellow/Gray	Uvextreme AF	Cushioned
S3533X	Black & Yellow/50% Gray	Uvextreme AF	Cushioned

**REPLACEMENT LENSES**

Item #	Lens Tint	Lens Coating	
S6920	Clear	Ultra-dura HC	
S6920D	Clear	Dura-streme HC/AF	
S6920X	Clear	Uvextreme AF	
S6921	Espresso	Ultra-dura HC	
S6921X	Espresso	Uvextreme AF	
S6922	Amber	Ultra-dura HC	
S6923	Gold Mirror	Ultra-dura HC	
S6924	SCT-Reflect 50	Ultra-dura HC	
S6926X	SCT-Vermilion	Uvextreme AF	
S6927X	SCT-Blue	Uvextreme AF	
S6928X	Gray	Uvextreme AF	
S6929X	50% Gray	Uvextreme AF	

**Uvex Ignite™**

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4400	Black & Silver/Clear	Hardcoat	Cushioned
S4400X	Black & Silver/Clear	Uvextra AF	Cushioned
S4401	Black & Silver/Gray	Hardcoat	Cushioned
S4401X	Black & Silver/Gray	Uvextra AF	Cushioned
S4402	Black & Silver/SCT-Reflect 50	Hardcoat	Cushioned
S4403	Black & Silver/Silver Mirror	Hardcoat	Cushioned
S4410	Metallic Red & Silver/Clear	Hardcoat	Cushioned
S4410X	Metallic Red & Silver/Clear	Uvextra AF	Cushioned
S4411	Metallic Red & Silver/Gray	Hardcoat	Cushioned
S4411X	Metallic Red & Silver/Gray	Uvextra AF	Cushioned
S4412	Metallic Red & Silver/SCT-Reflect 50	Hardcoat	Cushioned
S4413	Metallic Red & Silver/Silver Mirror	Hardcoat	Cushioned

**Uvex Milan™ (Photochromic)**

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4025	Silver and Blue/ Photochromic	Hardcoat	Bendable Wire-core

Call Customer Care at 800 430-5490.

## UVEX SKU LISTING

### Uvex Millennia™

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
11150350	Black/Clear	Ultra-dura HC	Bayonette
11150351	Black/Gray	Ultra-dura HC	Bayonette
11150352	Black/Amber	Ultra-dura HC	Bayonette
11150353	Black/SCT-Reflect 50	Ultra-dura HC	Bayonette
11150354	Black/Silver Mirror	Ultra-dura HC	Bayonette
11150367	Black/SCT-Low IR	Ultra-dura HC	Bayonette
11150368	Black/SCT-Gray	Ultra-dura HC	Bayonette
11150355	Black/Clear	Uvextreme AF	Bayonette
11150356	Black/Gray	Uvextreme AF	Bayonette
11150370	Blue/Clear	Ultra-dura HC	Bayonette
11150371	Blue/Gray	Ultra-dura HC	Bayonette
11150372	Blue/SCT-Reflect 50	Ultra-dura HC	Bayonette
11150360	Silver/Clear	Ultra-dura HC	Bayonette
11150361	Silver/Gray	Ultra-dura HC	Bayonette
11150362	Silver/SCT-Reflect 50	Ultra-dura HC	Bayonette
11150363	Silver/Silver Mirror	Ultra-dura HC	Bayonette

### Uvex Mercury™

Item #	Frame Color/ Lens Tint	Lens Coating
S1500	Black & Gray/Clear	Hardcoat
S1500X	Black & Gray/Clear	Uvextra AF
S1501	Black & Gray/Gray	Hardcoat
S1501X	Black & Gray/Gray	Uvextra AF
S1502	Black & Gray/Amber	Hardcoat
S1502X	Black & Gray/Amber	Uvextra AF
S1503	Black & Gray/SCT-Reflect 50	Hardcoat
S1504	Black & Gray/Silver Mirror	Hardcoat
S1505	Black & Gray/Blue Mirror	Hardcoat

### Uvex® Polarized

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4100	Brushed Silver Metal/Gray	Polarized Hardcoat	Padded Metal Tips

### Uvex PrecisionPro™

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
SX0200	Blue & Black/Clear	Supra-Dura HC	Bendable Wire-core
SX0200X	Blue & Black/Clear	Uvextreme AF	Bendable Wire-core
SX0202	Blue & Black/Amber	Supra-Dura HC	Bendable Wire-core
SX0209	Blue & Black/SCT-Low IR	Supra-Dura HC	Bendable Wire-core
SX0210X	Blue & Black/SCT-Vermillion	Uvextreme AF	Bendable Wire-core
SX0211X	Blue & Black/SCT-Blue	Uvextreme AF	Bendable Wire-core
SX0213X	Blue & Black/50% Gray	Uvextreme AF	Bendable Wire-core
SX0214	Blue & Black/Blue Mist	Supra-Dura HC	Bendable Wire-core

#### ACCESSORIES

Item #	Description
SX0195	Replacement Nosepiece

### Uvex Protégé®

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4200	Metallic Black/Clear	Ultra-dura HC	Cushioned
S4200X	Metallic Black/Clear	Uvextreme AF	Cushioned
S4201	Metallic Black/Gray	Ultra-dura HC	Cushioned
S4201X	Metallic Black/Gray	Uvextreme AF	Cushioned
S4202	Metallic Black/SCT-Reflect 50	Ultra-dura HC	Cushioned
S4203	Metallic Black/Silver Mirror	Ultra-dura HC	Cushioned
S4205X	Metallic Black/SCT-Gray	Uvextreme AF	Cushioned
S4221XC	Metallic Black/SCT-Blue	Ultra-dura HC	Cushioned
S4221XXC	Metallic Black/SCT-Blue	Uvextreme AF	Cushioned
S4222XC	Metallic Black/Amber	Ultra-dura HC	Cushioned
S4222XXC	Metallic Black/Amber	Uvextreme AF	Cushioned
S4210	Sandstone/Clear	Ultra-dura HC	Cushioned
S4210X	Sandstone/Clear	Uvextreme AF	Cushioned

S4211	Sandstone/Gray	Ultra-dura HC	Cushioned
S4211X	Sandstone/Gray	Uvextreme AF	Cushioned
S4212	Sandstone/SCT-Reflect 50	Ultra-dura HC	Cushioned
S4213	Sandstone/Silver Mirror	Ultra-dura HC	Cushioned

### Uvex Seismic® (Sealed Eyewear)

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S0600	Black/Clear	Hardcoat	Cushioned/Headband
S0600X	Black/Clear	Uvextra AF	Cushioned/Headband
S0600D	Black/Clear	Dura-streme HC/AF	Cushioned/Headband
S0601X	Black/Esspresso	Uvextra AF	Cushioned/Headband
S0602X	Black/Amber	Uvextra AF	Cushioned/Headband
S0604X	Black/SCT-Reflect 50	Uvextra AF	Cushioned/Headband
S0605X	Black/SCT-Gray	Uvextreme AF	Cushioned/Headband
S0609X	Black/SCT-Low IR	Uvextreme AF	Cushioned/Headband
S0620	Metallic Blue/Clear	Hardcoat	Cushioned/Headband
S0620X	Metallic Blue/Clear	Uvextra AF	Cushioned/Headband
S0622X	Metallic Blue/Amber	Uvextra AF	Cushioned/Headband
S0624X	Metallic Blue/SCT-Reflect 50	Uvextra AF	Cushioned/Headband

### Uvex Seismic® Reading Magnifiers

Item #	Frame Color/Lens Tint	Lens Coating	Magnification
S0661X	Black/Clear	Uvextra AF	+1.5
S0662X	Black/Clear	Uvextra AF	+2.0
S0663X	Black/Clear	Uvextra AF	+2.5

#### ACCESSORIES

Item #	Description
S6249	Headband Replacement (Flame-Resistant)
S6250	Cushioned-lined Subframe Replacement (Flame-Resistant)

### Skyper®

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S1900	Black/Clear	Ultra-dura HC	Duoflex
S1900X	Black/Clear	Uvextreme AF	Duoflex
S1901	Black/Esspresso	Ultra-dura HC	Duoflex
S1901X	Black/Esspresso	Uvextreme AF	Duoflex
S1902	Black/Amber	Ultra-dura HC	Duoflex
S1903	Black/Gold Mirror	Ultra-dura HC	Duoflex
S1904X	Black/SCT-Gray	Uvextreme AF	Duoflex
S1905	Black/SCT-Reflect 50	Ultra-dura HC	Duoflex
S1906	Black/Shade 2.0 Infra-dura	Ultra-dura HC	Duoflex
S1907	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Duoflex
S1908	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Duoflex
S1930X	Black/SCT-Low IR	Uvextreme AF	Duoflex
S1931X	Black/SCT-Vermillion	Uvextreme AF	Duoflex
S1932X	Black/SCT-Blue	Uvextreme AF	Duoflex
S1933X	Black/SCT-Orange	Uvextreme AF	Duoflex
S1934X	Black/Gray	Uvextreme AF	Duoflex

#### REPLACEMENT LENSES

Item #	Lens Tint	Lens Coating
S6500	Clear	Ultra-dura HC
S6500X	Clear	Uvextreme AF
S6501	Espresso	Ultra-dura HC
S6501X	Espresso	Uvextreme AF
S6502	Amber	Ultra-dura HC
S6503	Gold Mirror	Ultra-dura HC
S6504X	SCT-Gray	Uvextreme AF
S6505	SCT-Reflect 50	Ultra-dura HC
S6506	Shade 2.0 Infra-dura	Ultra-dura HC
S6507	Shade 3.0 Infra-dura	Ultra-dura HC
S6508	Shade 5.0 Infra-dura	Ultra-dura HC
S6509X	SCT-Low IR	Uvextreme AF
S6512X	Gray	Uvextreme AF

Call Customer Care at 800 430-5490.



**UVEX SKU LISTING**

**Uvex Slate™**

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4110	Matte Gunmetal/Clear	Hardcoat	Padded Metal Tips
S4110X	Matte Gunmetal/Clear	Uvextra AF	Padded Metal Tips
S4111	Matte Gunmetal/Gray	Hardcoat	Padded Metal Tips
S4111X	Matte Gunmetal/Gray	Uvextra AF	Padded Metal Tips
S4112	Matte Gunmetal/Gold Mirror	Hardcoat	Padded Metal Tips

**Uvex SolarPro™**

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
SX0400	Gray/Clear	Supra-Dura HC	Cushioned
SX0400X	Gray/Clear	Uvextreme AF	Cushioned
SX0401	Gray/Gray	Supra-Dura HC	Cushioned
SX0401X	Gray/Gray	Uvextreme AF	Cushioned
SX0401D	Gray/Gray	Dura-streme HC/AF	Cushioned
SX0402	Gray/SCT Reflect 50	Supra-Dura HC	Cushioned
SX0403	Gray/Silver Mirror	Hardcoat	Cushioned
SX0404	Gray/Blue Mirror	Hardcoat	Cushioned
SX0405	Gray/Polarized	Hardcoat	Cushioned
SX0406	Gray/Photochromic	Anti-Fog/Hardcoat	Cushioned
SX0407X	Gray/SCT-Gray	Uvextreme AF	Cushioned

**Spitfire®**

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S1800	Black/Clear	Ultra-dura HC	Spatulite
S1800X	Black/Clear	Uvextreme AF	Spatulite
S1801	Black/Esspresso	Ultra-dura HC	Spatulite
S1801X	Black/Esspresso	Uvextreme AF	Spatulite
S1802	Black/Amber	Ultra-dura HC	Spatulite
S1803	Black/Gold Mirror	Ultra-dura HC	Spatulite

**REPLACEMENT LENSES**

Item #	Lens Tint	Lens Coating
S6200	Clear	Ultra-dura HC
S6200X	Clear	Uvextreme AF
S6201	Espresso	Ultra-dura HC
S6201X	Espresso	Uvextreme AF

**Tomcat®**

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2450	Gunmetal/Clear	Hardcoat	Padded Metal Tips
S2451	Gunmetal/Gray	Hardcoat	Padded Metal Tips
S2453	Gunmetal/Silver Mirror	Hardcoat	Padded Metal Tips
S2454	Gunmetal/SCT-Reflect 50	Hardcoat	Padded Metal Tips

**Uvex U2®**

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S3100	Black/Clear	Ultra-dura HC	Spatulite
S3100X	Black/Clear	Uvextreme AF	Spatulite
S3101	Black/Esspresso	Ultra-dura HC	Spatulite
S3101X	Black/Esspresso	Uvextreme AF	Spatulite
S3102	Black/Amber	Ultra-dura HC	Spatulite
S3103	Black/Gold Mirror	Ultra-dura HC	Spatulite
S3104	Black/SCT-Reflect 50	Ultra-dura HC	Spatulite

**REPLACEMENT LENSES**

Item #	Lens Tint	Lens Coating
S6150	Clear	Ultra-dura HC
S6150X	Clear	Uvextreme AF
S6151	Espresso	Ultra-dura HC
S6151X	Espresso	Uvextreme AF
S6152	Amber	Ultra-dura HC
S6153	Gold Mirror	Ultra-dura HC
S6154	SCT-Reflect 50	Ultra-dura HC

**Ultra-spec® 1000**

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S300CS	Clear/Clear	Uncoated	Spatula
S301CS	Clear/Clear	Uncoated	Spatula
S302SS	Black/Clear	Uncoated	Spatula
S305CS	Gray/Gray	Uncoated	Spatula

**Ultra-spec® 2000**

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S0390	Clear/Clear	Ultra-dura HC	Standard
S0250X	Clear/Clear	Uvextreme AF	Spatula
S0300	Clear/Clear	Ultra-dura HC	Spatula
S0290X	Amber/Amber	Uvextreme AF	Spatula
S0340	Amber/Amber	Ultra-dura HC	Spatula
S0391	Gray/Gray	Ultra-dura HC	Standard
S0280X	Gray/Gray	Uvextreme AF	Spatula
S0330	Gray/Gray	Ultra-dura HC	Spatula
S0360X	Orange/SCT-Orange	Uvextreme AF	Spatula

**Ultra-spec® 2001 OTG (Over-the-Glass)**

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S0112	Clear/Clear	Ultra-dura HC	Duoflex
S0112C	Clear/Clear	Uvextreme AF	Duoflex
S0113	Gray/Gray	Ultra-dura HC	Duoflex
S0113C	Gray/Gray	Uvextreme AF	Duoflex

**Uvex VersaPro™**

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
SX0100	Blue & Black (Med.)/Clear	Supra-Dura HC	Bendable Wire-core
SX0100X	Blue & Black (Med.)/Clear	Uvextreme AF	Bendable Wire-core
SX0101	Blue & Black (Med.)/Espresso	Supra-Dura HC	Bendable Wire-core
SX0101X	Blue & Black (Med.)/Espresso	Uvextreme AF	Bendable Wire-core
SX0102	Blue & Black (Med.)/Amber	Supra-Dura HC	Bendable Wire-core
SX0102X	Blue & Black (Med.)/Amber	Uvextreme AF	Bendable Wire-core
SX0103	Blue & Black (Med.)/Silver Mirror	Supra-Dura HC	Bendable Wire-core
SX0104	Blue & Black (Med.)/SCT-Reflect 50	Supra-Dura HC	Bendable Wire-core
SX0105X	Blue & Black (Med.)/SCT-Gray	Uvextreme AF	Bendable Wire-core
SX0150	Blue & Black(Lg.)/Clear	Supra-Dura HC	Bendable Wire-core
SX0150X	Blue & Black(Lg.)/Clear	Uvextreme AF	Bendable Wire-core
SX0151X	Blue & Black(Lg.)/Espresso	Uvextreme AF	Bendable Wire-core
SX0152	Blue & Black(Lg.)/Amber	Supra-Dura HC	Bendable Wire-core
SX0154	Blue & Black(Lg.)/SCT-Reflect 50	Supra-Dura HC	Bendable Wire-core

**REPLACEMENT LENSES**

Item #	Lens Tint	Lens Coating
SX5100	Medium/Clear	Supra-Dura HC
SX5100X	Medium/Clear	Uvextreme AF
SX5101	Medium/Esspresso	Supra-Dura HC
SX5101X	Medium/Esspresso	Uvextreme AF
SX5102	Medium/Amber	Supra-Dura HC
SX5102X	Medium/Amber	Uvextreme AF
SX5103	Medium/Silver Mirror	Supra-Dura HC
SX5104	Medium/SCT-Reflect 50	Supra-Dura HC
SX5105X	Medium/SCT-Gray	Uvextreme AF
SX5150	Large/Clear	Supra-Dura HC
SX5150X	Large/Clear	Uvextreme AF
SX5151X	Large/Esspresso	Uvextreme AF
SX5152	Large/Amber	Supra-Dura HC
SX5154	Large/SCT-Reflect 50	Supra-Dura HC

**ACCESSORIES**

Item #	Description
SX0195	Replacement Nosepiece

Call Customer Care at 800 430-5490.

## UVEX SKU LISTING

### SPECIALTY EYEWEAR

#### Uvex Horizon™

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S212	Black/Clear with Shade 3.0	Hardcoat	Spatula w/Metal Core
S213	Black/Clear with Shade 5.0	Hardcoat	Spatula w/Metal Core
S214	Black/Clear with Cobalt Blue	Hardcoat	Spatula w/Metal Core

#### Uvex® S4150 (Safety Eyewear for Uvex 870 Series Klip Lifts)

Item #	Description
S4150	Smoke/Clear Safety Eyewear for Uvex 870 Series Klip Lifts

#### Uvex® 870 Series (Klip Lifts for Safety Glasses)

Item #	Lens Tint	Description
32-0LFFB6-0000	Cobalt Blue Shade 6	Klip Lift-Full Front
32-0LFFB8-0000	Cobalt Blue Shade 8	Klip Lift-Full Front
32-00LFB6-0000	Cobalt Blue Shade 6	Klip Lift-Half Front
32-00LFB8-0000	Cobalt Blue Shade 8	Klip Lift-Half Front
32-0LFF08-0000	6C Didymium	Klip Lift-Full Lens
32-0LFFW4-0000	Welding Shade 4	Klip Lift-Full Front
32-0LFFW5-0000	Welding Shade 5	Klip Lift-Full Front
32-0LFFW6-0000	Welding Shade 6	Klip Lift-Full Front
32-0LFFW8-0000	Welding Shade 8	Klip Lift-Full Front
32-00LFW4-0000	Welding Shade 4	Klip Lift-Half Front
32-00LFW6-0000	Welding Shade 6	Klip Lift-Half Front
32-00LFW8-0000	Welding Shade 8	Klip Lift-Half Front

#### Uvex® 880 Series (Klip Lifts for Hard Hat Visors)

Item #	Lens Tint	Description
32-8LFFB3-0000	Cobalt Blue Shade 3	Hard Hat Klip Lift-Full Front
32-8LFFB4-0000	Cobalt Blue Shade 4	Hard Hat Klip Lift-Full Front
32-8LFFB6-0000	Cobalt Blue Shade 6	Hard Hat Klip Lift-Full Front
32-8LFFB8-0000	Cobalt Blue Shade 8	Hard Hat Klip Lift-Full Front
32-08LFB6-0000	Cobalt Blue Shade 6	Hard Hat Klip Lift-Half Front
32-08LFB8-0000	Cobalt Blue Shade 8	Hard Hat Klip Lift-Half Front
32-8LFFW4-0000	Welding Shade 4	Hard Hat Klip Lift-Full Front
32-8LFFW5-0000	Welding Shade 5	Hard Hat Klip Lift-Full Front
32-8LFFW6-0000	Welding Shade 6	Hard Hat Klip Lift-Full Front
32-8LFFW8-0000	Welding Shade 8	Hard Hat Klip Lift-Full Front
32-08LFW4-0000	Welding Shade 4	Hard Hat Klip Lift-Half Front
32-08LFW5-0000	Welding Shade 5	Hard Hat Klip Lift-Half Front
32-08LFW6-0000	Welding Shade 6	Hard Hat Klip Lift-Half Front
32-08LFW8-0000	Welding Shade 8	Hard Hat Klip Lift-Half Front

### SAFETY GOGGLES

#### Uvex Classic™

Item #	Body Color/Lens Tint	Lens Coating	Description
S350	Clear Body/Clear	Uvextreme AF	Hood Indirect Vent
S350CF*	Clear Body/Clear	Uvextreme AF	Face Foam
S360	Clear Body/Clear	Uvextreme AF	Indirect Vent
S364	Clear Body/Clear	Uvextreme AF	Closed Vent

\*S350CF not for chemical splash applications

#### ACCESSORIES

Item #	Description
S824	Gray Neoprene Band w/Slides

#### Uvex Climazone™

Item #	Body Color/Lens Tint	Lens Coating	Description
S390	Black/Clear	Anti-fog/Ultra-dura HC	Dual Pane Lens
S391	Black/Gray	Anti-fog/Ultra-dura HC	Dual Pane Lens
S393	Black/Amber	Anti-fog/Ultra-dura HC	Dual Pane Lens
S390CSA	Black/Clear	Anti-fog/Ultra-dura HC	Dual Pane Lens
S391CSA	Black/Gray	Anti-fog/Ultra-dura HC	Dual Pane Lens
S393CSA	Black Body/Amber	Anti-fog/Ultra-dura HC	Dual Pane Lens

#### REPLACEMENT LENSES

Item #	Lens Tint	Lens Coating	Description
S790	Clear	Anti-fog/Ultra-dura HC	Dual Pane Lens
S791	Gray	Anti-fog/Ultra-dura HC	Dual Pane Lens
S792	Amber	Anti-fog/Ultra-dura HC	Dual Pane Lens

#### Uvex Carbonvision™

Item #	Body Color/Lens Tint	Lens Coating	Headband
S1650D	Black Body/Clear	Dura-streme HC/AF	Neoprene
S1651D	Black Body/Gray	Dura-streme HC/AF	Neoprene
S1650DF	Black Body/Clear	Dura-streme HC/AF	Fabric
S1651DF	Black Body/Gray	Dura-streme HC/AF	Fabric

#### Flex Seal®

Item #	Body Color/Lens Tint	Lens Coating	Headband
S3400X	Navy Body/Clear	Uvextreme AF	Neoprene
S3405X	Navy Body/Clear	Uvextreme AF	Fabric
S3410X	Navy Body/Gray	Uvextreme AF	Neoprene
S3420X	Gray Body/Clear	Uvextreme AF	Neoprene
S3425X	Gray Body/Gray	Uvextreme AF	Neoprene
S3430X	Navy Body/Shade 3.0 Infra-dura	Uvextreme AF	Neoprene
S3435X	Navy Body/Shade 5.0 Infra-dura	Uvextreme AF	Neoprene

#### REPLACEMENT LENSES

Item #	Lens Tint	Lens Coating
S710X	Clear	Uvextreme AF
S715X	Gray	Uvextreme AF

#### ACCESSORIES

Item #	Description
S828	Neoprene Headband w/Slides
S829	Fabric Headband w/Slides

#### Fury®

Item #	Frame Color/Lens Tint	Lens Coating	Headband
S1890X	Black/Clear	Uvextreme AF	Fabric

#### REPLACEMENT PARTS

Item #	Description
S823	Gray Flame Retardant Fabric
S824	Gray Neoprene w/Slides

Note: Use Uvex Spitfire® replacement lenses with Uvextreme anti-fog coating only. Not for chemical applications.

Call Customer Care at 800 430-5490.

**UVEX SKU LISTING**

**Uvex Futura™**

Item #	Body Color/Lens Tint	Lens Coating	Description	Headband
S345C	Clear/Clear	Uvextreme AF	Indirect Vent	Neoprene
S347C	Black/Shade 3.0 Infra-dura	Uvextreme AF	Indirect Vent	Neoprene
S348C	Black/Shade 5.0 Infra-dura	Uvextreme AF	Indirect Vent	Neoprene

**REPLACEMENT PARTS**

Item #	Description
S780C	Clear Replacement Lens, Uvextreme AF Coating
S824	Gray Neoprene Band w/Slides

**Uvex Stealth®**

Item #	Body Color/Lens Tint	Lens Coating	Headband
S3960C	Gray & Gray/Clear	Uvextreme AF	Neoprene
S3960D	Gray & Gray/Clear	Dura-streme HC/AF	Neoprene
S3960CI	Gray & Gray/Clear	Uvextreme AF	Fabric
S3961C	Gray & Gray/Gray	Uvextreme AF	Neoprene
S3962C	Gray & Gray/Amber	Uvextreme AF	Neoprene
S39610C	Teal & Gray/Clear	Uvextreme AF	Neoprene
S39611C	Teal & Gray/Gray	Uvextreme AF	Neoprene
S39630C	Orange & Gray/Clear	Uvextreme AF	Neoprene
S39630CI	Orange & Gray/Clear	Uvextreme AF	Fabric
S39631C	Orange & Gray/Gray	Uvextreme AF	Neoprene

**REPLACEMENT LENSES**

Item #	Lens Tint	Lens Coating
S700C	Clear	Uvextreme AF
S701C	Gray	Uvextreme AF
S702C	Amber	Uvextreme AF

**ACCESSORIES**

Item #	Description
S3959	Rx Carrier
S8999	Rx Pattern
S821	Gray Neoprene Band without Slides
S823	Gray Flame Retardant Fabric Band
S520	Goggle Retainer for Protective Caps
S521	Goggle Retainer for Full Brim Hats

**Uvex Stealth® OTG (Over-The-Glass)**

Item #	Body Color/Lens Tint	Lens Coating	Headband
S3970D	Navy/Clear	Dura-streme HC/AF	Neoprene
S3971D	Navy/Standard Gray	Dura-streme HC/AF	Neoprene
S3972D	Navy/Amber	Dura-streme HC/AF	Neoprene
S3973D	Navy/Shade 3.0	Dura-streme HC/AF	Neoprene
S3975D	Navy/Shade 5.0	Dura-streme HC/AF	Neoprene
S3970DF	Navy/Clear	Dura-streme HC/AF	Fabric (Logoed)
S3971DF	Navy/Standard Gray	Dura-streme HC/AF	Fabric (Logoed)
S3972DF	Navy/Amber	Dura-streme HC/AF	Fabric (Logoed)

**REPLACEMENT LENSES**

Item #	Lens Tint	Lens Coating
S740D	Clear	Dura-streme HC/AF
S741D	Standard Gray	Dura-streme HC/AF
S742D	Amber	Dura-streme HC/AF
S743D	Shade 3.0	Dura-streme HC/AF
S745D	Shade 5.0	Dura-streme HC/AF

**ACCESSORIES**

Item #	Description
S830	Neoprene Headband

**Uvex Stealth® Reading Magnifiers**

Item #	Body Color/Lens Tint	Lens Coating	Headband	Magnification
S3990X	Navy/Clear	Uvextreme AF	Neoprene	+1.0
S3991X	Navy/Clear	Uvextreme AF	Neoprene	+1.5
S3992X	Navy/Clear	Uvextreme AF	Neoprene	+2.0
S3993X	Navy/Clear	Uvextreme AF	Neoprene	+2.5
S3994X	Navy/Clear	Uvextreme AF	Neoprene	+3.0

**Uvex Strategy®**

Item #	Body Color/Lens Tint	Lens Coating	Description	Headband
S3800	Gray/Clear	Uvextra AF	Direct Vent	Fabric
S3805	Gray/Clear	Uvextra AF	Closed Vent	Neoprene
S3810	Gray/Clear	Uvextra AF	Indirect Vent	Neoprene
S3815	Gray/Clear	Uvextra AF	Indirect Vent w/Foam	Fabric
S3820	Hot Orange/Clear	Uvextra AF	Indirect Vent	Neoprene

**FACE SHIELDS**

**Bionic® Shield**

Item #	Visor Tint/Visor Coating	Description
S8500	Clear Uncoated	Black Matte Face Shield
S8505	Clear Uncoated	Black Matte Face Shield & Hard Hat Adapter (No Suspension)
S8510	Clear Anti-fog/Hardcoat	Black Matte Face Shield
S8515	Clear Anti-fog/Hardcoat	Black Matte Face Shield & Hard Hat Adapter (No Suspension)

**REPLACEMENT VISORS**

Item #	Lens Tint	Lens Coating
S8550	Clear	Uncoated
S8555	Clear	Anti-fog Anti-scratch HC
S8560	Shade 3.0	Uncoated
S8565	Shade 5.0	Uncoated

**ACCESSORIES**

Item #	Description
S8580	Replacement Sweatband
S8590	Hard Hat Adapter
S8595	Bionic Ratchet Suspension

**ACCESSORIES**

**Uvex® Lens Care Products**

Item #	Description
S461	Uvex Clear Permanent Station
S462	Uvex Clear Tissues
S463	Uvex Clear Solution
S464	Uvex Clear Refill Solution
S467	Uvex Clear Disposable Lens Station
S468	Uvex Clear Towelettes
S477	Uvex Fog Eliminator Cloths

**Uvex® Cases and Cords**

Item #	Description
S487	Rip-Stop Nylon Bag Eyewear Case, Black
S489	Hard Eyewear Case with Belt Loop, Black
S490	Economy Eyewear Case, Black
S491	Eyewear Pack, Black
S493	Universal Goggle Pack, Black
S501	Universal Neck Cord, Black
S505D	Snap-Fit Neck Cord for Duoflex Cushioned Temples, Black

Call Customer Care at 800 430-5490.

## WHAT'S INSIDE



- 51 • Titanium Collection
- 52 • SWRx Collection
- 53 • Exclusive Collection
- 54 • Trendsetters Collection
- 55 • Premier Collection
- 55 • Baseline Collection
- 57 • Standard Collection



## The Uvex Difference

With nearly 70% of the workforce requiring some sort of vision correction, prescription safety eyewear is an important component of any safety eyewear program.

Engineered specifically for industrial applications where eye hazards are present, Uvex Rx products are designed for fashion but built to perform. As a manufacturer of high-quality prescription safety frames, we are strict adherents to the ANSI Z87.1 Standard. This standard has the most stringent requirements and we test and re-test every product on a regular basis to ensure continued adherence to these standards. We make those results available to you any time you want or need them...no other safety Rx eyewear provider does this.

Superior service also plays a key role. We believe it is important to treat everyone the way we would like to be treated...it's that simple. If you have employees who require safety glasses outfitted with an individual prescription in them, the Uvex Rx team is your best resource to finding an optimal solution.

*For more information visit [www.uvexRx.com](http://www.uvexRx.com)*

**⚠ WARNING!** Uvex® equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury including diminution or loss of vision.

Uvex brand safety eyewear is offered for sale by Honeywell Safety Products exclusively in the Americas.

**TITANIUM COLLECTION****Titmus EXT9**

- Sizes: 49.20.140; 51.20.145
- Colors: DBR Dark Brown Matte, DGY Dark Gray Matte
- Features: Titanium, spring hinge, nickel-free plating
- No replacement temples
- Made in Japan
- Sideshield: T-LOC® only, CS67
- Standards: ANSI Z87.1-2010

**Titmus EXT10**

- Sizes: 53.18.140; 55.18.145
- Colors: DBR Dark Brown Matte, DGM Dark Gunmetal
- Features: Titanium, spring hinge, nickel-free plating
- No replacement temples
- Made in Korea
- Sideshield: T-LOC only, CS67
- Standards: ANSI Z87.1-2010, EN166

**Titmus EXT11**

- Sizes: 50.19.140; 52.19.145
- Colors: BRN Brown, GLD Gold and GML Gunmetal
- Features: Titanium 100, light, corrosion-resistant, OBE double-action spring hinge, N-Tite system spring hinge, nickel-free plating
- No replacement temples
- Made in China
- Sideshield: T-LOC only, new patented flex shield, CS11
- Standards: ANSI Z87.1-2010

**Titmus EXT13**

- Sizes: 51.18.140 ("H" small fit)
- Colors: TPE Taupe, BLK Satin Black and SGL Satin Gold
- Features: Memory metal technology, Metal 3-barrel hinge and N-Tite system
- No replacement temples
- Made in China
- Sideshield: Detachable, T-LOC only, CS13
- Standards: ANSI Z87.1-2010

**Titmus EXT14**

- Sizes: 51.18.140; 53.18.145
- Colors: BRN Brown, BLK Black
- Features: Monobloc Metal 3 – barrel hinge, Memory metal technology and N-Tite System
- No replacement temples
- Made in China
- Sideshield: Detachable, T-LOC only, CS14
- Standards: ANSI Z87.1-2010

**Titmus EXTS1**

- Sizes: 48.21.140; 50.21.145
- Colors: LBR Light Brown Matte, LGR Light Gray Matte
- Features: Titanium, spring hinge, nickel-free plating, N-Tite system
- No replacement temples
- Made in China
- Sideshield: T-LOC only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



Call Customer Care at 800 446-1802.

## SWRX COLLECTION



### Titmus SW02

- Sizes: 54.17.130; 56.17.135
- Colors: BLV Blue Venom, GTW Gray Tumbleweed, ADB Adobe Brown
- Features: Stainless steel, spring hinge, 15° face-form wrap
- No replacement temples
- Made in China
- Sideshield: T-LOC® only, gray shield available, CS02/CS02S
- Standards: ANSI Z87.1-2010, EN166



### Titmus SW03

- Sizes: 54.15.135; 56.15.140; 58.15.145
- Colors: BLV Blue Venom, DSD Desert Sand, KCH Knife Chrome
- Features: Stainless steel, spring hinge, nickel-free plating, 15° face-form wrap
- No replacement temples
- Made in Korea
- Sideshield: T-LOC only, gray shield available, CS03/CS03S
- Standards: ANSI Z87.1-2010



### Titmus SW04

- Sizes: 50.20.130; 53.20.135;
- Colors: BLU Blue, BRN Brown, GML Gunmetal, WIN Wine
- Features: Stainless steel, spring hinge, N-Tite® system
- No replacement temples
- Made in Korea
- Sideshields: Top/Side Shield, Clear/Smoke available, CS04/CS04S
- Standards: ANSI Z87.1-2010



### Titmus SW06E

- Sizes: 57.16.125
- Colors: BRN Brown/Yellow accents, BLK Black/Orange accents
- Features: Trogamid nylon, no metal content, removable/replaceable dust dam, adjustable nose pads, superior coverage, 17° face-form wrap, integral extended shield design
- No replacement temples
- Made in Taiwan
- Standards: ANSI Z87.1-2010, EN166



### The “N-Tite” System

The N-Tite System is designed to increase lens retention so that employees who work in environments where hazardous impacts are possible are protected in accordance with ANSI Z87.1 Standard guidelines.

This robust system is now available on selected products in the SWRX, Titanium and Exclusive collections.



Call Customer Care at 800 446-1802.

**SWRX COLLECTION**

**Titmus SW07**

- Sizes: 60.13.127
- Colors: BLU Blue, BRN Brown, GML Gunmetal
- Features: Injection molded nylon, no metal content, dust dam insert, adjustable strap, 17° face-form wrap, integral extended shield design
- No replacement temples
- Made in Taiwan
- Standards: ANSI Z87.1-2010, EN166

**Available in three ordering options:**

Type 1: Frame comes complete and assembled with attached temples, foam insert, medium nose pads. Ships with optional small and large replacement nose pads and expandable strap/headband.

Type 2: Frame comes complete and assembled with attached temples, foam insert and medium nose pads. Ships with small and large replacement nose pads.

Type 3: Frame comes complete and assembled with attached temples and medium nose pads. Ships with small and large replacement nose pads.



**Titmus SW08**

- Sizes: 53.17.110; 56.17.115
- Colors: BLK Black, BRN Brown, TOR Tortoise
- Features: Handmade acetate, wrapped endpieces
- No replacement temples
- Made in China
- Sideshield: None – Temple coverage meets requirements
- Standards: ANSI Z87.1-2010



**EXCLUSIVE COLLECTION**

**Titmus EX275S**

- Sizes: 50.18.135; 52.20.140
- Colors: BLU Blue, BRN Brown, PEW Pewter
- Features: Stainless steel, spring hinge, N-Tite system
- No replacement temples
- Made in Korea
- Sideshield: T-LOC only, gray shield available, CS65/CS65S
- Standards: ANSI Z87.1-2010



**Titmus EX278S**

- Sizes: 54.18.135; 56.18.140
- Colors: BLU Blue, BRN Brown, GRA Gray
- Features: Stainless steel, spring hinge
- No replacement temples
- Made in Korea
- Sideshield: T-LOC only, CS27
- Standards: ANSI Z87.1-2010



**Titmus EX281S**

- Sizes: 53.17.133 "H" (Small fit) and 56.17.138 "H" (Small fit)
- Colors: BLK Black (available only with 53mm eyesize), BRN Brown and TOR Tortoise
- Features: Stainless steel split temple construction, handmade acetate matching temple tips and saddle fit bridge design, Metal 3-barrel hinge
- No replacement temples
- Made in China
- Sideshield: Detachable, T-LOC only, CS29
- Standards: ANSI Z87.1-2010



Call Customer Care at 800 446-1802.

## TRENDSETTERS COLLECTION



### Titmus TR301S

- Sizes: 48.19.140; 50.19.145; 52.19.145
- Colors: GRA Gray, BRN Brown
- Features: Stainless steel, spring hinge
- No replacement temples
- Made in Korea
- Sideshield: T-LOC® only, gray shield available, CS65/CS65S
- Standards: ANSI Z87.1-2010



### Titmus TR302S

- Sizes: 49.21.140; 51.21.145
- Colors: GRA Gray, BRN Brown, BUR Burgundy
- Features: Stainless steel, spring hinge
- No replacement temples
- Made in Korea
- Sideshield: T-LOC only, CS66
- Standards: ANSI Z87.1-2010



### Titmus TR303S

- Sizes: 48.21.140; 50.21.145
- Colors: GRA Gray, BRN Brown
- Features: Stainless steel, spring hinge
- No replacement temples
- Made in Korea
- Sideshield: T-LOC only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



### Titmus TR307S

- Sizes: 53.21.140; 56.21.145
- Colors: CHR Dark Chrome, WAL Walnut
- Features: Stainless steel, spring hinge, extra large fit
- No replacement temples
- Made in Korea
- Sideshield: T-LOC only, gray shield available, CS65/CS65S
- Standards: ANSI Z87.1-2010



### Titmus TR309S

- Sizes: 46.19.135; 48.19.135; 50.19.140
- Colors: BRN Brown, GRA Gray, VIO Violet
- Features: Stainless steel, spring hinge, N-Tite® system
- No replacement temples
- Made in Korea
- Sideshield: T-LOC only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



### Titmus TR312S

- Sizes: 51.18.135 "H" (small fit) and 53.18.140
- Colors: VIO Violet, BRN Brown, GML Gunmetal
- Features: Stainless steel construction, double action spring hinges, adjustable universal fit bridge type and patented "flex" shield design, German made OBE 5 – Barrel Double Action Cam
- No replacement temples
- Made in China
- Sideshield: CS11
- Standards: ANSI Z87.1-2010



Call Customer Care at 800 446-1802.



**PREMIER COLLECTION**

**Titmus PC267**

- Sizes: 49.20.140; 51.20.145
- Colors: GRA Gray, ANB Antique Brown
- Features: Spring hinge
- Made in Korea
- Sideshield: T-LOC only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



**Titmus PC268**

- Sizes: 53.20.140; 55.20.145
- Colors: ANB Antique brown, CHR Chrome
- Features: Spring hinge
- Made in Korea
- Sideshield: T-LOC only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010, EN166



**Titmus PC269**

- Sizes: 49.16.125; 52.16.130
- Colors: GRA Gray, BLK Black, BRN Brown
- Features: Spring hinge, 135mm temples available
- Made in China
- Sideshield: T-LOC only, CS69
- Standards: ANSI Z87.1-2003



**BASELINE COLLECTION**

**Titmus FC703**

- Sizes: 52.20.140; 54.20.145
- Colors: GLD Gold, GML Gunmetal
- Made in Korea
- Sideshield: T-LOC only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010



**Titmus FC705**

- Sizes: 50.19.140; 52.19.145
- Colors: BRN Brown, GRA Gray
- Made in China
- Sideshield: CS94
- Standards: ANSI Z87.1-2010, EN166



**Titmus FC706**

- Sizes: 49.20.140; 51.20.145
- Colors: ANB Antique Brown, ASM Antique Silver Matte
- Made in Korea
- Sideshield: T-LOC only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010, EN166



**Titmus FC707**

- Sizes: 50.21.140; 52.21.145
- Colors: ANB Antique Brown, DGM Dark Gunmetal
- Made in Korea
- Sideshield: T-LOC only, CS67
- Standards: ANSI Z87.1-2010, EN166



## BASELINE COLLECTION



### Titmus BC104A

- Sizes: 51.19.140; 53.19.145
- Colors: GLD Goldtone, GML Gunmetal
- Features: Spring hinge
- Made in China
- Sideshield: T-LOC® only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010, EN166



### Titmus BC115

- Sizes: 48.20.140; 51.20.145
- Colors: DBZ Dark Bronze, DST Dark Steel
- Features: Spring hinge
- Made in Korea
- Sideshield: T-LOC only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



### Titmus BC116

- Sizes: 50.18.135 "H" (Small fit) and 53.18.140 "H"
- Colors: BRN Brown, GML Gunmetal
- Features: Monel fronts with stainless steel temples for long-lasting performance. Metal 3 – barrel hinge.
- Made in Korea
- Sideshield: Detachable – T-LOC only, CS12
- Standards: ANSI Z87.1-2010



Call Customer Care at 800 446-1802.

STANDARD COLLECTION

**Titmus SC910**

- Sizes: 52.16.140; 55.18.145
- Colors: GRA Gray and BRN Brown
- Features: Integral side shields, low metal content, propionate front with polycarbonate temples, replacement temples are same for both SC910/SC915
- Made in China
- Sideshield: Integral
- Standards: ANSI Z87.1-2010



**Titmus SP83/SP83BF with eye cup**

- Sizes: SP83: 50.20.140; 52.20.145; 54.20.150/SP83BF: 52.20.145; 54.20.150
  - Colors: BRN Brown, GRA Gray
  - Features: 7 BBL hinge
  - Made in China
  - Sideshield: CS77
  - Standards: ANSI Z87.1-2003, EN166
- Note: SP83BF is only available with permanently attached cup side shields (#9 clear perforated or #13 wire mesh)*



**Uvex Stealth®**

- Size: One size
- Colors:
  - S39630C Clear lens/Orange and Gray body
  - S39631C Gray lens/Orange and Gray body
- Features: Designed for both chemical splash and impact, Rx insert (S3959 Rx), Uvextreme® anti-fog lens coating
- Standards: Meets ANSI Z87.1-2010 and is certified to the requirements CSA Z94.3
- Made in USA



Actual test data is made available to anyone requesting it on every product we provide to our customers.

No other industrial safety Rx eyewear company does this.

**All Uvex® Safety Rx Eyewear meet the ANSI Z87.1 Standard and are regularly tested on an ongoing basis to ensure continuing compliance.**



Call Customer Care at 800 446-1802.

## WHAT'S INSIDE



- 60 • Safety Eyewear
- 73 • Safety Goggles
- 74 • Face Shields
- 76 • Face Shield Hard Hat Adapters
- 77 • Integrated Protection
- 78 • Face Shield Replacements and Accessories
- 79 • Reference: Lens Tint Chart
- 80 • Full Line SKU Listing



## Eye & Face Protection

Eye protection calls for a very personal product for all workers. It not only has to protect but also offer comfort and style. North® eyewear is state-of-the-art in design, engineering and performance. All of our sleek, contemporary designs meet Z87.1-2010 safety standards, and many also meet CSA Z94.3 safety standards.

For construction, industrial, laboratory, manufacturing and more, you'll find that we offer a complete line of face shields to fit your specific needs. Adjustable headgear, a simple visor replacement system, comfort features and quality optics make North face shields a dependable addition to your safety line-up.

**▲ WARNING!** North® equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury including diminution or loss of vision.

FEATURED PRODUCT

## North Adaptec™

One style. Three sizes.  
Customized fit and performance.

Setting forth a new approach to safety eyewear, we wanted to create a product that would fit everyone – no matter their gender, ethnicity, or facial features. After completing a landmark eyewear research study, we poured everything we learned into the development of the North Adaptec Protective Eyewear System. The result? An adjustable eyewear system that can be worn by the widest range of workers and still deliver excellent protection, superior comfort, customized adjustability, premium optics, and a stylish look.



Engineered to meet the demands of today's most diverse workplaces, the **North Adaptec Protective Eyewear System** offers a stylish, comfortable and secure fit utilizing all-new adjustable fit tools built into each piece of eyewear.



North Adaptec Protective Eyewear System is designed in three scientifically determined sizes (Regular, Narrow, and Wide) to meet the unique eyewear fitting requirements of every individual.



**One style** means simplicity of stocking and ordering as well as consistent usage by workers.

**Three sizes** means the right protection, improved performance and optical clarity for everyone in your workplace.



**Customized fit and performance** means personalized comfort for each wearer, ensuring all-day protection and compliance with safety requirements.

For additional resources, including online demos and research findings for this innovative product, be sure to check out our new microsite: [www.NorthAdaptec.com](http://www.NorthAdaptec.com).



## SAFETY EYEWEAR



T5900NTK

### North Adaptec™ Series

- Efficient, full wrap coverage
- Available in 3 sizes for the perfect fit
- Fully adjustable nosepad
- Temples adjust for inclination and width
- Quick-change lens replacement system
- Utilizes exclusive North 4A coating, protecting against fog, scratches, UV and static
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards

Item #	Frame Color/Lens Tint	Size	Lens Coating
T5900LTK	Translucent Black/Clear	Regular	4A
T5900LTKS	Translucent Black/Smoke	Regular	4A
T5900LTKA	Translucent Black/Amber	Regular	4A
T5900LTKTCG	Translucent Black/I/O Mirror	Regular	4A
T5900LTK3.0	Translucent Black/IR Shade 3.0	Regular	4A
T5900LTK5.0	Translucent Black/IR Shade 5.0	Regular	4A
T5900NTK	Translucent Black/Clear	Narrow	4A
T5900NTKS	Translucent Black/Smoke	Narrow	4A
T5900NTKA	Translucent Black/Amber	Narrow	4A
T5900NTKTCG	Translucent Black/I/O Mirror	Narrow	4A
T5900NTK3.0	Translucent Black/IR Shade 3.0	Narrow	4A
T5900NTK5.0	Translucent Black/IR Shade 5.0	Narrow	4A
T5900WTK	Translucent Black/Clear	Wide	4A
T5900WTKS	Translucent Black/Smoke	Wide	4A
T5900WTKA	Translucent Black/Amber	Wide	4A
T5900WTKTCG	Translucent Black/I/O Mirror	Wide	4A
T5900WTK3.0	Translucent Black/IR Shade 3.0	Wide	4A
T5900WTK5.0	Translucent Black/IR Shade 5.0	Wide	4A



A1204

### Relentless™ Series

- Exclusive North Signature Fit – Simple, adjustment-free fit for a wide range of faces
- 8-base dual polycarbonate lens
- Polycarbonate frame
- Soft padded nosepiece and temples
- Dielectric design
- Fog-Ban® Anti-Fog lenses are available in clear and gray tints for optimal visual clarity in difficult environments
- Complies with ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards

Item #	Frame Color/Lens Tints	Lens Coating
A120	Midnight-Dark Gray/Clear	Hardcoat
A1201	Midnight-Dark Gray/TSR Gray	Hardcoat
A1202	Midnight-Dark Gray/Amber	Hardcoat
A1203	Midnight-Dark Gray/Silver Mirror	Hardcoat
A1204	Midnight-Dark Gray/I/O Mirror	Hardcoat
A1205	Midnight-Dark Gray/Clear	Fog-Ban Anti-Fog
A1206	Midnight-Dark Gray/TSR Gray	Fog-Ban Anti-Fog



by Honeywell

 Call Customer Care at 800 430-4110.

 Call Customer Care at 800 430-5490.

**SAFETY EYEWEAR**

**Conspire™ Series** 

- Exclusive North Signature Fit – Simple, adjustment-free fit for a wide range of faces
- 8-base dual polycarbonate lens
- Polycarbonate frame
- Soft padded nosepiece and temples
- Dielectric design
- Fog-Ban® Anti-Fog lenses are available in clear and gray tints for optimal visual clarity in difficult environments. Available uncoated for even greater cost-effectiveness
- Complies with ANSI Z87.1-2010 and is certified to the CSA Z94.3 standards



XV400

Item #	Frame Color/Lens Tints	Lens Coating
XV400	Matte Clear/Clear	Hardcoat
XV401	Matte Gray/TSR Gray	Hardcoat
XV402	Matte Amber/Amber	Hardcoat
XV403	Matte Gray/Silver Mirror	Hardcoat
XV404	Matte Clear/I/O Mirror	Hardcoat
XV405	Matte Clear/Clear	Fog-Ban Anti-Fog
XV406	Matte Gray/TSR Gray	Fog-Ban Anti-Fog
XV407	Matte Clear/Clear	Uncoated
XV408	Matte Gray/TSR Gray	Uncoated

**N-Vision™ T5650 Series** 

- Modern ergonomic design for comfort and fit
- Universal comfort bridge nosepiece system
- Easy lens replacement system
- Frame made of new Elasto LT chemical-resistant material
- Comfortable straight and curved temple ends supplied with all N-Vision 5600 Series eyewear
- Utilizes exclusive North 4A coating, protecting against fog, scratches, UV and static (mirror lenses use North 3A coating)
- Customizable with your logo
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards



T56505B

Item #	Frame Color/Lens Tint	Lens Coating
T56505B	Black-Gray/Clear	4A
T56505BS	Black-Gray/Smoke	4A
T56505BA	Black-Gray/Amber	4A
T56505BTCB	Black-Gray/Brown	4A
T56505BTCV	Black-Gray/Vermillion	4A
T56515BM	Black-Gray/Mirror	3A
T56515BTCG	Black-Gray/I/O Mirror	3A



 Call Customer Care at 800 430-5490.  Call Customer Care at 800 430-4110.

## SAFETY EYEWEAR



T5655BS

### N-Vision™ T5655 Series

- Optional Rx Insert available (65RXII)
- Provided with two Flexi-Fit soft nose-pieces (regular and narrow) for comfort and adaptability
- Easy lens replacement system
- Frame made of new Elasto LT chemical resistant material
- Utilizes exclusive North 4A coating, protecting against fog, scratches, UV and static (mirror lenses use North 3A coating)
- Customizable with your logo
- Comfortable straight and curved temple ends supplied with all N-Vision 5600 Series eyewear
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards

Item #	Frame Color/Lens Tint	Lens Coating
T56555B	Black-Gray/Clear	4A
T56555BS	Black-Gray/Smoke	4A
T56555BA	Black-Gray/Amber	4A
T56565BM	Black-Gray/Mirror	3A
T56565BTCG	Black-Gray/I/O Mirror	3A

#### Accessories

65RXII	Rx Insert
65RB	Replacement Nose-Piece (Regular Fit)
65RBS	Replacement Nose-Piece (Narrow Fit)



65RB

### Lightning™ T6500 Series

- Optional Rx Insert available (65RXII)
- High base panoramic lens for a wide unobstructed field of view
- Frame made of new Elasto LT chemical resistant material
- New Soft-Touch comfort pads
- Self-adjusting temples that insure a secure yet comfortable fit
- Utilizes exclusive North 4A coating, protecting against fog, scratches, UV and static (mirror lenses use North 3A coating)
- Provided with two Flexi-Fit soft nose-pieces (regular and narrow) for comfort and adaptability
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards

Item #	Frame Color/Lens Tints	Lens Coating
T65005	Black/Clear	4A
T65005S	Black/Smoke	4A
T65005A	Black/Amber	4A
T65005M	Black/Mirror	3A
T65015TCG	Black/I/O Mirror	3A

#### Accessories

65RX	Rx Insert
65RB	Replacement Nose-Piece (Regular Fit)
65RBS	Replacement Nose-Piece (Narrow Fit)



T65005A



by Honeywell

 Call Customer Care at 800 430-4110.



**SAFETY EYEWEAR**

**Lightning Plus™ T6550 Series** 

- Optional Rx Insert available (65RXII)
- High base panoramic lens for a wide unobstructed field of view
- Bowed temples designed to fit virtually anyone
- New Soft-Touch comfort pads
- Utilizes exclusive North 4A coating, protecting against fog, scratches, UV and static (mirror lenses use North 3A coating)
- Provided with two Flexi-Fit soft nose-pieces (regular and narrow) for comfort and adaptability
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards



T65505B

Item #	Frame Color/Lens Tints	Lens Coating
T65505B	Black/Clear	4A
T65505BS	Black/Smoke	4A
T65505BA	Black/Amber	4A
T65505BM	Black/Mirror	3A
T65515BTCTG	Black/I/O Mirror	3A

**Accessories**

65RX	Rx Insert
65RB	Replacement Nose-Piece (Regular Fit)
65RBS	Replacement Nose-Piece (Narrow Fit)

**Tornado F5™ T5750 and T5850 Series** 

- Frames are available in 3 outstanding colors: Blue, Gray and Black
- T5750 series with adjustable curved temples
- T5850 series with stylish straight temples
- Lenses available in Clear, Amber, Smoke and Mirror
- Utilizes exclusive North 4A coating, protecting against fog, scratches, UV and static (mirror lenses use North 3A coating)
- Replacement lens available
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards



T57505BL

Item #	Frame Color/Lens Tint	Lens Coating
--------	-----------------------	--------------

**Tornado F5 T5750 Series with Curved Temples**

T57505B	Black/Clear	4A
T57505BS	Black/Smoke	4A
T57505BA	Black/Amber	4A
T57505BM	Black/Mirror	3A
T57505BL	Blue/Clear	4A
T57505BLS	Blue/Smoke	4A
T57505BLA	Blue/Amber	4A
T57505BLM	Blue/Mirror	3A



T58505B

**Tornado F5 T5850 Series with Straight Temples**

T58505B	Black/Clear	4A
T58505BS	Black/Smoke	4A
T58505BA	Black/Amber	4A
T58505BM	Black/Mirror	3A



by Honeywell

 Call Customer Care at 800 430-4110.

## SAFETY EYEWEAR



A1101

### Vexis® Series

- Extended frame design combines modern styling with added side coverage
- Lightweight, all-polycarbonate full frame for all-day comfort and superior impact protection
- 9-base, cylindrical lens shape gives a unique look with outstanding optical performance
- Extended-life polycarbonate, hardcoated lenses are available in a wide array of tints
- Fog-Ban® Anti-Fog lenses are available in clear and gray tints for optimal visual clarity in difficult environments
- Provides 99.9% UV protection
- Meets ANSI Z87.1-2010 standards

Item #	Frame Color/Lens Tint	Lens Coating
A1100	Dark Pewter/Clear	Hardcoat
A1101	Dark Pewter/TSR Gray	Hardcoat
A1102	Dark Pewter/Amber	Hardcoat
A1103	Dark Pewter/Silver Mirror	Hardcoat
A1104	Dark Pewter I/O Mirror	Hardcoat
A1105	Dark Pewter/Clear	Fog-Ban Anti-Fog
A1106	Dark Pewter/TSR Gray	Fog-Ban Anti-Fog



XV303

### Hyliner® Series

- Ultra lightweight (21 grams), simple design
- 9-base wrap for better peripheral protection
- Molded nosepiece and temples fit comfortably without the need for adjustability
- Extended-life polycarbonate, hardcoated lenses are available in a wide array of tints
- Fog-Ban Anti-Fog lenses are available in clear and gray tints for optimal visual clarity in difficult environments
- Provides 99.9% UV protection
- Meets ANSI Z87.1-2010 standards

Item #	Frame Color/Lens Tints	Lens Coating
XV300	Gloss Black/Clear	Hardcoat
XV301	Gloss Black/TSR Gray	Hardcoat
XV302	Gloss Black/Amber	Hardcoat
XV303	Gloss Black/Silver Mirror	Hardcoat
XV304	Gloss Black/I/O Mirror	Hardcoat
XV305	Gloss Black /Clear	Fog-Ban Anti-Fog
XV306	Gloss Black/TSR Gray	Fog-Ban Anti-Fog

### Fulcrum® Series

- Semi-full frame is lightweight, so you barely know you're wearing them
- Frames are available in two, high-fashion colors: Graphite and Midnight Blue
- Smooth bayonet temples offer a comfortable fit and sleek styling
- Molded nosepiece is shaped to fit a wide array of facial shapes
- 8-base curve offers a close fit with excellent side protection
- Fog-Ban Anti-Fog lenses are available in clear and gray tints for optimal visual clarity in difficult environments
- All lenses provide 99.9% UV protection
- Meets ANSI Z87.1-2010 standards



by Honeywell

 Call Customer Care at 800 430-5490.

**SAFETY EYEWEAR**

(Fulcrum™ Series continued)

Item #	Frame Color/Lens Tints	Lens Coating
A1000	Graphite/Clear	Hardcoat
A1001	Graphite/TSR Gray	Hardcoat
A1002	Graphite/Blue Mirror	Hardcoat
A1003	Graphite/Indoor/Outdoor Silver Mirror	Hardcoat
A1004	Graphite/Clear	Fog-Ban Anti-Fog
A1010	Midnight Blue/Clear	Hardcoat
A1015	Midnight Blue/TSR Gray	Fog-Ban Anti-Fog
A1011	Midnight Blue/TSR Gray	Hardcoat
A1016	Midnight Blue/Amber	Hardcoat
A1017	Midnight Blue/Silver Mirror	Hardcoat



A1000

**Tectonic® Series**

- Weighs less than one ounce (25.2 grams) for lightweight comfort
- Flexible temples provide just the right amount of tension to comfortably keep eyewear in place
- Wrap-around 9-base curve lens offers a close fit with excellent side protection
- Available in a wide array of lens tints to meet the needs of most work environments
- Anti-scratch hardcoat extends the life of the lens for longer wear
- Fog-ban® Anti-Fog coating, available in clear and gray tints, helps keep lenses clear in humid or extreme environments
- Meets ANSI Z87.1-2010 standards



XV200

Item #	Frame Color/Lens Tint	Lens Coating
XV200	Gloss Black/Clear	Hardcoat
XV201	Gloss Black/TSR Gray	Hardcoat
XV203	Gloss Black/Silver Mirror	Hardcoat
XV204	Gloss Black/Indoor/Outdoor Silver Mirror	Hardcoat
XV205	Gloss Black/Clear	Fog-Ban Anti-Fog
XV206	Gloss Black/TSR Gray	Fog-Ban Anti-Fog

**A900 Series**

- Sporty, 8-base wrap-around polycarbonate lens
- Non-slip rubber nose bridge and padded temples provide a comfortable fit
- Available with scratch-resistant hardcoat or optional Fog-Ban Anti-Fog coating
- CSA version meets CSA Z94.3 standard
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards



A903

Item #	Frame Color/Lens Tint	Lens Coating
A900	Black/Clear	Hardcoat
A902	Black/TSR Gray	Hardcoat
A904	Black/Silver Mirror	Hardcoat
A901	Black/Clear	Fog-Ban Anti-Fog
A903	Black/TSR Gray	Fog-Ban Anti-Fog
A900CSA	Black/Clear	Hardcoat
A902CSA	Black/TSR Gray	Hardcoat
A904CSA	Black/Silver Mirror	Hardcoat
A901CSA	Black/Clear	Fog-Ban Anti-Fog
A903CSA	Black/TSR Gray	Fog-Ban Anti-Fog



Call Customer Care at 800 430-5490.

## SAFETY EYEWEAR



A950

### A900 Reader/Magnifier Series

Item#	Frame Color/Lens Tint	Magnifier Strength	Coating
A950	Black/Clear	+1.50	Hardcoat
A951	Black/Clear	+2.00	Hardcoat
A952	Black/Clear	+2.50	Hardcoat
A960	Black/TSR Gray	+1.50	Hardcoat
A961	Black/TSR Gray	+2.00	Hardcoat
A962	Black/TSR Gray	+2.50	Hardcoat
A950CSA*	Black/Clear	+1.50	Hardcoat
A951CSA*	Black/Clear	+2.00	Hardcoat
A952CSA*	Black/Clear	+2.50	Hardcoat
A960CSA*	Black/TSR Gray	+1.50	Hardcoat
A961CSA*	Black/TSR Gray	+2.00	Hardcoat
A962CSA*	Black/TSR Gray	+2.50	Hardcoat

\*CSA version provides extended coverage, but CSA does not certify reader/magnifiers at this time



A801

### A800 Series

- Sporty, 9-base wrap-around polycarbonate lens
- Non-slip rubber nose bridge and unique padded temples
- Extra "flex" built into the temple for increased tension control
- Available with scratch-resistant hardcoat or optional Fog-Ban® Anti-Fog coating
- Meets ANSI Z87.1-2010 standards

Item #	Frame Color/Lens Tint	Lens Coating
A800	Clear/Clear	Hardcoat
A801	Gray/TSR Gray	Hardcoat
A802	Amber/Amber	Hardcoat
A803	Gray/Blue Mirror	Hardcoat
A804	Gray/I/O Silver Mirror	Hardcoat
A805	Clear/Clear Fog-Ban	Fog-Ban Anti-Fog
A806	Gray/TSR Gray	Fog-Ban Anti-Fog




A703

### A700 Series

- Slender temples with soft temple tip pads for comfortable fit
- Secure wrap-around design
- Polycarbonate, distortion-free, hardcoat lenses
- Soft temple tip pads for a secure fit
- Now available in a smaller "S" version to fit smaller faces!
- Available with scratch-resistant hardcoat or optional Fog-Ban Anti-Fog coating
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards

Item #	Frame Color/Lens Tints	Lens Coating
A700	Clear/Clear	Hardcoat
A701	Gray/TSR Gray	Hardcoat
A702	Amber/Amber	Hardcoat
A703	Gray/Blue Mirror	Hardcoat
A704	Gray/I/O Silver Mirror	Hardcoat
A705	Clear/Clear	Fog-Ban Anti-Fog
A706	Gray/TSR Gray	Fog Ban Anti-Fog



 Call Customer Care at 800 430-5490.

**SAFETY EYEWEAR**

**A700 Slim Series** 

- Same features and benefits as the A700
- A full 10% smaller than the A700

Item #	Frame Color/Lens Tint	Lens Coating
A750	Clear/Clear	Hardcoat
A751	Gray/TSR Gray	Hardcoat
A752	Amber/Amber	Hardcoat
A753	Gray/Blue Mirror	Hardcoat
A754	Gray/I/O Mirror	Hardcoat
A755	Clear/Clear	Fog-Ban Anti-Fog
A756	Gray/TSR Gray	Fog-Ban Anti-Fog



A754

**A400 Series** 

- Aggressive, one-piece wrap-around front, with dual lens design
- Available with scratch-resistant hardcoat or optional Fog-Ban® Anti-Fog coating
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards

Item #	Frame Color/Lens Tints	Lens Coating
A400	Clear/Clear	Hardcoat
A401	Gray/Gray	Hardcoat
A402	Amber/Amber	Hardcoat
A403	Gray/Silver Mirror	Hardcoat
A404	Clear/I/O Silver	Hardcoat
A400AF	Clear/Clear	Fog-Ban Anti-Fog



A400

**A200 Series** 

- Economical protection and conventional style
- Durable frame with integrated side protection and adjustable temple lengths
- Available with scratch-resistant hardcoat
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards
- Made in USA

Item #	Frame Color/Lens Tints	Lens Coating
A200	Black/Clear	Hardcoat
A201	Black/Gray	Hardcoat
A210	Blue/Clear	Hardcoat
A220	Red, White & Blue/Clear	Hardcoat



A210

**W100 Series for Women** 

- Sleek, 8-base unilens
- Adjustable nosepiece
- Metallic and rhinestone accents add feminine styling
- Smaller size to fit women's faces better than traditional safety eyewear
- Available with scratch-resistant hardcoat or optional Fog-Ban Anti-Fog coating
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards

Item #	Frame Color/Lens Tints	Lens Coating
W100	Clear Frosted/Clear	Hardcoat
W101	Clear Frosted/Clear	Fog-Ban Anti-Fog
W102	Brown Frosted/Esspresso	Hardcoat
W103	Clear Frosted/I/O Silver Mirror	Hardcoat



W102

 Call Customer Care at 800 430-5490.

## SAFETY EYEWEAR



W200

### W200 Series for Women

- Affordable eye protection styled for women
- Feminine dusty rose frame color
- Smaller size to fit women's faces better than traditional safety eyewear
- Available with scratch-resistant hardcoat or optional Fog-Ban® Anti-Fog coating
- Meets ANSI Z87.1-2010 standards

Item #	Frame Color/Lens Tint	Lens Coating
W200	Matte Clear Dusty Rose/Clear	Hardcoat
W201	Matte Clear Dusty Rose/Clear	Fog-Ban Anti-Fog
W202	Matte Clear Dusty Rose/Silver Mirror	Hardcoat
W203	Matte Clear Dusty Rose/TSR Gray	Hardcoat



W302

### W300 Series for Women

- 7-base polycarbonate unilens construction
- Designed and shaped to fit women
- Available with scratch-resistant hardcoat
- Meets ANSI Z87.1-2010 standards

Item #	Frame Color/Lens Tint	Lens Coating
W300	Tortoise Shell/Clear	Hardcoat
W301	Tortoise Shell/Espresso	Hardcoat
W302	Tortoise Shell/Autumn Rose Silver Mirror	Hardcoat



11150900

### Vapor® Series

- Contoured fit design in a metallic blue painted frame
- Lightweight sporty styling for all-day wear
- 9-base wrap-around dual lenses and sport temples
- Soft nose bridge for better comfort and fit
- Available with scratch-resistant hardcoat or optional Fog-Ban Anti-Fog coating
- Includes adjustable break-away FlexiCord™
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards

Item #	Frame Color/Lens Tints	Lens Coating
11150900	Metallic Blue/Clear	Hardcoat
11150901	Metallic Blue/TSR Gray	Hardcoat
11150904	Metallic Blue/Silver Mirror	Hardcoat
11150905	Metallic Blue/Clear	Fog-Ban Anti-Fog
11150906	Metallic Blue/TSR Gray	Fog-Ban Anti-Fog

### Vapor® II Series

- Value-priced version of the Vapor with black frame
- Available with scratch-resistant hardcoat or optional Fog-Ban Anti-Fog coating
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards

Item #	Frame Color/Lens Tints	Lens Coating
11150910	Black/Clear	Hardcoat
11150911	Black/TSR Gray	Hardcoat
11150914	Black/Silver Mirror	Hardcoat
11150915	Black/Clear	Fog-Ban Anti-Fog
11150916	Black/TSR Gray	Fog-Ban Anti-Fog



 Call Customer Care at 800 430-5490.

As a bonus, a free FlexiCord™ neckcord comes standard with select North styles to keep your eyewear close at hand. The adjustable break-away FlexiCord gives you added security and convenience – with no more lost time searching.

**FlexiCord™**

**Fuse®** 

- Gunmetal-colored metal frame with exceptional coverage
- Aggressive wrap-around lens design
- Dual 9-base lenses of durable polycarbonate for full unobstructed field of vision
- Adjustable saddle nose pads and soft flexible temple tips
- Available with scratch-resistant hardcoat or optional Fog-Ban® Anti-Fog coating
- Includes adjustable break-away FlexiCord
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards

Item #	Frame Color/Lens Tints	Lens Coating
11150800	Gunmetal/Clear	Hardcoat
11150801	Gunmetal/TSR Gray	Hardcoat
11150804	Gunmetal/Silver Mirror	Hardcoat
11150805	Gunmetal/Clear	Fog-Ban Anti-Fog
11150806	Gunmetal/TSR Gray	Fog-Ban Anti-Fog



11150804

**Millennia Sport™ Series** 

- Lightweight value frame with superior side and brow protection
- High impact dual 9-base wrap-around unilens
- Comfortable universal nose bridge
- Available with scratch-resistant hardcoat or optional Fog-Ban Anti-Fog
- Includes adjustable break-away FlexiCord
- Meets ANSI Z87.1-2010 standard for all SKUs
- Certified to the requirements of the CSA Z94.3 standard with black temples only

Item #	Frame Color/Lens Tints	Lens Coating
11150750	Black/Clear	Hardcoat
11150751	Black/TSR Gray	Hardcoat
11150754	Black/Silver Mirror	Hardcoat
11150755	Black/ Clear	Fog-Ban Anti-Fog
11150756	Black/TSR Gray	Fog-Ban Anti-Fog



11150750


**Op-tema® Series** 

- Frameless wrap-around lens styling for unobstructed vision
- Adjustable temple length and lens angle for personalized fit
- Adjustable soft nose bridge
- Available with scratch-resistant hardcoat or optional Fog-Ban Anti-Fog coating
- Includes adjustable break-away FlexiCord
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards
- Made in USA

Item #	Frame Color/Lens Tints	Lens Coating
11150400	Black/Clear	Hardcoat
11150401	Black/TSR Gray	Hardcoat
11150410	Blue/Clear	Hardcoat
11150405	Black/Clear	Fog-Ban Anti-Fog



11150410

 Call Customer Care at 800 430-5490.

## SAFETY EYEWEAR



XV100

### XV100 Series

- No-frills, bargain-based safety spectacle
- Great fit and low cost
- Meets ANSI Z87.1-2010 standards

Item #	Frame Color/Lens Tint	Lens Coating
XV100	Frosted/Clear	Hardcoat
XV101	Gray Frosted/Gray	Hardcoat
XV102	Frosted/I/O Mirror	Hardcoat
XV103	Frosted/Clear	Fog Ban Anti-Fog



11180025W

### Visitorspec™

- Safety eyewear for visitors with wide viewing area and excellent coverage
- Superb optics for clear, distortion-free vision
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards
- Made in the USA

Item #	Frame Color/Lens Tint	Lens Coating
11180025W	Black/Clear	Hardcoat



11180032


### Polysafe®/Polysafe Plus

- Safety eyewear for visitors, with wide viewing area with excellent coverage
- Can be worn over most prescription eyewear (OTG compatible)
- Available with scratch-resistant hardcoat
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards
- Made in the USA

Item #	Frame Color/Lens Tints	Lens Coating
<b>Polysafe</b>		
11180031	Clear/Clear, Bulk Pack 72 Pcs.	Uncoated
11180032	Gray/TSR Gray, Bulk Pack 72 Pcs.	Uncoated
11180029	Clear/Clear, Dispenser Pack 100 Pcs.	Uncoated
<b>Polysafe Plus</b>		
11180037	Clear/Clear, Bulk Pack 72 Pcs.	Hardcoat



by Honeywell

 Call Customer Care at 800 430-5490.



**SAFETY EYEWEAR**

**Velocity<sup>2</sup>™ T6100 Series** 

- Dual-lens safety spectacles
- Low profile design with excellent coverage
- Sleek black frame with vented sides
- Lenses available in Clear, Smoke, Amber and Mirror
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the Z94.3 standard
- Utilizes exclusive North 4A coating, protecting against fog, scratches, UV and static (mirror lenses use North 3A coating)



T61005BS

Item #	Frame Color/Lens Tints	Lens Coating
T61005B	Black/Clear	4A
T61005BS	Black/Smoke	4A
T61005BA	Black/Amber	4A
T61005BM	Black/Mirror	3A

**Illusion™ T1500 Series** 


- Full coverage spectacles
- Attractive low profile uni-lens shape
- Made of lightweight high impact resistant materials
- Available in: Clear, Smoke, Amber, IR shade 3.0, IR shade 5.0 and Mirror
- Meets the ANSI Z87.1-2010 standard and is certified to the requirements of the CSA Z94.3 standard
- Utilizes exclusive North 4A coating, protecting against fog, scratches, UV and static (mirror and IR lenses use North 3A coating)



T15005A

Item #	Frame Color/Lens Tints	Lens Coating
T15005	Black/Clear	4A
T15005S	Black/Smoke	4A
T15005A	Black/Amber	4A
T15005M	Black/Mirror	3A
T15005IR3.0	Black/IR Shade 3.0	3A
T15005IR5.0	Black/IR Shade 5.0	3A



 Call Customer Care at 800 430-4110.

## SAFETY EYEWEAR



T1300

### 180 Slimline™ T1300 Series

- Popular low profile shape
- High 9 base curve for better coverage and wide field of view
- Made of lightweight non-conductive high impact polycarbonate material
- Soft temple pads for better comfort
- Absorbs more than 99.9% of harmful UV light
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards

Item #	Frame Color/Lens Tint	Lens Coating
T13501	Clear-Blue/Clear	N/A
T13502	Smoke-Orange/Smoke	N/A
T13503	Amber-Gray/Amber	N/A



T18000

### Norton 180™ T1800 Series

- Optically correct 180° peripheral vision
- “Wrap-around” styling
- Injection-molded lenses and temples are 100% polycarbonate and impact resistant
- Vented sideshields allows airflow and reduce heat build up and lens fogging side protection against impact
- Polycarbonate lens absorbs more than 99.9% of harmful UV light
- Utilizes exclusive North 3A coating, protecting against, scratches, UV and static
- Meets ANZI Z87.1-2010 and is certified to the requirements of the Z94.3 standards

Item #	Frame Color/Lens Tint	Lens Coating
T18000	Clear/Clear	3A
T18040	Smoke/Smoke	3A
T18010	Amber/Amber	3A
T18020	Light Green/Light Green	3A
T18030	Dark Green/Dark Green	3A



T11005S

### OG T1100 Series

- Over-the-glasses type spectacles
- Also can be worn as regular safety glasses
- Offers very good coverage
- Wide field of view
- Available in Clear, Smoke and Amber
- Utilizes exclusive North 4A coating, protecting against fog, scratches, UV, and static

Item #	Frame Color/Lens Tint	Lens Coating
T11005	Clear/Clear	4A
T11005S	Smoke/Smoke	4A
T11005A	Amber/Amber	4A

See SKU listing on page 84 for safety eyewear cases and cords.



 Call Customer Care at 800 430-4110.

**SAFETY GOGGLES**

**V-Maxx®** 

- Sleek wrap-around styling for a 180 degree, clear field of vision
- Direct and indirect ventilation styles available for impact or splash applications
- Adjustable elastic or neoprene headband
- Pivoting headband clips to adjust strap around hard hats or hearing protection
- Peel-off goggle covers available to extend useful life of the lens
- Can be worn over most prescription eyewear (OTG compatible)
- Available in 3.0 and 5.0 welding shades
- Available with scratch-resistant hardcoat or optional Fog-Ban® Anti-Fog coating
- Meets ANSI Z87.1-2010 and is certified to CSA Z94.3 standards



11250800

Item #	Venting/Lens Tint	Headband	Lens Coating
11250800	Direct Vent/Clear	Elastic	Fog-Ban Anti-Fog
11250810	Indirect Vent/Clear	Neoprene	Fog-Ban Anti-Fog
11250830	Indirect Vent/IR/PC Shade 3.0	Elastic	Hardcoat
11250850	Indirect Vent/IR/PC Shade 5.0	Elastic	Hardcoat

**V-Maxx® Peel-off Goggle Covers** 

- V-Maxx peel-off lens covers extend useful life of the lens
- Protects the lens during paint and spray applications
- 10 covers per pack



11250860

Item #	Description
11250860	10 pack of Goggle Covers

**A600** 

- Economical splash goggle
- Fits over most prescription eyewear
- Available with optional Fog-Ban Anti-Fog coating
- Meets ANSI Z87.1-2010 and is certified to CSA Z94.3 standards



A610S

Item #	Description /Lens Tint	Lens Coating
A610I	Impact Goggle with Transparent Green Body/Clear	Uncoated
A610S	Splash Goggle with Transparent Green Body/Clear	Fog-Ban Anti-Fog

**GC2000 Goggle Clip** 


- Made of non-conductive and robust plastic
- Fits all North hard hats as well as most of our competitors' helmets.




GC2000

Item #	Description
GC2000	Goggle Clip – 3/bag



 Call Customer Care at 800 430-5490.

 Call Customer Care at 800 430-4110.

## FACE SHIELDS



KHG4001



CHG5002

### Face Shield Headgear

#### SmoothLok™ Ratchet

Patented non-slip ratchet system is easy to use and offers precise size adjustments. The SmoothLok ratchet is available on the KHG4001 and KHG5001 headgear and on the following hard hats: The Matterhorn, Summit, Everest, K2 series and The Peak A69R, A79R.

- Accepts a wide range of face shield styles
- Large sparkguard provides excellent protection
- Cross strap adjusts to allow an exceptional fit
- Full floating mount sparkguard provides comfortable wear even with heavy face shield and continuous use
- 4000 Series comes with quick-change system for holding face shield
- 5000 Series comes with protected holding system for face shield to help reinforce splash protection to inside of the face shield
- PHG Series comes with pinlock adjustment
- KHG Series comes with SmoothLok ratchet adjustment for quick, easy and perfect fit

#### CHG5002 Chin Protector

- Completes any of the 4 headgear models
- Will fit face shields: A8153/40, A8153/60

Item #	Adjustment Fit	System
KHG4001	Ratchet	Quick
PHG5000	Pinlock	Protected
KHG5001	Ratchet	Protected

### Face Shield Replacement Visor Selection Chart

Properties	Polycarbonate	Propionate	Acetate	PETG
Impact Resistance	Best	Better	Better	Good
Weather Resistance	Better	Good	Good	Good
Scratch Resistance	Good	Better	Better	Good
Acid Resistance	Good	Better	Good	Good
Butyl Acetate	Good	Better	Good	Good
Alkaline Resistance	Good	Better	Good	Good
Solvent Resistance	Good	Better	Good	Good
Heat Resistance	Best	Better	Good	Good
Maximum Temp. Use	250-280°F	175-200°F	150-180°F	195°F

**WARNING:** Face shields are secondary protectors, and must always be worn in conjunction with protective spectacles or goggles



by Honeywell

 Call Customer Care at 800 430-4110.

**FACE SHIELDS**

**Face Shield Replacement Visors** 

**8" x 15 1/2"**

Item #	Material	Color	Thickness
A8150/40	PETG	Clear	.040
A8152/40	Polycarbonate	Clear	.040
A8152G/40	Polycarbonate	Green	.040
A8153/40*	PETG	Clear	.040

\*Fits Chin Protector CHG5002

**9 1/2" x 19"**

Item #	Material	Color	Thickness
A9200/40	PETG	Clear	.040

**10" x 15 1/2"**

Item #	Material	Color	Thickness
A0150/40	PETG	Clear	.040
A0152/40	Polycarbonate	Clear	.040

**10" x 20"**

Item #	Material	Color	Thickness
A0200/40	PETG	Clear	.040

**Pre-formed Face Shields** 

Item#	Material	Color	Thickness	Size
A8154	Polycarbonate	Clear	.040	8" x 15 1/2"
A8156	Polycarbonate	Clear	.060	8" x 15 1/2"



A8156



 Call Customer Care at 800 430-4110.

## FACE SHIELD HARD HAT ADAPTERS



CP5002



FS03

### North Face Shield Hard Hat Adapters

Item #	Description	Fits Hat
CP5002	Aluminum Brackets "High Heat Resistant"	A99
CP5004	Aluminum Brackets "High Heat Resistant"	A59, A69, A79, A89
CP5005	Plastic Brackets Made from Nylon	A59, A29, A99, A89
CP5006	Plastic Brackets Made from Nylon	A49, A119
CP5007	Plastic Brackets "Heat Resistant"	A59, A69, A79, A29, A99, A89
CP5007SP	Plastic Brackets "Heat Resistant"	A29

#### Face Shields and Screens (requiring brackets)


FS01	7" x 15 1/2" Black Metal Screen
A8151	6" x 15 1/2" Special Clear Flat Die-Cut PETG .40 mm Window with Nose-cut
A8150/40	8" x 15 1/2" Clear Flat Die-Cut PETG Copolyester .40 mm Window


#### Screens (not requiring brackets)

FS03	7" x 15 1/2" Black Metal Screen with Integrated Adapters
FS03S	7" x 15 1/2" Stainless Steel Screen with Integrated Adapters
FV01	Sun Visor for FS03, FS03S or FS04



by Honeywell

 Call Customer Care at 800 430-5490.

 Call Customer Care at 800 430-4110.

**INTEGRATED PROTECTION**

**Head/Eye/Face/Hearing** 

Specialized kits for Industry, Agriculture and Forestry

**Combination Forestry Kits**

Item #	Description	Contents
FK10	Deluxe Kit	1 Lateral Hard Hat A99R Summit White 1 CP5005 Plastic Bracket 1 FS01 Forestry Screen 1 Muff, Model EM7206 Intruder (27dB)
FK11	Quality Kit	1 Hard Hat A69R Yellow 1 CP5005 Plastic Bracket 1 FS01 Forestry Screen 1 Muff, Model EM1286 Stealth (24dB)
FK12	Regular Kit	1 Hard Hat A79R Orange 1 FS03 Forestry Screen 1 Muff, Model EM2266 Phantom (21dB)
FK13	Economical Kit	1 Hard Hat A79 Red 1 FS03 Forestry Screen 1 Muff, Model EM4157 Mustang (20dB)



FK12

**Protecto-Shield® ProLok® Headgear** 

- Constructed of tough thermoplastic for superior heat protection
- Designed with a chemical splash drip edge to prevent fluids from splashing down inside the visor
- Easy sizing and tension adjustment for individual visor positioning
- Visors easily attach with no snaps, posts or levers
- Available with ratchet headband with tension knob that allows easy sizing and adjustment for individual visor positioning
- Available with pinlock headband that provides adjustments similar to a baseball cap


Item #	Description
11380048	Heat-Resistant Browguard with Ratchet Adjustment and Sweatband
11380049	Heat-Resistant Browguard with Pinlock Adjustment and Sweatband
11340143	Headgear with Clear Propionate Visor (Visor Only: Item # 11390044)
11340145	Headgear with Clear Polycarbonate Visor (Visor Only: Item # 11390047)



11380048



 Call Customer Care at 800 430-5490.

 Call Customer Care at 800 430-4110.

## FACE SHIELD REPLACEMENTS AND ACCESSORIES



11390069

### Protecto-Shield® Replacement Visors

- Available in propionate, polycarbonate and acetate for a variety of environments
- Popular industry sizes and thicknesses
- Easy attachment without snaps, posts or levers; reinforced edge to resist cracking
- Universal hole pattern allows the use of North® visors with other popular manufacturers' headgear
- Aluminum bound acetate replacement visors form easily for a contoured, customized fit
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards

Item #	Lens Tint	Size
--------	-----------	------

#### Molded Propionate Replacement Visors

11390064*	Clear	8.5" x 15" x .07"
11390066	Shade 3.0	8.5" x 15" x .07"
11390067	Shade 4.0	8.5" x 15" x .07"
11390068	Shade 5.0	8.5" x 15" x .07"
11390069	Shade 6.0	8.5" x 15" x .07"

#### Molded Polycarbonate Replacement Visors

11390065*	Clear	8.5" x 15" x .07"
11390048	Medium Green	8.5" x 15" x .07"
11390049	Dark Green	8.5" x 15" x .07"

#### Aluminum Bound Acetate Replacement Visors

11390054*	Clear	6" x 15" x .04"
11390056*	Medium Green	8.5" x 15" x .04"
11390058*	Clear	9" x 20" x .04" – Wide Style

\*Packaged 1 per polybag; all others packed 5 per polybag



11391000

### Specialty Replacement Visor – Protecto-Shield Electric Arc Visor

- Propionate visor fits Protecto-Shield headgear (V5N and V15N)
- Reinforced edge to resist cracking
- Universal hole pattern tested with most headgear on the market today
- Lightweight design
- Superior optics and exceptional visual acuity with visual light transmission of 35%
- Carries a 9.3 cal/cm<sup>2</sup> ARC rating (ATPV), exceeding the minimum requirement of 8 cal/cm<sup>2</sup>
- Tested by a kinectrics lab using the ASTM standard test (test results available upon request)
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards
- Made in the USA

Item #	Lens Tint	Size
11391000	Green	8.5" x 15" x 0.07"

### Protecto-Shield Kwik-Klip® Headgear Accessories

- Accessories securely attach to North and most other manufacturers' hard hats using simple spring tension

Item #	Description
11380030	Plastic Visor Mounting Strip Universal Cap Style Hard Hats
11380031	Plastic Visor Mounting Strip Universal Full Brim Hard Hats
11380032	Aluminum Visor Mounting Strip for Sperian Alpha and Beta Caps Only
11380029	Aluminum Bracket for A59, A69, A79, A29, A89 Hard Hats
11380057	Protecto-Shield ProLok Browguard Headgear for Safety Caps
12990056	Bracket Assembly for Browguard
















11380029

 Call Customer Care at 800 430-5490.



REFERENCE: LENS TINT CHART

		Lenses	Clear	Gradient Espresso	Amber	TSR Gray	Smoke	Mirror	I/O Mirror	IRUV Shade 3.0	IRUV Shade 5.0	Vermillion	Blue	Brown
Specifications	VLT (Visual Light Transmission)		92%	40%	88%	22%	18%	12%	45%	40%	14%	55%	55%	24%
	UVA and UVB Absorption		99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%
Applications	Meets the requirements of Z80.3 for Traffic Signal Recognition (TSR)													
	General purpose, where impact protection is required													
	Outdoor, where sunlight and glare cause eye strain and fatigue													
	High visibility and enhanced contrast in low light conditions. Blue light protection and increased visual depth													
	High performance lens for indoor/outdoor use to reduce artificial light and solar glare													
	Torch brazing and flame cutting to filter optical radiation													

REFERENCE: EXCLUSIVE LENS COATINGS

North safety eyewear is available with our exclusive lens coating options, developed to enhance performance and increase the useful life of the lens. Lenses with our **hardcoat** option resist scratching for longer life. Our **Fog-Ban®** coating is a performance anti-fog coating to help reduce or eliminate fogging in humid conditions. In addition, we offer our more advanced **4A** and **3A** coating, with features listed below.

**4A Coating**

A permanently bonded coating that offers excellent anti-fog, antiscratch, anti-static and anti-UV properties

Anti-Fog	Resists fogging and improves vision in humid environments
Anti-Static	Reduces dust and particulate attraction
Anti-Scratch	Extends lens life in abrasive environments
Anti-UV	Absorbs more than 99.9% of harmful ultraviolet radiation

**3A Coating**

A permanently bonded coating that offers excellent antiscratch, anti-static and anti-UV properties

Anti-Static	Reduces dust and particulate attraction
Anti-Scratch	Extends lens life in abrasive environments
Anti-UV	Absorbs more than 99.9% of harmful ultraviolet radiation

## NORTH SKU LISTING

### SAFETY EYEWEAR

#### North Adaptec™ Series

Item #	Frame Color/Lens Tint	Size	Lens Coating
T5900LBL	Dark Blue/Clear	Regular	4A
T5900LTK	Translucent-Black/Clear	Regular	4A
T5900LBSL	Dark Blue/Smoke	Regular	4A
T5900LTKS	Translucent Black/Smoke	Regular	4A
T5900LTKA	Translucent Black/Amber	Regular	4A
T5900LTKTCG	Translucent Black/I/O Mirror	Regular	4A
T5900LTK3.0	Translucent Black/IR Shade 3.0	Regular	4A
T5900LTK5.0	Translucent Black/IR Shade 5.0	Regular	4A
T5900NBL	Dark Blue/Clear	Narrow	4A
T5900NTK	Translucent Black/Clear	Narrow	4A
T5900NBLS	Dark Blue/Smoke	Narrow	4A
T5900NTKS	Translucent Black/Smoke	Narrow	4A
T5900NTKA	Translucent Black/Amber	Narrow	4A
T5900NTKTCG	Translucent Black/I/O Mirror	Narrow	4A
T5900NTK3.0	Translucent Black/IR Shade 3.0	Narrow	4A
T5900NTK5.0	Translucent Black/IR Shade 5.0	Narrow	4A
T5900WBL	Dark Blue/Clear	Wide	4A
T5900WTK	Translucent Black/Clear	Wide	4A
T5900WBLS	Dark Blue/Smoke	Wide	4A
T5900WTKS	Translucent Black/Smoke	Wide	4A
T5900WTKA	Translucent Black/Amber	Wide	4A
T5900WTKTCG	Translucent Black/I/O Mirror	Wide	4A
T5900WTK3.0	Translucent Black/IR Shade 3.0	Wide	4A
T5900WTK5.0	Translucent Black/IR Shade 5.0	Wide	4A

#### ADAPTEC T5900 SERIES REPLACEMENT LENSES

Item #	Lens Tint	Size	Lens Coating
500LRL	Clear	Regular	4A
501LRL	Smoke	Regular	4A
502LRL	Amber	Regular	4A
503LRL	I/O Mirror	Regular	4A
506LRL	IR Shade 3.0	Regular	4A
507LRL	IR Shade 5.0	Regular	4A
500NRL	Clear	Narrow	4A
501NRL	Smoke	Narrow	4A
502NRL	Amber	Narrow	4A
503NRL	I/O Mirror	Narrow	4A
506NRL	IR Shade 3.0	Narrow	4A
507NRL	IR Shade 5.0	Narrow	4A
500WRL	Clear	Wide	4A
501WRL	Smoke	Wide	4A
502WRL	Amber	Wide	4A
503WRL	I/O Mirror	Wide	4A
506WRL	IR Shade 3.0	Wide	4A
507WRL	IR Shade 5.0	Wide	4A

#### Relentless™

Item #	Frame Color/Lens Tint	Lens Coating
A1200	Midnight Dark Gray/Clear	Hardcoat
A1201	Midnight Dark Gray/TSR Gray	Hardcoat
A1202	Midnight Dark Gray/Amber	Hardcoat
A1203	Midnight Dark Gray/Silver Mirror	Hardcoat
A1204	Midnight Dark Gray/I/O Mirror	Hardcoat
A1205	Midnight Dark Gray/Clear	Fog-Ban Anti-Fog
A1206	Midnight Dark Gray/TSR Gray	Fog-Ban Anti-Fog

#### Conspire™

Item #	Frame Color/Lens Tint	Lens Coating
XV400	Matte Clear/Clear	Hardcoat
XV401	Matte Gray/TSR Gray	Hardcoat
XV402	Matte Amber/Amber	Hardcoat
XV403	Matte Gray/Silver Mirror	Hardcoat
XV404	Matte Clear/I/O Mirror	Hardcoat
XV405	Matte Clear/Clear	Fog-Ban Anti-Fog
XV406	Matte Gray/TSR Gray	Fog-Ban Anti-Fog
XV407	Matte Clear/Clear	Uncoated
XV408	Matte Gray/TSR Gray	Uncoated

#### N-Vision T5650 Series with Universal Comfort Bridge System

Item #	Frame Color/Lens Tint	Lens Coating
T56505B	Black Gray/Clear	4A
T56505BS	Black Gray/Smoke	4A
T56505BA	Black Gray/Amber	4A
T56505BTCB	Black Gray/Brown	4A
T56505BTCV	Black Gray/Vermillion	4A
T56515BM	Black Gray/Mirror	3A
T56515BTCTG	Black Gray/I/O Mirror	3A
T56505BL	Blue Gray/Clear	4A
T56505BLS	Blue Gray/Smoke	4A
T56505BLA	Blue Gray/Amber	4A
T56505BLM	Blue Gray/Mirror	3A
T56505GRY	Gray Black/Clear	4A
T56505GRYS	Gray Black/Smoke	4A
T56505GRYA	Gray Black/Amber	4A
T565015GRYM	Gray Black/Mirror	3A
T56505W	White/Clear	4A
T56505WBL	White/Blue	4A

#### N-VISION T5650 SERIES REPLACEMENT LENSES

Item #	Frame Color/Lens Tint	Lens Coating
477RL	Clear	4A
478RL	Smoke	4A
479RL	Amber	4A
482RL	Brown	4A
483RL	Vermillion	4A
484RL	Blue	4A
480RL	Mirror	3A
481RL	I/O Mirror	3A

#### N-Vision T5655 Series with Universal Comfort Bridge System

Item #	Frame Color/Lens Tint	Lens Coating
T56555B	Black Gray/Clear	4A
T56555BS	Black Gray/Smoke	4A
T56555BA	Black Gray/Amber	4A
T56565BM	Black Gray/Mirror	3A
T56565BTCTG	Black Gray/I/O Mirror	3A
T56555BL	Blue Gray/Clear	4A
T56555BLS	Blue Gray/Smoke	4A
T56555BLA	Blue Gray/Amber	4A
T56565BLM	Blue Gray/Mirror	3A
T56555GRY	Gray Black/Clear	4A
T56555GRYS	Gray Black/Smoke	4A
T56505GRYA	Gray Black/Amber	4A
T56565GRYM	Gray Black/Mirror	3A



by Honeywell

**NORTH SKU LISTING**

**N-Vision T5655 Series Replacement Lenses**

Item #	Lens Tint	Lens Coating
485RL	Clear	4A
486RL	Smoke	4A
487RL	Amber	4A
488RL	Mirror	3A
48393HRL	I/O Mirror	3A

**Rx Prescription Lens Insert for N-Vision and Lightning/  
Lightning Plus**

Item #	Description
65RXII	RX Insert
65RB	Replacement Nose-Piece (Regular Fit)
65RBS	Replacement Nose-Piece (Narrow Fit)

**Lightning T6500 Series with Flexi-Fit Soft Nose-Piece System**

Item #	Frame Color/Lens Tint	Lens Coating
T65005	Black/Clear	4A
T65005S	Black/Smoke	4A
T65005A	Black/Amber	4A
T65005M	Black/Mirror	3A
T65015TCG	Black/I/O Mirror	3A

**Lightning T6550 Series with Flexi-FitSoft Nose-Piece System**

Item #	Frame Color/Lens Tint	Lens Coating
T65505B	Black/Clear	4A
T65505BS	Black/Smoke	4A
T65505BA	Black/Amber	4A
T65505BM	Black/Mirror	3A
T65515BTCTG	Black/I/O Mirror	3A
T65505BL	Blue/Clear	4A
T65505BLS	Blue/Smoke	4A
T65505BLA	Blue/Amber	4A
T65505BLM	Blue/Mirror	3A
T65505S	Silver/Clear	4A
T65505SS	Silver/Smoke	4A
T65505SA	Silver/Amber	4A
T65505SM	Silver/Mirror	3A
T65505BR	Bronze/Clear	4A
T65505BRS	Bronze/Smoke	4A
T65505BRA	Bronze/Amber	4A
T65505BRM	Bronze/Mirror	3A

**Lightning T6500 Series/Lightning Plus T6550 Series  
Replacement Lenses**

Item #	Lens Tint	Lens Coating
469RL	Clear	4A
470RL	Smoke	4A
471RL	Amber	4A
472RL	Mirror	3A
489HRL	I/O Mirror	3A

**Tornado F5 T5750 Series with Curved Temples**

Item #	Frame Color/Lens Tint	Lens Coating
T57505B	Black/Clear	4A
T57505BS	Black/Smoke	4A
T57505BA	Black/Amber	4A
T57505BM	Black/Mirror	3A
T57505BL	Blue/Clear	4A
T57505BLS	Blue/Smoke	4A
T57505BLA	Blue/Amber	4A
T57505BLM	Blue/Mirror	3A
T57505GRY	Gray/Clear	4A
T57505GRYS	Gray/Smoke	4A
T57505GRYA	Gray/Amber	4A
T57505GRYM	Gray/Mirror	3A

**Tornado F5 T5850 Series with Straight Temples**

Item #	Frame Color/Lens Tint	Lens Coating
T58505B	Black/Clear	4A
T58505BS	Black/Smoke	4A
T58505BA	Black/Amber	4A
T58505BM	Black/Mirror	3A
T58505BL	Blue/Clear	4A
T58505BLS	Blue/Smoke	4A
T58505BLA	Blue/Amber	4A
T58505BLM	Blue/Mirror	3A
T58505GRY	Gray/Clear	4A
T58505GRYS	Gray/Smoke	4A
T58505GRYA	Gray/Amber	4A
T58505GRYM	Gray/Mirror	3A

**Tornado F5 T5750/T5850 Series Replacement Lenses**

Item #	Lens Tint	Lens Coating
451RL	Clear	4A
452RL	Smoke	4A
453RL	Amber	4A
454RL	Mirror	3A

**Vexis™ Series**

Item #	Frame Color/Lens Tint	Lens Coating
A1100	Dark Pewter/Clear	Hardcoat
A1101	Dark Pewter/TSR Gray	Hardcoat
A1102	Dark Pewter/Amber	Hardcoat
A1103	Dark Pewter/Silver Mirror	Hardcoat
A1104	Dark Pewter/I/O Mirror	Hardcoat
A1105	Dark Pewter/Clear	Fog-Ban Anti-Fog
A1106	Dark Pewter/TSR Gray	Fog-Ban Anti-Fog



## NORTH SKU LISTING

### Hyliner® Series

Item #	Frame Color/Lens Tint	Lens Coating
XV300	Gloss Black/Clear	Hardcoat
XV301	Gloss Black/TSR Gray	Hardcoat
XV302	Gloss Black/Amber	Hardcoat
XV303	Gloss Black/Silver Mirror	Hardcoat
XV304	Gloss Black/I/O Mirror	Hardcoat
XV305	Gloss Black /Clear	Fog-Ban Anti-Fog
XV306	Gloss Black/TSR Gray	Fog-Ban Anti-Fog

### Fulcrum® Series

Item #	Frame Color/Lens Tint	Lens Coating
A1000	Graphite/Clear	Hardcoat
A1001	Graphite/TSR Gray	Hardcoat
A1002	Graphite/Blue Mirror	Hardcoat
A1003	Graphite/I/O Silver Mirror	Hardcoat
A1004	Graphite/Clear	Fog-Ban Anti-Fog
A1010	Midnight Blue/Clear	Hardcoat
A1011	Midnight Blue/TSR Gray	Hardcoat
A1015	Midnight Blue/TSR Gray	Fog-Ban Anti-Fog
A1016	Midnight Blue/Amber	Hardcoat
A1017	Midnight Blue/Silver Mirror	Hardcoat

### Tectonic™ Series

Item #	Frame Color/Lens Tint	Lens Coating
XV200	Gloss Black/Clear	Hardcoat
XV201	Gloss Black/TSR Gray	Hardcoat
XV203	Gloss Black/Silver Mirror	Hardcoat
XV204	Gloss Black/I/O Silver Mirror	Hardcoat
Xv205	Gloss Black/Clear	Fog-Ban Anti-Fog
XV206	Gloss Black/TSR Gray	Fog-Ban Anti-Fog

### A900 Series

Item #	Frame Color/Lens Tint	Lens Coating
A900	Black/Clear	Hardcoat
A902	Black/TSR Gray	Hardcoat
A904	Black/Silver Mirror	Hardcoat
A901	Black/Clear	Fog-Ban Anti-Fog
A903	Black/TSR Gray	Fog-Ban Anti-Fog
A900CSA	Black/Clear	Hardcoat
A902CSA	Black/TSR Gray	Hardcoat
A904CSA	Black/Silver Mirror	Hardcoat
A901CSA	Black/Clear	Fog-Ban Anti-Fog
A903CSA	Black/TSR Gray	Fog-Ban Anti-Fog

### A900 Reader/Magnifier Series

Item#	Frame Color/Lens Tint	Magnifier Strength	Lens Coating
A950	Black/Clear	+1.50	Hardcoat
A951	Black/Clear	+2.00	Hardcoat
A952	Black/Clear	+2.50	Hardcoat
A960	Black/TSR Gray	+1.50	Hardcoat
A961	Black/TSR Gray	+2.00	Hardcoat
A962	Black/TSR Gray	+2.50	Hardcoat
A950CSA*	Black/Clear	+1.50	Hardcoat
A951CSA*	Black/Clear	+2.00	Hardcoat
A952CSA*	Black/Clear	+2.50	Hardcoat
A960CSA*	Black/TSR Gray	+1.50	Hardcoat
A961CSA*	Black/TSR Gray	+2.00	Hardcoat
A962CSA*	Black/TSR Gray	+2.50	Hardcoat

\*CSA version provides extended coverage, but CSA does not certify reader/magnifiers at this time



by Honeywell

### A800 Series

Item #	Frame Color/Lens Tint	Lens Coating
A800	Clear/Clear	Hardcoat
A801	Gray/TSR Gray	Hardcoat
A802	Amber/Amber	Hardcoat
A803	Gray/Blue Mirror	Hardcoat
A804	Gray/I/O Silver Mirror	Hardcoat
A805	Clear/Clear	Fog-Ban Anti-Fog
A806	Gray/TSR Gray	Fog-Ban Anti-Fog

### A700 Series

Item #	Frame Color/Lens Tint	Lens Coating
A700	Clear/Clear	Hardcoat
A701	Gray/TSR Gray	Hardcoat
A702	Amber/Amber	Hardcoat
A703	Gray/Blue Mirror	Hardcoat
A704	Gray/I/O Silver Mirror	Hardcoat
A705	Clear/Clear	Fog-Ban Anti-Fog
A706	Gray/TSR Gray	Fog Ban Anti-Fog

### A700 Slim Series

Item #	Frame Color/Lens Tint	Lens Coating
A750	Clear/Clear	Hardcoat
A751	Gray/TSR Gray	Hardcoat
A752	Amber/Amber	Hardcoat
A753	Gray/Blue Mirror	Hardcoat
A754	Gray/I/O Mirror	Hardcoat
A755	Clear/Clear	Fog-Ban Anti-Fog
A756	Gray/TSR Gray	Fog-Ban Anti-Fog

### A400 Series

Item #	Frame Color/Lens Tint	Lens Coating
A400	Clear/Clear	Hardcoat
A401	Gray/Gray	Hardcoat
A402	Amber/Amber	Hardcoat
A403	Gray/Silver Mirror	Hardcoat
A404	Clear/I/O Silver	Hardcoat
A400AF	Clear/Clear	Fog-Ban Anti-Fog

### A200 Series

Item #	Frame Color/Lens Tint	Lens Coating
A200	Black/Clear	Hardcoat
A201	Black/Gray	Hardcoat
A210	Blue/Clear	Hardcoat
A220	Red, White & Blue/Clear	Hardcoat

### W100 Series for Women

Item #	Frame Color/Lens Tint	Lens Coating
W100	Clear Frosted/Clear	Hardcoat
W101	Clear Frosted/Clear	Fog-Ban Anti-Fog
W102	Brown Frosted/Espresso	Hardcoat
W103	Clear Frosted/I/O Silver Mirror	Hardcoat

### W200 Series for Women

Item #	Frame Color/Lens Tint	Lens Coating
W200	Matte Clear Dusty Rose/Clear	Hardcoat
W201	Matte Clear Dusty Rose/Clear	Fog-Ban Anti-Fog
W202	Matte Clear Dusty Rose/Silver Mirror	Hardcoat
W203	Matte Clear Dusty Rose/TSR Gray	Hardcoat

### W300 Series for Women

Item #	Frame Color/Lens Tint	Lens Coating
W300	Tortoise Shell/Clear	Hardcoat
W301	Tortoise Shell/Espresso	Hardcoat
W302	Tortoise Shell/Autumn Rose Silver Mirror	Hardcoat

**NORTH SKU LISTING**

**Vapor® Series**

Item #	Frame Color/Lens Tint	Lens Coating
11150900	Metallic Blue/Clear	Hardcoat
11150901	Metallic Blue/TSR Gray	Hardcoat
11150904	Metallic Blue/Silver Mirror	Hardcoat
11150905	Metallic Blue/Clear	Fog-Ban Anti-Fog
11150906	Metallic Blue/TSR Gray	Fog-Ban Anti-Fog

**Vapor® II Series**

Item #	Frame Color/Lens Tint	Lens Coating
11150910	Black/Clear	Hardcoat
11150911	Black/TSR Gray	Hardcoat
11150914	Black/Silver Mirror	Hardcoat
11150915	Black/Clear	Fog-Ban Anti-Fog
11150916	Black/TSR Gray	Fog-Ban Anti-Fog

**Fuse®**

Item #	Frame Color/Lens Tint	Lens Coating
11150800	Gunmetal/Clear	Hardcoat
11150801	Gunmetal/TSR Gray	Hardcoat
11150804	Gunmetal/Silver Mirror	Hardcoat
11150805	Gunmetal/Clear	Fog-Ban Anti-Fog
11150806	Gunmetal/TSR Gray	Fog-Ban Anti-Fog

**Millennia Sport™ Series**

Item #	Frame Color/Lens Tint	Lens Coating
11150750	Black/Clear	Hardcoat
11150751	Black/TSR Gray	Hardcoat
11150754	Black/Silver Mirror	Hardcoat
11150755	Black/Clear	Fog-Ban Anti-Fog
11150756	Black/TSR Gray	Fog-Ban Anti-Fog

**Op-tema® Series**

Item #	Frame Color/Lens Tint	Lens Coating
11150400	Black/Clear	Hardcoat
11150401	Black/TSR Gray	Hardcoat
11150410	Blue/Clear	Hardcoat
11150405	Black/Clear	Fog-Ban Anti-Fog

**XV100 Series**

Item #	Frame Color/Lens Tint	Lens Coating
XV100	Frosted/Clear	Hardcoat
XV101	Gray Frosted/Gray	Hardcoat
XV102	Frosted/I/O Mirror	Hardcoat
XV103	Frosted/Clear	Fog-Ban Anti-Fog

**Visitorspec™**

Item #	Frame Color/Lens Tint	Lens Coating
11180025W	Black/Clear	Hardcoat

**Polysafe®**

Item #	Frame Color/Lens Tint	Lens Coating
11180031	Clear/Clear, Bulk Pack 72 Pcs.	Uncoated
11180032	Gray/TSR Gray, Bulk Pack 72 Pcs.	Uncoated
11180029	Clear/Clear, Dispenser Pack 100 Pcs.	Uncoated

**Polysafe Plus**

Item #	Frame Color/Lens Tint	Lens Coating
11180037	Clear/Clear, Bulk Pack 72 Pcs.	Hardcoat

**Velocity<sup>2</sup>™ T6100 Series**

Item #	Frame Color/Lens Tint	Lens Coating
T61005B	Black/Clear	4A
T61005BS	Black/Smoke	4A
T61005BA	Black/Amber	4A
T61005BM	Black/Mirror	3A

**Velocity<sup>2</sup>™ Series Replacement Lenses**

Item #	Lens Tint	Lens Coating
473RL	Clear	4A
474RL	Smoke	4A
475RL	Amber	4A
476RL	Mirror	3A

**Illusion™ T1500 Series**

Item #	Frame Color/Lens Tint	Lens Coating
T15005	Black/Clear	4A
T15005S	Black/Smoke	4A
T15005A	Black/Amber	4A
T15005M	Black/Mirror	3A
T15005IR3.0	Black/IR Shade 3.0	3A
T15005IR5.0	Black/IR Shade 5.0	3A

**180 Slimline™ T1300 Series**

Item #	Frame Color/Lens Tint	Lens Coating
T13501	Clear-Blue/Clear	N/A
T13502	Smoke-Orange/Smoke	N/A
T13503	Amber-Gray/Amber	N/A

**Norton 180 T1800 Series**

Item #	Frame Color/Lens Tint	Lens Coating
T18000	Clear/Clear	3A
T18040	Smoke/Smoke	3A
T18010	Amber/Amber	3A
T18020	Light Green/Light Green	3A
T18030	Dark Green/Dark Green	3A

**OG T1100 Series**

Item #	Frame Color/Lens Tint	Lens Coating
T11005	Clear/Clear	4A
T11005S	Smoke/Smoke	4A
T11005A	Amber/Amber	4A

**SAFETY EYEWEAR CASES AND CORDS**

Item #	Description
86	Top snap-closure vinyl case with clip
86L	Extra large top snap-closure vinyl case with clip
87	Nylon spectacle case with double belt loop and zipper closure
84	Extra large nylon spectacle case with double belt loop and zipper closure
1080	Pouch for Norton 180 series
SS51	Basic spectacle holder cord
SS52	Neoprene spectacle holder, neon green
SS54	Long spectacle cord, available in black, blue and gray



## NORTH SKU LISTING

### SAFETY GOGGLES

#### GC2000 Goggle Clip

Item #	Description
GC2000	Goggle clip – 3/bag

#### V-Maxx

Item #	Venting/Lens Tint	Headband	Lens Coating
11250800	Direct Vent/Clear	Elastic	Fog-Ban Anti-Fog
11250810	Indirect Vent/Clear	Neoprene	Fog-Ban Anti-Fog
11250830	Indirect Vent/IR/PC Shade 3.0	Elastic	Hardcoat
11250850	Indirect Vent/IR/PC Shade 5.0	Elastic	Hardcoat

#### V-Maxx® Peel-off Goggle Covers

Item #	Description
11250860	10 Pack of Goggle Covers

#### A600

Item #	Description/Lens Tint	Lens Coating
A610I	Impact Goggle with Transparent Green Body/Clear	Uncoated
A610S	Splash Goggle with Transparent Green Body/Clear	Fog-Ban Anti-Fog

### FACE SHIELDS

#### Face Shield Headgear

Item #	Adjustment Fit	System
KHG4001	Ratchet	Quick
PHG5000	Pinlock	Protected
KHG5001	Ratchet	Protected
CHG5002	Chin Protector	

#### North Face Shield Replacement Visors

##### 9 1/2" x 19"

Item #	Material	Color	Thickness
A9200/40	PETG	Clear	.040

##### 10" x 15 1/2"

Item #	Material	Color	Thickness
A0150/40	PETG	Clear	.040
A0150/60	PETG	Clear	.060
A0152/40	Polycarbonate	Clear	.040
A0152/60	Polycarbonate	Clear	.060
A0152G/60	Polycarbonate	Green	.060

##### 8" X 15 1/2"

Item #	Material	Color	Thickness
A8150/40	PETG	Clear	.040
A8150/60	PETG	Clear	.060
A8152/40	Polycarbonate	Clear	.040
A8152G/40	Polycarbonate	Green	.040
A8152/60	Polycarbonate	Clear	.060

##### 8" X 16 1/2"

Item #	Material	Color	Thickness
A8160/60	PETG	Clear	.060
A8162/60	Polycarbonate	Clear	.060

##### 10" X 20"

Item #	Material	Color	Thickness
A0200/40	PETG	Clear	.040
A0202/60	Polycarbonate	Clear	.060

##### 8" x 15 1/2"

Item #	Material	Color	Thickness
A8153/40*	PETG	Clear	.040
A8153/60*	PETG	Clear	.060

\*Fits Chin Protector CHG5002

#### Pre-formed Face Shield Replacement Visors

Item #	Material	Color	Thickness	Size
A8154	Polycarbonate	Clear	.040	8" x 15 1/2"
A8154G	Polycarbonate	Green	.040	8" x 15 1/2"
A8156	Polycarbonate	Clear	.060	8" x 15 1/2"
A8156G	Polycarbonate	Green	.060	8" x 15 1/2"

### FACE SHIELD ADAPTERS

#### North Face Shield Hard Hat Adapters

Item #	Description
CP5002	Aluminum Brackets "High Heat Resistant"
CP5004	Aluminum Brackets "High Heat Resistant"
CP5005	Plastic Brackets Made From Nylon
CP5006	Plastic Brackets Made From Nylon
CP5007	Plastic Brackets "Heat Resistant"
CP5007SP	Plastic Brackets "Heat Resistant"

#### North Face Shield Screen Systems

##### Face Shields and Screens (Requiring Brackets)

Item #	Description	Size
FS01	Black Metal Screen	7" x 15 1/2"
A8151	Special Clear Flat Die-cut Polycarbonate .40 mm Window with Nose-Cut	6" x 15 1/2"
A8150/40	Clear Flat Die-cut PETG Copolyester .40 mm Window	8" x 15 1/2"

##### Screens (Not Requiring Brackets)

Item #	Description	Size
FS03	Black Metal Screen with Integrated Adapters	7" x 15 1/2"
FS03S	Stainless Steel Screen with Integrated Adapters	7" x 15 1/2"
FV01	Sun Visor for FS03, FS03S or FS04	

### HEAD/FACE PROTECTION KITS

#### Specialized Kits for Industry, Agriculture and Forestry

##### Combination Forestry Kits

Item #	Description
FK10	Deluxe Kit
FK11	Quality Kit
FK12	Regular Kit
FK13	Economical Kit



by Honeywell

**PROTECTO-SHIELD® FACE SHIELDS****Protecto-Shield® Prolok® Headgear**

Item #	Description
11380048	Heat-Resistant Browguard with Ratchet Adjustment and Sweatband
11380049	Heat-Resistant Browguard with Pinlock Adjustment and Sweatband
11340143	Headgear with Clear Propionate Visor (Visor Only: Item # 11390044)
11340145	Headgear with Clear Polycarbonate Visor (Visor Only: Item # 11390047)

**Protecto-Shield® Replacement Visors****Molded Propionate**

Item #	Lens Tint	Size
11390064*	Clear	8.5" x 15" x .07"
11390044	Clear	8.5" x 15" x .07"
11390045	Medium Green	8.5" x 15" x .07"
11390046	Dark Green	8.5" x 15" x .07"
11390066	Shade 3.0	8.5" x 15" x .07"
11390067	Shade 4.0	8.5" x 15" x .07"
11390068	Shade 5.0	8.5" x 15" x .07"
11390069	Shade 6.0	8.5" x 15" x .07"

**Molded Polycarbonate**

Item #	Lens Tint	Size
11390065*	Clear	8.5" x 15" x .07"
11390047	Clear	8.5" x 15" x .07"
11390048	Medium Green	8.5" x 15" x .07"
11390049	Dark Green	8.5" x 15" x .07"

**Aluminum Bound Acetate Replacement Visors**

Item #	Lens Tint	Size
11390054*	Clear	6" x 15" x .04"
11390055*	Clear	8.5" x 15" x .04"
11390056*	Medium Green	8.5" x 15" x .04"
11390057*	Clear	9" x 20" x .04"
11390058*	Clear	9" x 20" x .04" – Wide Style

\*Packaged 1 per polybag; all others packed 5 per polybag

**Specialty Replacement Visor – Protecto-Shield Electric Arc Visor**

Item #	Lens Tint	Size
11391000	Green	8.5" x 15" x 0.07"

**Protecto-Shield Kwik-Klip® Headgear Accessories**

Item #	Description
11380030	Plastic Visor Mounting Strip Universal Cap-Style Hard Hats
11380031	Plastic Visor Mounting Strip Universal Full Brim Hard Hats
11380032	Aluminum Visor Mounting Strip for Sperian Alpha and Beta caps only
11380029	Aluminum Bracket for A59, A69, A79, A29, A89 Hard Hats
11380057	Protecto-Shield ProLok Browguard Headgear for Safety Caps
12990056	Bracket Assembly for Browguard

## WHAT'S INSIDE



by Honeywell

87 • Hard Hats

88 • Accessories

89 • Replacement Parts


90 • Reference: Custom Hard Hat Printing

91 • Reference: Hard Hat Colors



## Hard Hats

Wherever there is a potential for falling objects, flying objects, impacts or bumps, North® hard hats should be there. Adjustable, imprintable and dependable, Honeywell has the hard hat to meet your needs. North hard hats and accessories provide comfortable, reliable head protection your employees will want to wear, featuring stylish, lightweight shell designs, suspension height adjustment and comfortable padding. Our pin lock, quick fit and ratchet adjustment suspensions all make use of the natural shape of the head providing workers with comfort all day long. Greater compliance and worker safety are an active part of our ongoing commitment to quality, innovation and the enhancement of head protection in the workplace.



**▲ WARNING!** North hard hats should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury or death.



## HARD HATS

**The Peak A59, A69, A79**

- A versatile and dependable design, with grooved HDPE outer shell, rain trough and accessory slots
- Choice of 4-point or 6-point, nylon web or plastic suspension
- Pin lock or ratchet size adjustment with 3-level height adjustment
- A59: Meets ANSI Z89.1-2009 Type 1 Class E
- A69, A79: Meets ANSI Z89.1-2009 and CSA Z94.1-2005 Type 1 Class E

SKU	Suspension	Shell	Adjustment	Certification
A59	4-point	HDPE	Pin Lock	ANSI
A59R	4-point	HDPE	Ratchet	ANSI
A69	6-point	HDPE	Pin Lock	ANSI/CSA
A69R	6-point	HDPE	Ratchet	ANSI/CSA
A79	4-point	HDPE	Pin Lock	ANSI/CSA
A79R	4-point	HDPE	Ratchet	ANSI/CSA



A7944

**The K2 A29, A29R**

- A versatile shell design available in HDPE featuring strength and rigidity in a lightweight hard hat
- Accessory slots and 4-point nylon web suspension with forehead comfort band and crown pad
- 4-point chin strap anchorage and 3-level height adjustment
- Short peak version (A29SPR) allows increased overhead vision
- Meets ANSI Z89.1-2009 Type 1 Class E

SKU	Suspension	Shell	Adjustment	Certification
A29	4-point	HDPE	Quick Fit	ANSI
A29R	4-point	HDPE	Ratchet	ANSI
A29SPR	4-point	HDPE	Ratchet	ANSI



A29R02

**The Matterhorn A89**

- All purpose lateral impact HDPE hard hat with foam liner
- Rain trough and accessory slots
- 4-point nylon ratchet or quick fit suspension with 3-level height adjustment
- Meets ANSI Z89.1-2009 and CSA Z94.1-2005 Type 2 Class E

SKU	Suspension	Shell	Adjustment	Certification
A89	4-point	HDPE	Quick Fit	ANSI/CSA
A89R	4-point	HDPE	Ratchet	ANSI/CSA



A89R03


**The Summit A99R**

- All purpose lateral impact HDPE hard hat with foam liner
- Accessory slots without rain trough
- Self centering 6-point suspension with height adjustment
- Meets ANSI Z89.1-2009 and CSA Z94.1-2005 Type 2 Class E

SKU	Suspension	Shell	Adjustment	Certification
A99R	6-point	HDPE	Ratchet	ANSI/CSA



A99R07

 Call Customer Care at 800 430-4110.

## HARD HATS



A49R15



BC8607



SC01

### The Everest A49, A119R

- Full brim HDPE shell with accessory slots
- Protects from the sun's UV rays, rain and falling debris
- 4-point or 6-point nylon suspension with 2 level height adjustment
- A49: Meets ANSI Z89.1-2009 and CSA Z94.1-2005 Type 1 Class E
- A119R: Meets ANSI Z89.1-2009 and CSA Z94.1 Type 2 Class E

SKU	Suspension	Shell	Adjustment	Certification
A49	4-point	HDPE	Pin lock	ANSI/CSA
A49R	6-point	HDPE	Ratchet	ANSI/CSA
A119R	6-point	HDPE	Ratchet	ANSI/CSA

### BC86 Bump Cap


- Low hazard bump cap that is well ventilated and lightweight
- Ideal for food industry, mechanics and truck drivers
- Not approved; do not use where ANSI or CSA head protection is required

SKU	Suspension	Shell	Adjustment	Certification
BC86	4-point	HDPE	Pin Lock	n/a

### Baseball Cap Shell

SKU	Description
SC01	An insert that turns any baseball cap into a piece of protective headgear offering a mild form of head protection

## ACCESSORIES



XG28

### Accessories

SKU	Description
SB470	Terry cloth sweat band with velcro closure. Washable, universal fit
GC2000	Hard hat goggle clips, package of 3
XG27	Hard hat wire cradle for vehicles. Ensures your hat is always clean and safe
XG28	Hard hat wall-mounted cradle

### Reflective Tape

- Tough, abrasion-resistant outer vinyl reflective tape is 1" x 4"
- 100% fluorescent for excellent performance at dawn and dusk
- Available in 3 colors

SKU	Description
TVP1X4/YLW	Yellow, 16/Sheet
TVP1X4/ORG	Orange, 16/Sheet
TVP1X4/WHT	White, 16/Sheet



TVP1X4/ORG



by Honeywell

Call Customer Care at 800 430-4110.

**ACCESSORIES**

**Winter Liners – Standard**

SKU	Description
WL1	Dielectric outer shell, Kasha flannel inner lining, velcro attachment
FM10	Thermal face protector, 100% stretch acrylic
WL50	Snug fit tuque, 100% acrylic



WL1



WL12FP

**Winter Liners – Deluxe**

SKU	Description
WL12	100% fire-retardant cotton winter liner with long neck outer shell
WL12FP	100% fire-retardant cotton winter liner with long neck outer shell and face warmer
WL40RBSP	100% Nomex outer shell winter liner with heavy quilted lining
WL41RBSP	Westex Proban outer shell winter liner with heavy quilted lining and face warmer

**Nomex Balaclava**

SKU	Description
FH157	Short Nomex Balaclava
FH257	Long Nomex Balaclava



FH157



WL20

**Pull Over Winter Liners**

SKU	Description
WL82/1	Fits cap style. Nomex IIIA shell, modacrylic lining, fire-retardant, with face warmer
WL20	Fits cap style. Sock type winter liner fits snugly over hat brim, 100% stretch nylon
WL20XL	Fits full brim style. Sock type winter liner fits snugly over hat brim, 100% stretch nylon
WL86/1	Fits full brim style. Westex Proban shell, 100% FR cotton lining, fire-retardant, with face warmer

**REPLACEMENT PARTS**

**Replacement Parts – Replacement Suspension**

SKU	Description
A29S2	Quick Fit 4-point nylon suspension for A29
A49S2	Pin Lock 4-point nylon suspension for A49
A49RS2	Ratchet 6-point nylon suspension (includes additional strap) for A49R
A59S1	Pin Lock 4-point plastic suspension for A59
A59RS	Ratchet 4-point plastic suspension for A59R
A69S2	Pin Lock 6-point nylon suspension for A69
A69RS2	Ratchet 6-point nylon suspension for A69R
A79S2	Pin Lock 4-point nylon suspension for A79
A79RS2	Ratchet 4-point nylon suspension for A79R, A29R, A29SPR
A69TL	6-point strap, converts A79S2 and A79RS2 suspension to A69S2 and A69RS2
BC86S	Pin Lock suspension for BC86 Bump Cap
A89S3	Quick Fit 4-point nylon suspension for A89
A89RS3	Ratchet 4-point suspension for A89R
A89FN	Foam liner for A89 and A89R
A99RS2	Ratchet 6-point nylon suspension for A99R and A119R



Call Customer Care at 800 430-4110.

## REFERENCE: CUSTOM HARD HAT PRINTING

### Custom Hard Hat Printing

Printed protective caps are highly visible – they enhance corporate image, reinforce safety programs and identify trades on the job. Logos, safety slogans and union identification look impressive thanks to our three advanced printing technology options.



#### Pad Printing

Pad printing is a process using a flexible silicone rubber-pad to transfer an inked image, located on a photo-engraved plate, onto the surface of an object. This unique process can transfer fine letters, intricate lines and graphics.

- Artwork is pad printed onto the hard hat
- Logos can be placed on the front, sides, or back of the hard hat
- Print up to 4 colors per location
- High-visibility tape can also be added for an extra margin of protection

#### Full Graphics

Thermoforming is a process that can mold a plastic sheet to result in a permanent three dimensional shape. The sheet is heated, softened and molded before cooling down to obtain the desired shape.

- Artwork is thermoformed onto the hard hat
- Custom artwork designs
- Available in a variety of colors and finishes

#### Heat Stamp

Using a hot metal die, logos are engraved in color on the hard hat material.

- Artwork is heat transferred onto the hard hat
- Logos can be placed on the front, sides, or back of the hard hat
- Unlimited colors and artwork detail per location
- Extremely durable and long lasting






















by Honeywell

**▲ WARNING!** North® hard hats should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury or death.

 Call Customer Care at 800 430-4110.

REFERENCE: HARD HAT COLORS

 01 White	 04 Green	 07 Sky Blue	 11 Black
 02 Yellow	 15 Red	 08 Navy Blue	 10 Tan
 44 Hi Viz Strong Yellow	 05 Hi Viz Red	 17 Royal Blue	 12 Brown
 46 Hi Viz Strong Orange	 20 Hot Pink	 71 Blue	 13 Gold
 03 Orange	 70 Pink	 09 Gray	

Follow these simple steps to order hard hats in your choice of color and logo.


- 1) Start with the SKU number, which will make the first 3-6 digits, indicated on the product charts. *Example shown is "The Peak," A69R found on page 87.*
- 2) Next, combine the 2-digit color code (above) with the SKU number.
- 3) The last 4-5 digits are the pad print screen number which will be assigned by customer service when ordering a custom logo, OR 0000 for no logo.
- 4) The final number for "The Peak" A69R, orange, no logo is A69R030000.

For more information regarding custom printing, contact Customer Care.

Example:

SKU #	Color	Logo
<b>A69R</b>	<b>03</b>	<b>0000</b>
The Peak	Orange	No Logo



 Call Customer Care at 800 430-4110.

## WHAT'S INSIDE



by Honeywell

- 94 • Hard Hats
- 96 • Hard Hat Accessories
- 97 • Hard Hat Replacement Parts
- 97 • QuickSwitch™ Combination Protection
- 98 • Face Shields
- 101 • Welding Helmets
- 104 • Welding Goggles
- 105 • Welding Accessories
- 107 • Reference: Hard Hat Colors, QuickSwitch™ System, Angular Dependence Compensation (ADC)
- 110 • Full Line SKU Listing



## About Fibre-Metal®

Workers worldwide depend on Fibre-Metal® brand products for quality and rugged protection that helps reduce injuries, increases productivity and improves the quality of work life. All workers who find themselves in harm's way on the job deserve top performing protective equipment. That's why every product we make is focused on quality that performs – the kind of quality that results from using only the best grade raw materials, advanced product design, and the latest technology.


Today, the Fibre-Metal brand represents a wide array of head, face, and welding protection products that provide protection for every process and application. Each model is designed to have a full complement of exclusive performance and comfort features to satisfy the needs of today's high production workers and ensure a safer, more productive workplace.

**▲ WARNING!** Fibre-Metal® hard hat products should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury or death.

## Roughneck® Protective Caps

Fibre-Metal® Roughneck caps with the SuperEight® suspension are the industry standard for heavy duty protection. Built for strength, toughness and durability, the Roughneck P2 series of injection-molded fiberglass caps has earned a solid reputation on construction sites, in steel plants, foundries, forges, fabrication shops, chemical plants and other extreme jobsite environments. Available in two versions to meet a variety of workplace conditions, Roughneck caps are built to provide exceptional crack resistance and handle hard knocks in the toughest places – without developing the nicks and cracks seen in other fiberglass caps.

See page 94 for more details.



## QuickSwitch™ System for Combination Protection

For multi-hazard conditions, protective caps must be used in combination with a variety of eye and face protection equipment. For greater cost savings, productivity and convenience, most Fibre-Metal welding helmets, face shields, and welding goggles can be combined with protective caps by utilizing any one of our three combination systems to provide the exact degree of protection and comfort required.


See pages 97 and 101 for more details.



## Wide View Tigerhood Futura® XXL with ADC Plus ADF Technology

The Tigerhood Futura XXL continues the Fibre-Metal tradition of performance and innovation by combining advanced Angular Dependency Compensation (ADC) ADF technology with the Futura shell to provide serious welders with a higher level of performance in a wide view format. With proprietary ADC technology and the highest optical clarity rating, the Tigerhood Futura XXL ADF delivers uniform shading and distortion-free vision across the entire viewing area – even when out of position. With a Selectable Shade 9-13 ADF, the Tigerhood Futura XXL is extremely versatile and promises improved productivity, comfort and long-term cost savings for serious welders.

See page 102 for more details.



Selectable Shade 9-13 and Highest Optical Quality Available in a Wide View ADF



by Honeywell

For more information visit [www.fibre-metal.com](http://www.fibre-metal.com).

Call Customer Care at 800 430-4110.

## HARD HATS



E1RW

### E1

- Thermoplastic full brim hard hat with Fibre-Metal smooth crown design
- The technically-advanced SuperEight® suspension balances and spreads weight over a wide area for added comfort and impact protection
- Available with the famous Fibre-Metal non-slip/non-strip ratchet, SwingStrap™ or TabLok™ headgear
- Full brim adds an extra margin of protection from harmful UV rays, rain, and falling debris
- Available in a wide range of popular colors and full graphic designs
- Meets ANSI Z89.1-2009 Type 1, Class E

SKU	Suspension
E1W	TabLok
E1RW	Ratchet
E1SW	SwingStrap



E2QRW

### E2

- Thermoplastic cap style hard hat with Fibre-Metal smooth crown design
- The technically-advanced SuperEight® suspension balances and spreads weight over a wide area for added comfort and impact protection
- Available with the famous Fibre-Metal non-slip/non-strip ratchet, SwingStrap™ or TabLok™ headgear
- Available in a wide range of popular colors and full graphic designs
- Meets ANSI Z89.1-2009 Type 1, Class E, in both forward and reverse

SKU	Suspension
E2W	TabLok
E2RW	Ratchet
E2SW	SwingStrap
E2QW	TabLok, Model 4000 Quick-Lok
E2QRW	Ratchet, Model 4000 Quick-Lok
E2QRSW	SwingStrap, Model 4000 Quick-Lok



P2ARW

### Roughneck P2

- Proprietary injection-molded fiberglass compound offers exceptional impact and crack resistance and is eight times stronger than common high density polyethylene (HDPE) cap shells
- Best-in-class heat resistance. Meets standard impact resistance tests at extreme temperatures of up to 370°F (P2A Model) and 500°F (P2HN Model)
- Solid color resin provides a permanent, no-chip, no-peel finish. The matte finish makes logo imprints crisper and cleaner, so your official company caps look better and last longer
- The technically-advanced SuperEight® suspension balances and spreads weight over a wide area for added comfort and impact protection
- Available with the famous Fibre-Metal non-slip/non-strip ratchet, SwingStrap™ or TabLok™ headgear
- Meets ANSI Z89.1-2009 Type 1 Class G (including Quick-Lok® model) and CSA Z94.1-2005 Type 1 Class G or C (Class C for Quick-Lok® model)

SKU	Suspension
P2AW	TabLok
P2ARW	Ratchet
P2ASW	SwingStrap
P2AQRW	Ratchet, Model 4000 Quick-Lok
P2AQSW	SwingStrap, Model 4000 Quick-Lok
P2HNRW	High Heat, Ratchet
P2HNQRW	High Heat, Ratchet, Model 4000 Quick-Lok



by Honeywell

Call Customer Care at 800 430-4110.



**HARD HATS**

**SE2**

- Smooth crown design contains a technically advanced suspension with eight load bearing points to stabilize and balance the hard hat during everyday wear
- SuperEight® impact energy control system dissipates force by reducing it to smaller increments and spreading it over a greater area
- A lateral impact activates the patented attenuator band which provides protection for the periphery of the cap
- SE-2 Air-Flow design provides air circulation within shell
- Meets ANSI Z89.1-2009 Type 2, Class E and CSAZ94.1-2005 Type 2, Class E



SE2

SKU	Suspension
SE2	Ratchet
SE2QC	Ratchet, Model 4000 Quick-Lok

**Bump Cap**

- Style and comfort of a quality baseball cap with the protection of a thermoplastic inner liner
- Protects from minor lacerations, abrasions, and bruises
- Cooling ventilation eyelets permit air circulation
- Adjustable back strap and inner surface foam pad for extra comfort
- Not ANSI/CSA approved



SBC2

SKU	Description
SBC2	Homerun Baseball Style Bump Cap
SBCIS07	Plastic Inner Shell

**High Visibility**

- Workers can enjoy the comfort of Fibre-Metal hard hats with the added protection of super high-visibility
- Fade-proof strong orange and strong yellow head protection shells maintain their color for long-lasting high visibility
- An extra margin of protection may also be added with reflective mesh caps or high quality reflective tape



FMHVCCSGOE

SKU	Description
FMHVCCSGOE	Mesh Cap Cover
SGOETAPEKIT	Strong Orange Reflective Tape, 12/kit
SGYWTAPEKIT	Strong Yellow Reflective Tape, 12/kit
SRTAPEKIT	Reflective Silver Tape, 12/kit



by Honeywell

Call Customer Care at 800 430-4110.

## HARD HAT ACCESSORIES



FLSW1

### Winter Liners

- Soft, comfortable lining traps warmth for protection over a wide range of temperatures
- Adding UltraWarm™ HotHands® heatpacks adds warmth from 130° to 140° over a full work day
- All UltraWarm™ winter liners include two heatpacks

SKU	Description
FLSW1	Winter Liner, Two Heat Packs
GLSW4	Extended Winter Liner, Two Heat Packs
SWHB8BK	Fleece Headband, Two Heat Packs
SWNW7BE	Fleece Neckwarmer, Blue, One Heat Pack
SWNW7BK	Fleece Neckwarmer, Black, One Heat Pack
SWTN6BE	Fleece Turtleneck Warmer, Blue, One Heat Pack
SWWWC10	Winter Welder Cap
SWHH1	Heat Packs, Large, 40/box
SWHH2	Heat Packs, Small, 40/box
SWTT1	Foot Warmer Heat Packs, 40/box



FMSS1WE

### Sun and Heat Hazard Protection

- Fibre-Metal® SuperCool® products are produced from a unique, patented composite material designed to absorb and trap water
- Advanced evaporative cooling technology provides hours of cooling comfort
- Sunshields protect workers by shielding their neck, face, and ears from the sun while the cooling headband and neck wraps keep workers cool

SKU	Description
FMSCH1RD	Cooling Headband, Red
FMSCN1BE	Cooling Neck Wrap, Blue
FMSSD1BK	Doo Rag, Black
FMSS1OE	17x12 Sunguard, Orange
FMSS2OE	12x14 Sunguard, White
FMSS1WE	17x12 Sunguard, White
FMSS2WE	12x14 Sunguard, White
FMPSB1	Full Brim Sunshield, Gray Tint
FMPSB2	Cap Style Sunshield, Gray Tint

*Additional colors/patterns available*



FM69

### Sweatbands

- Sweatbands can easily be removed and replaced

SKU	Description
FM69	Cotton Jersey Sweatband
FM44RTV	Terry Cloth Sweatband
S2FV	360° Foam Sweatband



by Honeywell

Call Customer Care at 800 430-4110.

**HARD HAT REPLACEMENT PARTS**

**Replacement Suspensions**

Honeywell offers three headband adjustments for Fibre-Metal hard hat suspensions.

- **TabLok™** features a 360° padded sweatband, providing extra comfort for all-day wear
- **Ratchet** headband is strip proof and provides easy adjustment
- Patented **SwingStrap™** combines the benefits of both the ratchet and the 360° padded sweatband, with the added ability to convert from forward to reverse wearing position without having to remove and reinstall the suspension



W3F

SKU	Suspension
W3F	TabLok for P2A, P2HN
W2FV	TabLok for E1, E2
3RW3	Ratchet for P2A, P2HN
3RW2	Ratchet for E1, E2
3SW3	SwingStrap for P2A, P2HN
3SW2V	SwingStrap for E1, E2

**QUICKSWITCH COMBINATION SYSTEM**

**QuickSwitch™**

For multi-hazard conditions, protective caps must be used in combination with a variety of eye and face protection equipment. For greater cost savings, productivity and convenience, most Fibre-Metal welding helmets, face shields, protective masks and welding goggles can be combined with protective caps.

**Model 5000 Speedy® Loop Mounting System**

- For frequent on/off use with protective caps
- Fully adjustable to fit any style of hard hat
- Welding helmets, face shields and goggles may be mounted while the cap is on the head. No tools or modifications required.



Model 5000  
Speedy® Loop  
Mounting System

**Model 4000 Quick-Lok® Mounting Blocks**

- For secure long-term combination use
- Quick-Lok® mounting blocks come pre-installed exclusively on Fibre-Metal hard hats or sold separately as a kit
- Quick-Lok® Complete Kit sold as Model 4000.



Model 4000  
Quick-Lok®  
Mounting System

**Model 6000 Quick-Lok® Mounting Blades**

- For use with protective caps with mounting slots



Model 6000  
Quick-Lok®  
Mounting Blades

SKU	Suspension
5000	Speedy Loop Mounting System
4000	Quick-Lok Mounting Blocks
6000	Quick-Lok Mounting Blades



by Honeywell

Call Customer Care at 800 430-4110.

## FACE SHIELDS



F400 with 4178CL window\*

Note: window sold separately.

### High Performance® Face Shield Headgear

- Crowns made of advanced, heat-resistant Noryl® Material
- Tough, 3C ratchet suspension
- 3 crown sizes
- Suspension can be removed to accommodate a range of Fibre-Metal attachment systems
- Meets ANSI Z87.1 standards and certified to CSA Z94.3

SKU	Crown Size	Suspension	Color
F300	3"	3-ER Ratchet	Gray Noryl
F400	4"	3C Ratchet	Gray Noryl
F500	7"	3C Ratchet	Gray Noryl



FH66

### High Performance® Face Shield Hard Hat Adapters

- Available in ultra high-heat resistant aluminum
- Plastic brackets are dielectric and will not alter the electrical rating of the companion hard hat
- Fits perfectly with Fibre-Metal and most other hard hats
- Cap style and full brim styles

SKU	Material/Description	Size	Fibre-Metal Hard Hat
FH66	Aluminum/High Heat	Cap	P2, E2
FM70	Plastic/Dielectric	Cap	P2, E2
FM71	Plastic/Dielectric	Full Brim	E1



F4400

### High Performance® Face Shield Systems for Hard Hats

- Customized mounting options to fit a variety of hard hats
- Quick change systems for safe, rapid face protection transfer
- WINDOWS ARE NOT INCLUDED
- Dielectric options will not change the electrical rating of the companion hard hat
- Noryl crowns are included with all systems

SKU	Attachment System	Crown Type/ Size	Fibre-Metal Hard Hat	Universal Mounting
F4400	Model 4001 Quick-Lok Mounting Cups	F400/4"	E2Q, P2NQ, P2ANQ, P2AQ	No
F4500	Model 4001 Quick-Lok Mounting Cups	F500/7"	E2Q, P2NQ, P2ANQ, P2AQ	No
F5400	Model 5000 Speedy Loop Mounting System	F400/4"	E2 Series P2 Series	Yes
F5500	Model 5000 Speedy Loop Mounting System	F500/7"	E2 Series P2 Series	Yes
F6400	Model 6000 Quick Blades Mounting System	F400/4"	None	Slotted Caps
F6500	Model 6000 Quick Blades Mounting System	F500/7"	None	Slotted Caps



by Honeywell

Call Customer Care at 800 430-4110.

**FACE SHIELDS**

**Dual Crown High Performance® Face Shield Systems**

- Complete face shields come with headgear, window and chin protector
- Durable 3C headgear for standard use
- Hard hat mounting options with the popular Model 5000 Speedy® Loop or Model 4001 Quick-Lok® cups mounting system
- Chin guards available in high heat Noryl or clear polycarbonate
- Meets ANSI Z87.1 standards and certified to CSA Z94.3



FM400DCCLC

SKU	Attachment Description	Crown Size	Window Tint	Chin Guard	Universal Mounting
FM400DCCL	F400 3C Ratchet	4"	Clear	Noryl	N/A
FM500DCCL	F500 3C Ratchet	7"	Clear	Noryl	N/A
FM4400DCCL	Model 4001 Quick-Lok Cups	4"	Clear	Noryl	F-M Quick-Lok
FM5400DCCL	Model 5000 Speedy Loop	4"	Clear	Noryl	Universal Cap
FM5500DCCL	Model 5000 Speedy Loop	7"	Clear	Noryl	Universal Cap
FM70DCCL	FM70 Dielectric Bracket	4"	Clear	Noryl	F-M Cap Style
FM400DCCLC	F400 3C Ratchet	4"	Clear	Clear	N/A
FM4400DCCLC	Model 4001 Quick-Lok Cups	4"	Clear	Clear	F-M Quick-Lok
FM5400DCCLC	Model 5000 Speedy Loop	4"	Clear	Clear	Universal Cap
FM400DCAF25	F400 3C Ratchet	4"	Green, 25-cal Arc	Noryl	N/A
FM70DCAF25	FM70 Dielectric Bracket	4"	Green, 25-cal Arc	Noryl	F-M Cap Style

**Dual Crown Replacement Chin Guards (for use with Fibre-Metal Dual Crown Face Shield Systems)**

SKU	Material
F3400CG	Noryl
F3400CGCL	Clear Polycarbonate



F3400CGCL



Call Customer Care at 800 430-4110.

## FACE SHIELDS



4178CL



4199GDTVGY



6750AF25

### High Performance® Face Shield Windows

- Made from durable 0.060" thick propionate
- Great combination of impact protection, chemical resistance and clarity
- Available in 3 widths to meet specific environmental needs
- Meets ANSI Z87.1 standards and certified to CSA Z94.3

SKU	View Size	L x W	Window Tint	Mounting Crown
4118CL	Standard	8" x 11.25"	Clear	F300
4118DGN	Standard	8" x 11.25"	Dark Green	F300
4178CL	Wide	8" x 16.5"	Clear	F400, F500
4178DGN	Wide	8" x 16.5"	Dark Green	F400, F500
4178IRUV3	Wide	8" x 16.5"	Shade 3.0	F400, F500
4178IRUV5	Wide	8" x 16.5"	Shade 5.0	F400, F500
4199CL	Extended	9.75" x 19"	Clear	F400, F500
4199DGN	Extended	9.75" x 19"	Dark Green	F400, F500
4199IRUV3	Extended	9.75" x 19"	Shade 3.0	F400, F500
4199IRUV5	Extended	9.75" x 19"	Shade 5.0	F400, F500

### Specialty Windows

SKU	View Size	L x W	Window Tint/Usage	Mounting Crown
4178IRUV8	Wide	8" x 16.5"	Shade 8.0/Plasma Cutting	F400, F500
4178TVGY	Wide	8" x 16.5"	True View Gray/Outdoor	F400, F500
S178	Wide	8" x 16.5"	#24 Stainless Mesh/ Light Impact	F400, F500
4199GDTVGY	Extended	9.75" x 19"	Gold Coated TCV Gray	F400, F500
S199	Extended	9.75" x 19"	#24 Stainless Mesh/ Light Impact	F400, F500

### Dual Crown Windows (for use with Fibre-Metal Dual Crown Face Shield Systems)

SKU	View Size	L x W	Window Tint	Mounting Crown
4750CL	Wide	8" x 16.5"	Clear	FM70 Dual Crown Systems
4750IRUV5	Wide	8" x 16.5"	Shade 5	FM70 Dual Crown Systems
6750CL	Wide	8" x 16.5"	Clear	FM400 and FM500 Dual Crown Systems
6750IRUV5	Wide	8" x 16.5"	Shade 5	FM400 and FM500 Dual Crown Systems
6750AF25	Wide	8" x 16.5"	Green 25-cal Arc	FM400DCAF25 only



by Honeywell

Call Customer Care at 800 430-4110.

**WELDING HELMETS**

**Tigerhood™ Classic**

- Unique welding helmet design provides extended throat protection while blocking fumes and smoke from the face
- Molded-in colors eliminate chipping, peeling, and fading
- Smooth, seamless shell deflects sparks and spatter reducing the risk of burn through
- Available in a variety of colors

SKU	View Size
-----	-----------

**Auto Darkening Filter**

999BV913DS	90 x 110mm Lens, ADC Shades 9-13, 3C Headgear, Silver
------------	---

**Passive Filter**

906	Thermoplastic, Lift Front
910	Thermoplastic, Stationary Front
998	Thermoplastic Helmet Style Hand Shield, Wide Vision, Handle Grip

**Combinations:**

**Quick-Lok® Mounting Cups:**

4999BV913DS	90 x 110mm Lens, ADC Shades 9-13, Model 4001 Quick-Lok Mounting Cups, Silver
4906	Tigerhood Classic Welding Helmet, Thermoplastic, Lift Front, Model 4001 Quick-Lok Mounting Cups
4910	Tigerhood Classic Welding Helmet, Thermoplastic, Stationary Front, Model 4001 Quick-Lok Mounting Cups
4990	Tigerhood Classic Welding Helmet, Thermoplastic, Wide Vision, Model 4001 Quick-Lok Mounting Cups

**Speedy® Loop:**

5999BV913DS	90 x 110mm Lens, ADC Shades 9-13, Model 5000 Speedy Loop, Silver
5906	Tigerhood Classic Welding Helmet, Thermoplastic, Lift Front, Model 5000 Speedy Loop
5910	Tigerhood Classic Welding Helmet, Thermoplastic, Stationary Front, Model 5000 Speedy Loop
5990	Tigerhood Classic Welding Helmet, Thermoplastic, Wide Vision, Model 5000 Speedy Loop

**Quick-Lok® Mounting Blades:**

6906	Tigerhood Classic Welding Helmet, Thermoplastic, Lift Front, Includes Model 6000 Blades
6910	Tigerhood Classic Welding Helmet, Thermoplastic, Stationary Front, Includes Model 6000 Blades
6990	Tigerhood Classic Welding Helmet, Thermoplastic, Wide Vision, Includes Model 6000 Blades



906



Model 4000 Quick-Lok Mounting System



Model 5000 Speedy® Loop Mounting System



Model 6000 Quick-Lok Mounting Blades



by Honeywell

Call Customer Care at 800 430-4110.

## WELDING HELMETS



2090XXLBV913SR

### Tigerhood Futura®

- Innovative, streamlined design combined with high-performance materials
- Lightweight helmet and free floating headgear for added comfort
- Available in a variety of colors

SKU	Description
-----	-------------

#### Auto Darkening XXL Filter with ADC Plus:

2090XXLBV913SR	Tigerhood Futura w/ XXL ADF and 3C headgear
FMXXLBV913	Replacement XXL ADF
2090C1	Replacement Frame Assembly
FM2280XXL	Internal Safety Plate (5/package)

#### Auto Darkening Filter:

2999BV913SR	90 x 110mm LENS, ADF Shades 9-13, Sensitivity Adjustment, Silver
2999BVADCSR	90 x 110mm LENS, ADC Shades 9-13, Sensitivity and Delay Adjustment, 3C Headgear, Silver
2001BM10	Silver, with 2" x 4 1/4" Shade 10 Auto Darkening Filter

#### Passive Filter:

2001	Stationary Front
2006	Lift Front
2090	Wide Vision

#### Combinations:

##### Quick-Lok® Mounting Cups:

42090XXLBV913SR	Tigerhood Futura w/ XXL ADF, Model 4001 Quick-Lok Cups
42999BV913SR	90 x 110mm lens, Shades 9-13, Sensitivity Adjustment, Model 4001 Quick-Lok Mounting Cups, Silver
42001	Tigerhood Futura Thermoplastic Welding Helmet, Stationary Front, Model 4001 Quick-Lok Mounting Cups
42006	Tigerhood Futura Thermoplastic Welding Helmet, Lift Front, Model 4001 Quick-Lok Mounting Cups
42001BM10	Tigerhood Futura Thermoplastic Welding Helmet, Silver, with 2" x 4 1/4" Shade 10 Auto Darkening Filter, Model 4001 Quick-Lok Mounting Cups
42090	Tigerhood Futura Thermoplastic Welding Helmet, Wide Vision, Model 4001 Quick-Lok Mounting Cups



Model 4000  
Quick-Lok  
Mounting System



Model 5000  
Speedy® Loop  
Mounting System

##### Speedy® Loop:

52090XXLBV913SR	Tigerhood Futura w/ XXL ADF and Speedy Loop
52999BVADCSR	90 x 110mm Lens, ADC Shades 9-13, Sensitivity and Delay Adjustment, Model 5000 Speedy Loop, Silver
52999BV913SR	90 x 110mm Lens, Shades 9-13, Sensitivity Adjustment, Model 5000 Speedy Loop, Silver
52001	Tigerhood Futura Welding Helmet, Thermoplastic, Stationary Front, Model 5000 Speedy Loop
52001BM10	Tigerhood Futura Welding Helmet, Silver with Auto Darkening Filter, 2" x 4 1/4" Shade 10, Model 5000 Speedy Loop
52006	Tigerhood Futura Welding Helmet, Thermoplastic, Lift Front, Model 5000 Speedy Loop
52090	Tigerhood Futura Thermoplastic Welding Helmet, Wide Vision, Model 5000 Speedy Loop

(continued on next page)



by Honeywell

Call Customer Care at 800 430-4110.



**WELDING HELMETS**

*(Tigerhood Futura® continued)*

**Quick-Lok® Mounting Blades:**

62001	Tigerhood Futura Welding Helmet, Thermoplastic, Stationary Front, Includes Model 6000 Quick-Lok Blades
62090	Tigerhood Futura Welding Helmet, Thermoplastic, Wide Vision, Includes Model 6000 Blades
62006	Tigerhood Futura Welding Helmet, Thermoplastic, Lift Front, Includes Model 6000 Blades



Model 6000 Quick-Lok Mounting Blades

**Superglas®**

- Ideal for harsh welding applications
- Full size, curved bottom design accommodates protective eyewear; respirators and hearing protection while blocking smoke and fumes

SKU	Description
<b>Passive Filter</b>	
706GY	Fiberglass, 2" x 4" Lift Front, Curved Bottom Shell
880GY	Fiberglass, 4" x 5" Wide Vision, Curved Bottom Shell

**Combinations:**

**Quick-Lok® Mounting Cups:**

4706	Superglas Fiberglass Welding Helmet, Lift Front, 4001 Mounting Cups, Curved Bottom Shell.
4880	Superglas Fiberglass Welding Helmet, Wide Vision, 4001 Mounting Cups, Curved Bottom Shell

**Speedy® Loop:**

5706	Superglas Fiberglass Welding Helmet, Lift Front, Curved Bottom Shell, Model 5000 Speedy Loop
5880	Superglas Fiberglass Welding Helmet, Wide Vision, Curved Shell, Model 5000 Speedy Loop

**Quick-Lok® Mounting Blades:**

6706	Superglas Fiberglass Welding Helmet, Lift Front, Includes Model 6000 Quick-Lok Blades, Curved Bottom
6880	Superglas Fiberglass Welding Helmet, Wide Vision, Includes Model 6000 Quick-Lok Blades, Curved Bottom Shell



706



by Honeywell

Call Customer Care at 800 430-4110.

## WELDING HELMETS



110PWE

### Pipeliner®

- The industry standard for pipe welding
- Compact design allows access to areas where there is no room for a standard helmet
- Comfortable, functional headgear uses a constant-fit rubber headband for frequent re-adjustments as pipe welders move about their work

SKU	Description
<b>Auto Darkening Filter:</b>	
110PBM10	Fiberglass, White, 2" x 4" Shade 10 ADF, Rubber Headband
<b>Passive Filter:</b>	
110PWE	Fiberglass, White, 2" x 4" Shade 10, Rubber Headband
110WH	Fiberglass, White, Ratchet Headgear

## WELDING GOGGLES



VG200SH5

### Flexible/Rigid Frame Welding Goggles

- Honeywell offers a wide variety of flexible or rigid frame gas welding goggles and cutting goggles
- The plastic frames hug facial contours for an extremely comfortable fit
- Ventilated for effective cooling and evaporation
- Equipped with durable elastic headbands.
- Includes Shade #5 filter and clear cover plate included

SKU	Description
VG200SH5	Flexible Frame 2" x 4¼" Lift Front Cover Goggle with Hooded Vents
VG600SH5	Reinforced Flexible Frame 2" x 4¼" Cover Goggles with Hooded Vents
VG800SH5	Reinforced Flexible Frame, 50 mm Lift Front Goggle with Vents
VGSH5	Adjustable Fit Rigid Frame, 50 mm Cup Goggle with Baffled Vents



F555SH5

### SoloGoggle™

- Sturdy, rigid frame holds its shape in welding heat
- Versatile welding goggle with elastic, ratchet-adjustable or protective cap-mounted headgear
- Includes Shade #5 filter and clear cover plate

SKU	Description
F55SH5	Elastic Headband
F555SH5	Ratchet-Adjustable Headband
F4055SH5	Quick-Lok Mounting System
F5055SH5	Adjustable Speedy Loop
F6055SH5	Quick-Lok Blades Mounting System



by Honeywell

Call Customer Care at 800 430-4110.

**WELDING ACCESSORIES**

**Glass Filters**

- Precision cut to true size for a better fit
- Optically correct with consistent shading throughout the plate or lens for welder protection and comfort

SKU	Size	Shade
P241SH	2" x 4¼"	5-14
P451SH	4½" x 5¼"	5, 8-13
L501SH	50 mm (pr.)	5



P241SH

**Polycarbonate Filters**

- About 1/3 the weight of a comparable glass filter, and many times more impact resistant, polycarbonate filters are the choice of high production welders.

SKU	Size	Shade
P247SH	2" x 4¼"	5-6, 9-12
P457SH	4½" x 5¼"	9-12
L507SH	50 mm (pr.)	5




P247SH

**Gold Plated Filters**

- All the advantages of a polycarbonate filter, with the benefit of a gold coating which reflects up to 99% of infrared light, reducing the temperature inside the helmet
- A cooler, more comfortable welder will stay on the job longer and be more productive

SKU	Size	Shade
P248SH	2" x 4¼"	5-14
P458SH	4½" x 5¼"	8-12



P248SH

**Polycarbonate Safety Plate**

- Injection-molded, optically correct, lightweight, impact-resistant polycarbonate plate provides an extra margin of protection.

SKU	Size
CL242	2" x 4¼"
CL452	4½" x 5¼"
CL502	50 mm (pr.)



CL242

**CR-39 Covers**

Top quality cover plates contain a higher percentage of CR-39 material than any other brand including those that claim to be "100% CR-39". Higher quality provides better protection and a longer service life for expensive filter plates.

SKU	Size
P242	2" x 4¼"
P452	4½" x 5¼"
L502CL	50 mm (pr.)



P242



by Honeywell

Call Customer Care at 800 430-4110.

## WELDING ACCESSORIES



3651

### Polycarbonate Welding Magnifiers (Cheaters)

- Injection-molded in one piece from a special optical grade polycarbonate, reduces eye fatigue and irritation because it is optically correct
- Only magnifier on the market designed for an optimum 12" working distance from the weld instead of the usual 6" distance
- Silicone hardcoating protects the surface from scratches and scuffs

SKU	Size	Diopter
3650.75	2" x 4¼"	.75
3651.00	2" x 4¼"	1.00
3651.25	2" x 4¼"	1.25
3651.50	2" x 4¼"	1.50
3651.75	2" x 4¼"	1.75
3652.00	2" x 4¼"	2.00
3652.25	2" x 4¼"	2.25
3652.50	2" x 4¼"	2.50



WC75




















### North Welder's Caps

SKU	Description
WC75	Welder's Cap With Neck Protector, Westex Proban Fire-Retardant Cotton, Lime Green
WC85	Welder's Cap With Neck Protector, 100% Cotton, Navy Blue
WC80	Welder's Cap With Neck Protector, 100% Cotton, White
WC70	Welder's Skull Cap, 100% Cotton, Navy Blue



Call Customer Care at 800 430-4110.

REFERENCE: HARD HAT COLORS

 01 White	 74 Green	 07 Sky Blue	 11 Black
 02 Yellow	 15 Red	 08 Navy Blue	 10 Tan
 44 Hi Viz Strong Yellow	 05 Hi Viz Red	 17 Royal Blue	 12 Brown
 46 Hi Viz Strong Orange	 20 Hot Pink	 71 Blue	 13 Gold
 03 Orange	 70 Pink	 09 Gray	

Follow these simple steps to order hard hats in your choice of color and logo.

- 1) Start with the SKU number, which will make the first 3-8 digits, indicated on the product charts. *Example shown is "E2," found on page 94.*
- 2) Next, combine the 2-digit color code (above) with the SKU number.
- 3) The last 4 digits are the pad print screen number which will be assigned by customer service when ordering a custom logo, OR 0000 for no logo.
- 4) Our final number for the "E2," with Ratchet, Quick-Lok, Green, No Logo is E2QRW740000.

For more information regarding custom printing, see page 90 or contact Customer Care.

Example:

SKU #	Color	Logo
<input type="text"/>	<input type="text"/>	<input type="text"/>
<b>E2QRW</b>	<b>74</b>	<b>0000</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>
E2 w/Ratchet, Quick-Lok	Green	No Logo



**FIBRE-METAL**  
by Honeywell

Call Customer Care at 800 430-4110.


## REFERENCE: QUICKSWITCH™ SYSTEM

### QuickSwitch™ System for Combination Protection

For multi-hazard conditions, protective caps must be used in combination with a variety of eye and face protection equipment. For greater cost savings, productivity and convenience, most Fibre-Metal® welding helmets, face shields, and welding goggles can be combined with protective caps by utilizing any one of our three combination systems to provide the exact degree of protection and comfort required.



Speedy® Loop Mounting System



Quick-Lok® Mounting System



Quick-Lok® Blades Mounting System

### Speedy® Loop Mounting System



**For frequent on/off use with protective caps.**

The Speedy Loop is fully adjustable to fit any style of hard hat. The Speedy Loop comes as an installation kit or pre-installed exclusively on Fibre-Metal welding helmets and face shields. The secure brim tab design does not contain any metal parts – which means it does not affect the dielectric rating of the hard hat. No tools or modifications required.

### Quick-Lok® Mounting System



**For secure long-term combination use.**

Quick-Lok mounting blocks come pre-installed exclusively on Fibre-Metal hard hats or sold separately as a kit. Welding helmets, face shields, and goggles that are equipped with Quick-Lok cups can be securely mounted onto and removed from the cap without tools.

### Quick-Lok® Blades



**Adapts most brands of slotted caps to the Quick-Lok Mounting System within seconds.**

The Quick-Lok block mounting blades simply insert into the accessory slots on nearly any slotted hard hat. The use of Quick-Lok Blades does not affect the dielectric rating of the hat.




by Honeywell

Call Customer Care at 800 430-4110.

For more information and to access the QuickSwitch demonstration videos, visit [www.fibre-metal.com](http://www.fibre-metal.com).

**REFERENCE: ANGULAR DEPENDENCE COMPENSATION (ADC)**

Compared to passive filters, high-quality Auto Darkening Filter lenses (ADFs) offer better vision during non-welding periods, eliminate the need to raise the filter or helmet between welds and improve quality of work. This all leads to fewer reworks and less grinding. The use of ADFs has contributed to welding productivity improvements as high as 30% to 50% while reducing injuries and injury costs. Results would be even more impressive but for angular dependence, a characteristic inherent in the Liquid Crystal Displays (LCDs) used in ADFs.



**What is Angular Dependence?**

Angular dependence requires that welders view their work at an angle perpendicular to the center of the lens within a very limited range. If they are unable to maintain the proper viewing angle, they experience a “halo” effect of visible light around the periphery of the lens (Figure 2). Because ADFs have an interference filter that blocks IR/UV radiation up to a shade 13 level, these light areas do not cause welders “flash” but they are annoying, distracting and can cause eye discomfort and headaches over the course of a work day. Having to assume a rigid work posture to maintain the required viewing angle can also cause ergonomic discomfort and injuries.

**What is Angular Dependence Compensation (ADC) Technology?**

Recent advancements in LCD technology have resulted in a new generation of ADF lenses free of the angular dependency that has plagued ADFs since their inception. The proprietary ADC Plus technology, offered exclusively in Fibre-Metal® ADFs, provides consistent shading throughout the entire viewing area of the lens. For the first time, a welder using an ADF lens can move freely about the job, with the widest possible field of vision, without sacrificing optical quality or risking discomfort. In addition to the elimination of angular dependence, Fibre-Metal ADC Plus ADFs are lighter and thinner than traditional ADFs, consume less power and allow a welder to see in more natural colors from layup to finishing.

**What Does the DIN Marking Represent?**

ADF switching speed (from light to dark) and switching reliability (switching only in reaction to a welding arc) are important performance characteristics, but no characteristic is as important to a welder as optical quality. Because of the nature of the work environment, a welder needs a clear, unobstructed view of the work to maximize productivity and minimize the risk of injury. The DIN markings on an ADF indicate optical quality. To meet standard certification, ADF lenses are tested for four optical performance characteristics: optical clarity, lack of distortion, the transmission of visible light and angular dependence. Collectively, they rate the optical quality of the lens. Each optical performance characteristic is rated from 1 to 3 (1 being the highest). ADFs not performing at least to the level of a 3 rating do not comply with the standard. The Fibre-Metal ADC plus ADFs are the only ADFs on the market with a perfect 1/1/1/1 DIN optical quality rating.



Figure 1: Perpendicular view (top); Angled view (bottom). Demonstrates LCD screens variability in shading when viewed at different angles.



Figure 2: A view through an ADF to a light source perpendicularly (90° - top) through the viewing area and under a slant angle (30° - bottom).



by Honeywell

Call Customer Care at 800 430-4110.

## FIBRE-METAL SKU LISTING

### HARD HATS

#### E1

Item #	Suspension
E1W	TabLok
E1RW	Ratchet
E1SW	SwingStrap

#### E2

Item #	Suspension
E2W	TabLok
E2RW	Ratchet
E2SW	SwingStrap
E2QW	TabLok, Quick-Lok
E2QRW	Ratchet, Quick-Lok
E2QSW	SwingStrap, Quick-Lok

#### Roughneck P2

Item #	Suspension
P2AW	TabLok
P2ARW	Ratchet
P2ASW	SwingStrap
P2AQRW	Ratchet, Quick-Lok
P2AQRSW	SwingStrap, Quick-Lok
P2HNNW	High Heat Cap, TabLok
P2HNNQRW	High Heat Cap, Ratchet Quick-Lok
P2HNNRW	High Heat Cap, Ratchet

#### SE2

Item #	Suspension
SE2	Ratchet
SE2QC	Ratchet Quick-Lok

#### Bump Cap

Item #	Suspension
SBC2	Homerun Baseball Style Bump Cap
SBCIS07	Plastic Inner Shell

### HARD HAT ACCESSORIES

#### High Visibility

Item #	Description
FMHVCCSGOE	Mesh Cap Cover
SGOETAPEKIT	Strong Orange Reflective Tape, 12/kit
SGYWTAPEKIT	Strong Yellow Reflective Tape, 12/kit
SRTAPEKIT	Reflective Silver Tape, 12/kit

#### Winter Liners

Item #	Description
FLSW1	Winter Liner, two Heat Packs
GLSW4	Extended Winter Liner, two Heat Packs
SWHB8BK	Fleece Headband, two Heat Packs
SWNW7BE	Fleece Neckwarmer, Blue, one Heat Pack
SWNW7BK	Fleece Neckwarmer, Black, one Heat Pack
SWTN6BE	Fleece Turtleneck Warmer, Blue, one Heat Pack
SWWWC10	Winter Welder Cap
SWHH1	Heat Packs, Large, 40/box
SWHH2	Heat Packs, Small, 40/box
SWTT1	Foot Warmer Heat Packs, 40/box

#### Sun and Heat Hazard Protection

Item #	Description
FMSC11RD	Cooling Headband, Red
FMSCN1BE	Cooling Neck Wrap, Blue
FMSSD1BK	Cooling Doo-Rag, Black
FMSS1OE	17x12 Sunguard, Orange
FMSS2OE	12x14 Sunguard, Orange
FMSS1WE	17x12 Sunguard, White
FMSS2WE	12x14 Sunguard, White
FMPSB1	Full Brim Sunshield, Gray Tint
FMPSB2	Cap Style Sunshield, Gray Tint

*Additional colors/patterns available*

#### Sweatbands

Item #	Description
FM69	Cotton Jersey Sweatband
FM44RTV	Terry Cloth Sweatband
S2FV	360° Foam Sweatband

### HARD HAT REPLACEMENT PARTS

#### Replacement Suspensions

Item #	Description
W3F	TabLok for P2A, P2HN
W2FV	TabLok for E1, E2
3RW3	Ratchet for P2A, P2HN
3RW2	Ratchet for E1, E2
3SW3	SwingStrap for P2A, P2HN
3SW2V	SwingStrap for E1, E2

### COMBINATION PROTECTION

#### QuickSwitch® System

Item #	Description
5000	Speedy Loop Mounting System
4000	Quick-Lok Mounting Blocks
6000	Quick-Lok Mounting Blades



by Honeywell

Call Customer Care at 800 430-4110.



**FIBRE-METAL SKU LISTING**

**FACE SHIELDS**

**High Performance® Face Shield Headgear**

Item#	Crown Size	Suspension	Color
F300	3"	1CR Ratchet	Gray Noryl
F400	4"	3C Ratchet	Gray Noryl
F500	7"	3C Ratchet	Gray Noryl

**High Performance® Face Shield Hard Hat Adapters**

Item#	Material/Description	Size	Hard Hat
FM66	Aluminum/High heat	Cap	P2, E2
FM70	Plastic/Dielectric	Cap	P2, E2
FM71	Plastic/Dielectric	Full Brim	E1

**High Performance® Face Shield Systems for Hard Hats**

Item#	Attachment Description	Crown Type/Size	Fibre-Metal Hard Hat	Universal Mounting
F4400	Quick-Lok	F400/4"	E2Q, P2NQ, P2ANQ, P2AQ	No
F4500	Quick-Lok	F500/7"	E2Q, P2NQ, P2ANQ, P2AQ	No
F5400	Speedy Loop	F400/4"	E2 Series, P2 Series	Yes
F5500	Speedy Loop	F500/7"	E2 Series, P2 Series	Yes
F6400	Quick Lock Blades	F400/4"	None	Slotted Caps
F6500	Quick Lock Blades	F500/7"	None	Slotted Caps

**Dual Crown High Performance® Face Shield Systems**

Item#	Attachment Description	Crown Size	Window Tint	Chin Guard	Hard Hat Mounting
FM400DCCL	F400 3C Ratchet	4"	Clear	Noryl	N/A
FM500DCCL	F500 3C Ratchet	7"	Clear	Noryl	N/A
FM4400DCCL	Quick-Lok	4"	Clear	Noryl	Quick-Lok
FM5400DCCL	Speedy Loop	4"	Clear	Noryl	Universal Cap
FM5500DCCL	Speedy Loop	7"	Clear	Noryl	Universal Cap
FM70DCCL	FM 70 Dielectric Bracket	4"	Clear	Noryl	F-M Cap Style
FM400DCCLC	F400 3C Ratchet	4"	Clear	Clear	N/A
FM4400DCCLC	Quick-Lok	4"	Clear	Clear	F-M Quick-Lok
FM5400DCCLC	Speedy Loop	4"	Clear	Clear	Universal Cap
FM400DCAF25	F400 3C Ratchet	4"	Green, 25-cal Arc	Noryl	N/A
FM70DCAF25	FM70 Dielectric Bracket	4"	Green, 25-cal Arc	Noryl	F-M Cap

**High Performance® Face Shield Windows – Traditional Window**

Item#	View Size	L x W	Window Tint	Mounting Crown
4118CL	Standard	8" x 11.25"	Clear	F300
4118DGN	Standard	8" x 11.25"	Dark Green	F300
4178CL	Wide	8" x 16.5"	Clear	F400, F500
4178DGN	Wide	8" x 16.5"	Dark Green	F400, F500
4178IRUV3	Wide	8" x 16.5"	Shade 3.0	F400, F500
4178IRUV5	Wide	8" x 16.5"	Shade 5.0	F400, F500
4199CL	Extended	9.75" x 19"	Clear	F400, F500
4199DGN	Extended	9.75" x 19"	Dark Green	F400, F500
4199IRUV3	Extended	9.75" x 19"	Shade 3.0	F400, F500
4199IRUV5	Extended	9.75" x 19"	Shade 5.0	F400, F500

**High Performance® Face Shield Windows – Specialty Windows**

Item#	View Size	L x W	Window Tint/Usage	Mounting Crown
4178IRUV8	Wide	8" x 16.5"	Shade 8.0/ Plasma Cutting	F400, F500
4178TVGY	Wide	8" x 16.5"	True View Gray/ Outdoor	F400, F500

S178	Wide	8" x 16.5"	#24 Stainless Mesh/ Light Impact	F400, F500
4199GDTVGY	Extended	9.75" x 19"	Gold coated TCV Gray	F400, F500
S199	Extended	9.75" x 19"	#24 Stainless Mesh/ Light Impact	F400, F500

**Dual Crown Windows (for Use with Dual Crown Face Shield Systems)**

Item#	View Size	L x W	Window Tint/Usage	Mounting Crown
4750CL	Wide	8" x 16.5"	Clear	FM70 Dual Crown Systems
4750IRUV5	Wide	8" x 16.5"	Shade 5	FM70 Dual Crown Systems
6750CL	Wide	8" x 16.5"	Clear	FM400 and FM500 Dual Crown Systems

**Dual Crown Replacement Chin Guards (for use with Dual Crown Face Shield Systems)**

Item#	Material
F3400CG	Noryl
F3400CGCL	Clear Polycarbonate

**WELDING HELMETS**

**Tigerhood™ Classic**

Item #	Description
<b>AUTO DARKENING FILTER</b>	
999BV913DS	90 x 110mm Lens, ADC Shades 9-13, 3C Headgear, Silver

<b>PASSIVE FILTER</b>	
906	Thermoplastic, Lift Front
910	Thermoplastic, Stationary Front
990	Thermoplastic, Wide Vision
998	Thermoplastic Gray, Helmet Style Hand Shield, Wide Vision, Handle Grip

<b>QUICK-LOK® MOUNTING CUPS</b>	
4999BV913DS	90x110mm Lens, ADC Shades 9-13, Silver, Quick-Lok Cups

<b>SPEEDY® LOOP</b>	
5999BV913DS	90x110mm Lens, ADC Shades 9-13, Silver, Speedy Loop
5906	Tigerhood Classic Welding Helmet, Thermoplastic, Lift Front, Speedy Loop
5910	Tigerhood Classic Welding Helmet, Thermoplastic, Stationary Front, Speedy Loop
5990	Tigerhood Classic Welding Helmet, Thermoplastic, Wide Vision, Speedy Loop

<b>QUICK-LOK® MOUNTING BLADES</b>	
6906	Tigerhood Classic Welding Helmet, Thermoplastic, Lift Front, Includes Quick-Lok Blades
6910	Tigerhood Classic Welding Helmet, Thermoplastic, Stationary Front, Includes Quick-Lok Blades
6990	Tigerhood Classic Welding Helmet, Thermoplastic, Wide Vision, Includes Quick-Lok Blades

(continued on next page)



by Honeywell

Call Customer Care at 800 430-4110.

## FIBRE-METAL SKU LISTING

### WELDING HELMETS (continued)

#### Tigerhood Futura®

Item #	Description
<b>AUTO DARKENING XXL WITH ADC PLUS</b>	
2090XXLBV913SR	Tigerhood Futura w/ XXL ADF, 3C Headgear
FMXXLBV913	Replacement XXL ADF
2090C1	Replacement Frame Assembly
FM2280XXL	Internal Safety Plate (5/package)

#### AUTO DARKENING FILTER

2999BV913SR	90x110mm Lens, ADF Shades 9-13, Sensitivity Adjustment, Silver
2999BVADCSR	90x110mm Lens, ADC Shades 9-13, Sensitivity and Delay Adjustment, 3C Headgear, Silver
2001BM10	Silver, with 2" x 4 1/4" Shade 10 Auto Darkening Filter

#### PASSIVE FILTER

2001BK	Black, Stationary Front
2006BK	Black, Lift Front
2090BK	Black, Wide Vision

#### QUICK-LOK® MOUNTING CUPS

42090XXLBV913SR	Tigerhood Futura w/ XXL ADF and Quick-Lok cups
42001	Tigerhood Futura Thermoplastic Welding Helmet, Stationary Front, Quick-Lok Cups
42001BM10	Tigerhood Futura Thermoplastic Welding Helmet, Silver, with 2" x 4 1/4" Shade 10 Auto Darkening Filter, Quick-Lok Cups
42006BK	Tigerhood Futura Thermoplastic Welding Helmet, Black, Lift Front, Quick-Lok Cups
42006	Tigerhood Futura Thermoplastic Welding Helmet, Lift Front, Quick-Lok Cups for use on Hard Hats with Quick-Lok Blocks
42090	Tigerhood Futura Thermoplastic Welding Helmet, Wide Vision, Quick-Lok Cups
42999BV913SR	90 x 110 mm Lens, Shades 9-13, Sensitivity Adjustment, Silver, Quick-Lok Cups
4999BVADCSR	90x110 mm Lens, ADC Shades 9-13, Sensitivity and Delay Adjustment, Silver, Quick-Lok Cups

#### SPEEDY® LOOP

52090XXLBV913SR	Tigerhood Futura w/ XXL ADF and Speedy Loop
52001	Tigerhood Futura Welding Helmet, Thermoplastic, Stationary Front, Speedy Loop
52001BM10	Tigerhood Futura Welding Helmet, Silver with Auto Darkening Filter, 2" x 4 1/4" Fixed Shade 10, Speedy Loop
52006	Tigerhood Futura Welding Helmet, Thermoplastic, Lift Front, Speedy Loop
52090	Tigerhood Futura Thermoplastic Welding Helmet, Wide Vision, Speedy Loop
52999BV913SR	90 x 110mm Lens, Shades 9-13, Sensitivity Adjustment, Silver, Speedy Loop
5999BVADCSR	90x110mm Lens, ADC Shades 9-13, Sensitivity and Delay Adjustment, Silver, Speedy Loop

#### QUICK-LOK® MOUNTING BLADES

62001	Tigerhood Futura Welding Helmet, Thermoplastic, Stationary Front, Includes Quick-Lok Blades
62006	Tigerhood Futura Welding Helmet, Thermoplastic, Lift Front, includes Quick-Lok Blades
62090	Tigerhood Futura Welding Helmet, Thermoplastic, Wide Vision, Includes Quick-Lok Blades

#### Superglas™

Item #	Description
<b>PASSIVE FILTER</b>	
706GY	Fiberglass, 2" x 4" Lift Front, Curved Bottom Shell
880GY	Fiberglass, 4" x 5" Lift Front, Wide Vision, Curved Bottom Shell

#### QUICK-LOK® MOUNTING CUPS

4706	Superglas Fiberglass Welding Helmet, Lift Front, Quick-Lok Cups, Curved Bottom Shell
4880	Superglas Fiberglass Welding Helmet, Wide Vision, Quick-Lok Cups, Curved Bottom Shell

#### SPEEDY® LOOP

5706	Superglas Fiberglass Welding Helmet, Lift Front, Curved Bottom Shell, Speedy Loop
5880	Superglas Fiberglass Welding Helmet, Wide Vision, Curved Shell, Speedy Loop

#### QUICK-LOK® MOUNTING BLADES

6706	Superglas Fiberglass Welding Helmet, Lift Front, Includes Quick-Lok Blades, Curved Bottom
6880	Superglas Fiberglass Welding Helmet, Wide Vision, Includes Quick-Lok Blades, Curved Bottom Shell

#### Pipeliner

Item #	Description
<b>AUTO DARKENING FILTER</b>	
110PBM10	Fiberglass, White, 2" x 4" Shade 10 ADF, Rubber Headband
<b>PASSIVE FILTER</b>	
110PWE	Fiberglass, White, 2" x 4" Shade 10, Rubber Headband
110WH	Fiberglass, White, Ratchet Headgear

### WELDING GOGGLES

#### Flexible/Rigid Frame Welding Goggles

Item #	Suspension
VG200SH5	Flexible Frame 2" x 4 1/4" Lift Front Cover Goggle with Hooded Vents
VG600SH5	Reinforced Flexible Frame 2" x 4 1/4" Cover Goggles with Hooded vents
VG800SH5	Reinforced Flexible Frame, 50 mm Lift Front Goggle with Vents
VGSH5	Adjustable Fit Rigid Frame, 50 mm Cup Goggle with Baffled Vents

#### SoloGoggle™

Item #	Suspension
F55SH5	Elastic Headband
F555SH5	Ratchet-Adjustable Headband
F4055SH5	Quick-Lok Mounting System
F5055SH5	Adjustable Speedy Loop Mounting System
F6055SH5	Quick-Lok Blades Mounting System



by Honeywell

Call Customer Care at 800 430-4110.

**FIBRE-METAL SKU LISTING**

**WELDING ACCESSORIES**

**WELDING FILTERS, SAFETY AND COVER PLATES AND LENSES**

**Glass Filters**

Item #	Size	Shade
P241SH	2" x 4¼"	5-14
P451SH	4½" x 5¼"	5, 8-13
L501SH	50 mm (pr.)	5

**Polycarbonate Filters**

Item #	Size	Shade
P247SH	2" x 4¼"	5-6, 9-12
P457SH	4½" x 5¼"	9-12
L507SH	50 mm (pr.)	5

**Gold Plated Filters**

Item #	Size	Shade
P248SH	2" x 4¼"	5-14
P458SH	4½" x 5¼"	8-12

**CR-39 Covers**

Item #	Size
P242	2" x 4¼"
P452	4½" x 5¼"
L502	50 mm (pr.)

**Polycarbonate Welding Magnifiers (Cheaters)**

Item #	Size	Diopter
3650.75	2" x 4¼"	.75
3651.00	2" x 4¼"	1.00
3651.25	2" x 4¼"	1.25
3651.50	2" x 4¼"	1.50
3651.75	2" x 4¼"	1.75
3652.00	2" x 4¼"	2.00
3652.25	2" x 4¼"	2.25
3652.50	2" x 4¼"	2.50

**North® Welder's Cap**

Item #	Description
WC75	Welder's Cap with Neck Protector, Westex Proban Fire-Retardant Cotton, Lime Green
WC85	Welder's Cap with Neck Protector, 100% Cotton, Navy Blue
WC80	Welder's Cap with Neck Protector, 100% Cotton, White
WC70	Welder's Skull Cap, 100% Cotton, Navy Blue



by Honeywell

Call Customer Care at 800 430-4110.

## WHAT'S INSIDE

# Honeywell

- 115 • Primary Eyewash Device
- 117 • Secondary Eyewash Device
- 118 • Personal Eyewash Bottles
- 119 • Wall Stations
- 120 • Refills
- 121 • Accessories
- 123 • Reference: Product Features Matrix
- 124 • Full Line SKU Listing



## World Leader in Emergency Eye Care

Since 1950, Honeywell Safety Products and its predecessors have manufactured and distributed leading safety and health products worldwide. Honeywell is the well-respected market leader in portable eyewash stations and is recognized for its wide range of emergency eyewash products including the first 100% sterile sealed-fluid cartridge and 100% sterile delivery station, the first self-contained gravity-fed station, the first heated self-contained gravity-fed station and the first heated sterile eyewash station.

### When Seconds Count, Portable Matters

The need for immediate flushing requires the installation of emergency eyewash devices in accessible locations that require no more than 10 SECONDS to reach. For a strong acid or strong caustic, the eyewash should be immediately adjacent to the hazard. Honeywell self-contained, portable eyewash stations require no plumbing for easy and affordable placement near any workplace hazard, and deliver a sterile or buffered saline solution superior to tap water for emergency eye care. Ordinary tap water, used in plumbed or some tank-type eyewash devices, may contain harmful bacteria or contaminants that can cause additional eye damage. A sterile or buffered saline solution is the most effective flushing fluid for emergency first aid.

**▲ WARNING!** Honeywell equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury including diminution or loss of vision.

FEATURED PRODUCT

## Fendall 2000™ Heated Accessory

Fendall 2000 Heated Accessory is the first of its kind and offers an innovative solution to the challenges presented by workplace environments that are extremely cold or vary due to seasonal weather changes.

Made of sturdy, long-lasting vinyl and tested and approved for use in temperatures as low as -40°, the heated accessory maintains the cartridge solution at a tepid temperature as required by the current ANSI Z358.1 standard.

It's perfect for outdoor worksites during cold weather months and low temperature work areas, such as freezers.

Made in the USA.



### Emergency Eyewash Features Enabled Safety Products RFID Technology

Both the Fendall 2000™ and Fendall Pure Flow 1000® Eyesaline cartridges are now RFID-enabled to simplify inspection, maintenance and inventory control to help support and strengthen workplace safety programs.

## PRIMARY EYEWASH DEVICE: STERILE SEALED FLUID CARTRIDGE

### Fendall 2000™

- Delivers 100% sterile saline from a 100% sterile delivery system
- 24-month cartridge life,\* saves time and money on replacements and inspections
- Built-in alarm system that sounds when the unit has been activated and again when the injured individual has completed the required 15-minute flush
- Deactivation button that allows for fast and easy maintenance without false activation
- Arm/headrest provides user comfort, enabling better compliance
- Integrated waste containment to prevent spills and is easily emptied
- Sleek assembly that fits in most locations
- Self-contained, with no plumbing required, makes this highly portable
- Easy-view side windows to check sterile solution expiration date and key contact information
- Heated Accessory (sold separately) available for use in temperatures as low as -40° while still maintaining the cartridge solution at a tepid temperature as required by the current ANSI Z358.1 standard
- Comes complete with emergency eyewash station sign, mounting bracket, installation DVD, tamper seal, and 1-year warranty. Sterile Eyesaline solution cartridge (sold separately). Cartridge manufactured in USA
- Meets current ANSI Z358.1 15-minute flush requirement for primary eyewash stations



32-002000-0000

SKU	Description
32-002000-0000	Sterile Eyewash Station (Trilingual)
32-ST2050-0000	Sterile Eyesaline Refill Cartridge for Fendall 2000 (Trilingual)
32-002001-0000	Heated Accessory (Trilingual)

\*Shelf life determined by date of manufacture. Always check product expiration date

**Honeywell**

Call Customer Care at 800 430-5490.

## PRIMARY EYEWASH DEVICE: SEALED FLUID CARTRIDGE WITH STERILE OPTION



32-001000-0000



### Fendall Pure Flow 1000®

- Easy installation. No plumbing required. Can be easily and affordably placed near most workplace hazards with single bracket mounting device or transported with optional universal cart or stand
- Factory-sealed fluid cartridges eliminate mixing, measuring, and the opportunity for airborne particles or microorganisms to contaminate the fluid prior to use
- Easy to activate sure-grip handle provides instant, simple activation. When not in use, cover keeps dirt and other debris from collecting in the basin and nozzle area
- Unique nozzle design delivers a soft “ribbon” of our buffered Eyesaline solution
- Permits thorough flushing with a constant flow rate and stream height that provides 0.4 gpm for entire 15-minute cycle required by current ANSI Z358.1
- Captures waste fluid to eliminate spill hazards and simplify fluid disposal
- Integral valve at bottom of unit allows easy draining of reservoir after use
- 24-month cartridge life,\* at least four times longer than other primary self-contained eyewash devices, saves time and money on replacements and inspections. Cartridges (sold separately)
- Cartridges remain sealed until activated. Expiration date is included on activation straps – and cartridge replacement takes less than five minutes
- Meets current ANSI Z358.1 15-minute flush requirement for primary eyewash stations
- Made in the USA

SKU	Description
32-001000-0000	Eyewash Station (English)
32-001000-0022	Eyewash Station (French)
32-001050-0000	Eyesaline Refill Cartridges for Fendall Pure Flow 1000 (Trilingual)
32-ST1050-0000	Sterile Eyesaline Refill Cartridges for Fendall Pure Flow 1000
32-001053-0000	High Humidity Brace for Fendall Pure Flow 1000

\*Shelf life determined by date of manufacture. Always check product expiration date.

## PRIMARY EYEWASH DEVICE: REFILLABLE



32-000200-0000

### Fendall Porta Stream® II + III

- Easy installation with no plumbing required. Can be easily and affordably placed near most workplace hazards with single bracket mounting device or transported with optional universal cart or universal stand. Molded handle accepts hanging bracket for vertical or horizontal surface installation
- Versatile flushing fluid options include Eyesaline Concentrate – a buffered, saline solution superior to tap water for emergency eye care, and Water Additive
- Large 16 gallon (60.5L) capacity permits thorough flushing by providing 0.4 gpm over the entire 15-minute flushing period required by current ANSI Z358.1
- Nozzles cover a wide area around the eyes
- Simple strap design is easily removed for hands-free flushing, leaving hands free to hold eyelids open
- Properly installed, the system may be safely leaned upon during use
- Large fill hole/lockable fill cap to simplify refilling and cleaning. Reduces risk of possible tampering
- Easy-to-use design features simple, highly visible operating instructions on the unit itself
- Honeywell Eyesaline Concentrate requires 6-month maintenance cycle. Water Additive requires a 4-month maintenance cycle
- Meets current ANSI Z358.1 15-minute flush requirement for primary eyewash stations
- Made in the USA

Call Customer Care at 800 430-5490.

**PRIMARY EYEWASH DEVICE: REFILLABLE**

*(Fendall Porta Stream® II + III continued)*

SKU	Description
32-000200-0000	Eyewash Station (English) with Eyesaline Concentrate
32-000200-0020	Eyewash Station (English) with Eyesaline Concentrate (English/ French )
32-000200-0022	Eyewash Station (French) with Eyesaline Concentrate
32-000200-0070	Eyewash Station (Mexican Spanish) with Eyesaline Concentrate
32-000230-0000	Eyewash Station (English) with Water Additive
32-000230-0020	Eyewash Station (English) with Water Additive (English/French)
32-000230-0022	Eyewash Station (French) with Water Additive
32-000230-0070	Eyewash Station (Mexican Spanish) with Water Additive
32-000310-0000	Eyewash Station (freeze protected) with Eyesaline Concentrate



32-000310-0000

**SECONDARY EYEWASH DEVICE: REFILLABLE**

**Fendall Porta Stream® I**

- Delivers 6 minutes of uninterrupted, hands-free flushing — without costly plumbing
- Easy installation with no plumbing required. Can be easily and affordably placed near most workplace hazards with single bracket mounting device or transported with optional universal cart or universal stand. Molded handle accepts hanging bracket for vertical or horizontal surface installation
- Supplied with either 70 oz. (2.07L) of Eyesaline Concentrate which, when mixed with tap water, provides 6 gallons (22.7L) of buffered, Eyesaline solution superior to tap water for emergency eye care solution, or 8 oz. of Water Additive, enough for 14-16 gallons of water
- Nozzle strap is easily removed for hands-free flushing, leaving hands free to hold eyelids open
- Low maintenance with one-piece, molded construction and no moving parts
- Large fill hole simplifies refilling and cleaning
- Easy-to-use design features simple, highly visible operating instructions on the unit itself
- Eyesaline Concentrate requires 6-month maintenance cycle. Water Additive requires a 4-month maintenance cycle
- **DOES NOT MEET** the current ANSI Z358.1 15-minute flushing requirement
- Made in the USA



32-000100-0000

SKU	Description
32-000100-0000	Eyewash Station (English) with Eyesaline Concentrate
32-000100-0020	Eyewash Station (English) with Eyesaline Concentrate (English/ French)
32-000100-0022	Eyewash Station (French) with Eyesaline Concentrate
32-000100-0070	Eyewash Station (Spanish) with Eyesaline Concentrate
32-000130-0000	Eyewash Station (English) with Water Additive
32-000130-0020	Eyewash Station (English) with Water Additive (English/French)
32-000130-0022	Eyewash Station (French) with Water Additive
32-000130-0070	Eyewash Station (Spanish) with Water Additive

**Honeywell**

Call Customer Care at 800 430-5490.

## SECONDARY EYEWASH DEVICE: SEALED FLUID CARTRIDGE



32-000401-0000



32-000400-0000

### Fendall Flash Flood®

- Easy installation with no plumbing required. Can be easily wall mounted for placement near most workplace hazards
- One-gallon sealed cartridges are easy to store and offer quick changes without mixing or measuring
- Dual nozzles provide simultaneous flushing to both eyes for three minutes
- Unique cartridge design delivers Eyesaline solution – a buffered, pH-balanced Eyesaline solution that is superior to tap water for emergency eye care
- Highly portable system may be easily wall mounted
- Nozzle strap is easily removed for hands-free flushing, leaving hands free to hold eyelids open
- Easy-to-use design features simple, highly visible operating instructions
- Eyesaline solution cartridges, once installed, require a 6-month maintenance cycle. Unopened cartridges have a shelf life of up to 24 months\*
- **DOES NOT MEET** the current ANSI Z358.1 15-minute flushing requirement
- Made in the USA

SKU	Description
32-000400-0000	Eyewash Station (English)
32-000400-0022	Eyewash Station (French)
32-000402-0000	Wire Storage Rack for Fendall Flash Flood
32-000401-0000	Eyesaline Refill Cartridges for Fendall Flash Flood
32-000401-0022	Eyesaline Refill Cartridges (French) for Fendall Flash Flood

\*Shelf life determined by date of manufacture. Always check product expiration date.

## PERSONAL EYEWASH BOTTLES



32-000440-0000

### Eyesaline Personal Travel Bag

- Rugged, durable bag securely holds six 1 oz. and six 4 oz. bottles of Eyesaline sterile eyewash
- One-piece case construction with pockets to hold bottles, and a separate insert for important documents or additional first aid necessities
- Adjustable strap allows bag to fit around the back of a car, truck or sport utility vehicle seat for easy transport and convenience
- Bag is made of vinyl material allowing it to remain clean and visible
- Eyesaline bottles proudly made in the USA

SKU	Description
32-000440-0000	Eyesaline Personal Travel Bag (13" x 9" x 4")
32-000440-0020	Eyesaline Personal Travel Bag (French) (13" x 9" x 4")

**Honeywell**

Call Customer Care at 800 430-5490.



**PERSONAL EYEWASH BOTTLES**

**Eyesaline Eyewash Bottles**

- Bottles contain a buffered, saline solution that is sterile and superior to tap water for emergency eye care
- Blow-fill-seal bottles are tamper resistant, yet easily removed in an emergency
- Extended-flow nozzles (16 and 32 oz. containers) provide longer flow than conventional 16 and 32 oz. containers
- User-controlled volume delivery (1, 4, 8 oz. products). Delivers drops or an irrigating stream of solution, depending on the squeeze pressure applied to the bottle
- Ensured quality and lasting value with FDA-grade polyethylene bottles featuring lot numbers and expiration dates
- **DOES NOT MEET** the current ANSI Z358.1 15-minute flushing requirement
- Made in the USA



SKU	Description
32-000455-0000	32 oz. Bottles with Extended Flow Nozzles (Trilingual)
32-000454-0000	16 oz. Bottles with Extended Flow Nozzles (Trilingual)
32-000445-0000	8 oz. Bottles with User-Controlled Delivery – Drops or Stream (Trilingual)
32-000452-0000	4 oz. Bottles with User-Controlled Delivery – Drops or Stream (Trilingual)
32-000451-0000	1 oz. Bottles with User-Controlled Delivery – Drops or Stream (English)
32-000451-0020	1 oz. Bottles with User-Controlled Delivery – Drops or Stream (French)
32-000456-0000	1/2 oz. Bottles with User-Controlled Delivery – Drops or Stream (English)
32-000456-0020	1/2 oz. Bottle with User-Controlled Delivery – Drops or Stream (French)

*\*Shelf life determined by date of manufacture. Always check product expiration date.*

**WALL STATIONS**

**Eyesaline Wall Stations**

- Sealed, sterile, bottles contain Eyesaline – a buffered, saline solution superior to tap water for emergency eye care
- Blow-fill-seal bottles are tamper resistant, yet easily removed in an emergency
- Extended flow opening provides longer flow rate than conventional bottles
- Durable, open face design holds bottles firmly in place with easy access to bottles in an emergency
- Mounts to wall with provided screws
- Durable plastic is easy to clean
- Simple, highly visible operating instructions are provided on each unit. 16 oz. and 32 oz. bottles feature trilingual instructions
- Ensured quality and lasting value with FDA-grade polyethylene bottles featuring lot numbers and expiration dates
- **DOES NOT MEET** the current ANSI Z358.1 15-minute flushing requirement
- Made in the USA



32-000460-0000



32-000462-0000

SKU	Description
32-000460-0000	16 oz. Single Eyewash Wall Station (Trilingual)
32-000461-0000	32 oz. Single Eyewash Wall Station (Trilingual)
32-000462-0000	32 oz. Double Eyewash Wall Station (Trilingual)
32-000465-0000	16 oz. Double Eyewash Wall Station (Trilingual)
32-000489-0000	Single Eyewash Wall Station (Trilingual, bottles not included)
32-000490-0000	Double Eyewash Wall Station (Trilingual, bottles not included)

*\*Shelf life determined by date of manufacture. Always check product expiration date.*

Call Customer Care at 800 430-5490.

## REFILLS



32-ST2050-0000

### Sterile Eyesaline Cartridge for Fendall 2000™

- Up to 24 month\* cartridge life
- 6.87 gallons (26L) total
- Sterile, buffered, pH balanced, Eyesaline solution
- Cartridge change takes less than 5 minutes

SKU	Description
32-ST2050-0000	Sterile Eyesaline Refill Cartridge for Fendall 2000 (Trilingual)

\*Shelf life determined by date of manufacture. Always check product expiration date.



32-ST1050-0000

### Sterile Eyesaline Cartridges for Fendall Pure Flow 1000®

- Up to 24 month\* cartridge life
- 3.5 gallon (13.2L) each, 7 gallon (26.4L) total
- Sterile, buffered, pH balanced, Eyesaline solution
- Cartridge change takes less than 5 minutes

SKU	Description
32-ST1050-0000	Sterile Eyesaline Refill Cartridges for Fendall Pure Flow 1000 (Trilingual)

\*Shelf life determined by date of manufacture. Always check product expiration date.



32-001050-0000

### Eyesaline Cartridges for Fendall Pure Flow 1000®

- Up to 24 month\* cartridge life
- 3.5 gallon (13.2L) each, 7 gallon (26.4L) total
- Preserved, buffered, pH balanced, Eyesaline solution
- Cartridge change takes less than 5 minutes

SKU	Description
32-001050-0000	Eyesaline Refill Cartridges for Fendall Pure Flow 1000 (Trilingual)

\*Shelf life determined by date of manufacture. Always check product expiration date.



32-001053-0000

### High Humidity Brace for Fendall Pure Flow 1000® Cartridges

- Designed for units located in high heat or humidity moisture levels of 80% and higher

SKU	Description
32-001053-0000	High Humidity Brace for Fendall Pure Flow 1000 (Trilingual)

\*Shelf life determined by date of manufacture. Always check product expiration date.



32-000401-0000

### Fendall Flash Flood® Cartridge

- Up to 24 month\* unopened cartridge shelf life (6 months activated)
- Preserved, buffered, pH balanced, Eyesaline solution
- Cartridge change takes less than 1 minute

SKU	Description
32-000401-0000	Eyesaline Refill Cartridges for Fendall Flash Flood (English)
32-000401-0022	Eyesaline Refill Cartridges for Fendall Flash Flood (French)

\*Shelf life determined by date of manufacture. Always check product expiration date.

Call Customer Care at 800 430-5490.

**REFILLS**

**Eyesaline Solution**

- Use directly from container (1 gal, 3.8L) to refill the eyewash device. No mixing or measuring required
- Preserved, buffered, pH balanced, Eyesaline solution

SKU	Description
32-000502-0000	Eyesaline Solution (Premixed) for Use with Fendall Porta Stream I, II, III (English/Spanish)
32-000502-0020	Eyesaline Solution (Premixed) for use with Fendall Porta Stream I, II, III (English / French)

\*Shelf life determined by date of manufacture. Always check product expiration date.



32-000502-0000

**Eyesaline Concentrate**

- Mix with clean, potable water (10:1 ratio)
- Creates a preserved, buffered, Eyesaline solution

SKU	Description
32-000513-0000	Eyesaline Concentrate for Use with Fendall Porta Stream II, III (English/Spanish)
32-000513-0020	Eyesaline Concentrate for Use with Fendall Porta Stream II, III (English/French)
32-000509-0000	Eyesaline Concentrate for Use with Fendall Porta Stream I (English/Spanish)
32-000509-0020	Eyesaline Concentrate for Use with Fendall Porta Stream I (English/French)

\*Shelf life determined by date of manufacture. Always check product expiration date.



32-000513-0000

**Water Additive**

- Mix with clean potable water
- One bottle (8 oz.) suitable for 14-16 gallons
- 30-month\* shelf life (unopened)
- Sold in cases of four with tamper evident seals

SKU	Description
32-001100-0000	Water Additive for Use with All Portable Devices (English/Spanish)
32-001100-0022	Water Additive for Use with All Portable Devices (English/French)

\*Shelf life determined by date of manufacture. Always check product expiration date.



32-001100-0000

**ACCESSORIES**

**Dust Covers**

- Protects eyewash basin from dirt, dust and debris
- Attaches to the eyewash activation handle or pull strap
- Cover and activation handle or pull strap are detached in one motion

SKU	Description
32-002015-0000	Fendall 2000 Dust Cover
32-001015-0000	Fendall Pure Flow 1000 Dust Cover
32-000517-0000	Dust Cover for Fendall Porta Stream I, II

**Reflective Cover**

- Protective cover helps maintain fluid temperature
- Use in environments of high solar energy
- Flap and pull strap are removed in one motion

SKU	Description
32-000532-0000	Reflective Cover for Use with Fendall Porta Stream II



32-002015-0000



32-000532-0000

Call Customer Care at 800 430-5490.

## ACCESSORIES



32-000511-0000

### Honeywell Fluid Disposal Cart

- Allows easy collection of used flushing fluid
- Concave top surface with center drain
- Dual wheels, molded handle for easy portability

SKU	Description
32-000511-0000	Disposal Cart for Use with Fendall Porta Stream I, II, III, and Fendall Flash Flood

32-000518-0000



### Honeywell Universal Eyewash Cleaning Kit

- For use with all tank-type, eyewash stations
- Allows thorough eyewash device cleaning
- Clean prior to refilling, to remove contamination
- Helps remove contaminants from tank interior

SKU	Description
32-000518-0000	Cleaning Kit for Use with All Tank-Type Eyewash Stations



32-001061-0000

### Honeywell Waste Container

- 28 gallon waste container fits securely on cart
- Not required for Fendall Pure Flow 1000® or Fendall 2000™

SKU	Description
32-001061-0000	Waste Container for Use with Universal Cart #32-001060-000

32-000435-0000



### Honeywell Universal Bottle Mounting Device

- Expandable strap with magnetic backing holds various personal eyewash bottle sizes up to 32 oz.
- Can be mounted for permanent placement
- Easy installation, takes less than one minute
- Fits all Honeywell® personal eyewash bottles as well as most competitor bottles
- 4 per case – sold in cases only

SKU	Description
32-000435-0000	Universal Bottle Mounting Device



32-001065-0000

### Honeywell Universal Eyewash Stand

- Inexpensive alternative to wall mounting
- Versatile stand can be mounted to a floor or be used as free standing
- Compact and easy to assemble (assembly time is 5 minutes or less)
- All assembly parts are included
- Lightweight, sturdy steel tubing design (25 lbs)

SKU	Description
32-001065-0000	Eyewash Stand for Use with Fendall 2000, Fendall Pure Flow 1000, and Fendall Porta Stream I, II and III

32-001060-0000



### Honeywell Universal Eyewash Cart

- Provides quick, easy portability for self-contained, gravity-fed emergency eyewash devices
- Reliable, dual wheel design ensures durability and mobility

SKU	Description
32-001060-0000	Eyewash Cart for Use with All Portable Devices

**Honeywell**

Call Customer Care at 800 430-5490.

**ACCESSORIES**

**Honeywell Wire Storage Rack**

- Wire rack holds four 1-gallon cartridges
- Allows multiple Eyesaline cartridges to be stored in immediate vicinity of Fendall Flash Flood



32-000402-0000

SKU	Description
32-000402-0000	Wire Rack for Use with Fendall Flash Flood

**REFERENCE: PRODUCT FEATURES MATRIX**

SKU	Description	Primary Device	Secondary Device	Personal Device	Portable	Sealed-Fluid Cartridge	Sterile Saline Solution	Buffered Saline Solution	Saline Concentrate	Water Additive	Refillable	Heated/Freeze Protected	Meets ANSI 15-Min. Requirement	SEI Certified
32-002000-0000	Fendall 2000 Sterile Eyewash Station (English)	•			•	•							•	•
32-002001-0000	Fendall 2000 Heated Accessory											•		
32-ST2050-0000	Sterile Saline Refill Cartridge for Fendall 2000					•	•							
32-001000-0000	Fendall Pure Flow 1000 Eyewash Station (English)	•			•	•							•	•
32-001000-0022	Fendall Pure Flow 1000 Eyewash Station (French Canadian)	•			•	•							•	•
32-001050-0000	Saline Refill Cartridge for Fendall Pure Flow 1000					•		•						
32-ST1050-0000	Sterile Saline Refill Cartridge for Fendall Pure Flow 1000					•	•							
32-000200-0000	Fendall Porta Stream II Eyewash Station (English) with Saline Concentrate	•			•				•		•		•	•
32-000200-0022	Fendall Porta Stream II Eyewash Station (French Canadian) with Saline Concentrate	•			•				•		•		•	•
32-000200-0070	Fendall Porta Stream II Eyewash Station (Mexican Spanish) with Saline Concentrate	•			•				•		•		•	•
32-000230-0000	Fendall Porta Stream II Eyewash Station (English) with Water Additive	•			•					•	•		•	•
32-000230-0022	Fendall Porta Stream II Eyewash Station (French Canadian) with Water Additive	•			•					•	•		•	•
32-000230-0070	Fendall Porta Stream II Eyewash Station (Mexican Spanish) with Water Additive	•			•					•	•		•	•
32-000310-0000	Fendall Porta Stream III Eyewash Stn. (Freeze Protected) with Saline Concentrate	•			•				•		•	•	•	•
32-000100-0000	Fendall Porta Stream I Eyewash Station (English) with Saline Concentrate		•		•				•		•			
32-000100-0022	Fendall Porta Stream I Eyewash Station (French) with Saline Concentrate		•		•				•		•			
32-000100-0070	Fendall Porta Stream I Eyewash Station (Spanish) with Saline Concentrate		•		•				•		•			
32-000130-0000	Fendall Porta Stream I Eyewash Station (English) with Water Additive		•		•					•	•			
32-000400-0000	Fendall Flash Flood Eyewash Station (English)		•		•			•			•			
32-000400-0022	Fendall Flash Flood Eyewash Station (French Canadian)		•		•			•			•			
32-000401-0000	Saline Refill Cartridges for Fendall Flash Flood							•						
32-000440-0000	Saline Bottle Personal Carry Bag			•	•		•							
32-000455-0000	32 Oz. Bottles with Extended Flow Nozzles			•	•		•							
32-000454-0000	16 Oz. Bottles with Extended Flow Nozzles			•	•		•							
32-000445-0000	8 Oz. Bottles with User-Controlled Delivery – Drops or Stream			•	•		•							
32-000452-0000	4 Oz. Bottles with User-Controlled Delivery – Drops or Stream			•	•		•							
32-000451-0000	1 Oz. Bottles with User-Controlled Delivery – Drops or Stream			•	•		•							
32-000456-0000	1/2 oz. Bottles with User-Controlled Delivery -- Drops or Stream			•	•		•							
32-000460-0000	16 Oz. Single Eyewash Wall Station			•			•							
32-000461-0000	32 Oz. Single Eyewash Wall Station			•			•							
32-000462-0000	32 Oz. Double Eyewash Wall Station			•			•							
32-000465-0000	16 Oz. Double Eyewash Wall Station			•			•							
32-000502-0000	Saline Solution (Premixed) for Use with Fendall Porta Stream I, II, III							•						
32-000513-0000	Saline Concentrate for Use with Fendall Porta Stream II, III								•					
32-000509-0000	Saline Concentrate for Use with Fendall Porta Stream I								•					
32-001100-0000	Water Additive for Use with all Portable Devices									•				

Call Customer Care at 800 430-5490.

## HONEYWELL SKU LISTING

### PRIMARY EYEWASH DEVICE

#### Fendall 2000™

Item #	Description
32-002000-0000	Sterile Eyewash Station (Trilingual)
32-ST2050-0000	Sterile Eyesaline Refill Cartridge for Fendall 2000 (Trilingual)
32-002001-0000	Heated Accessory (Trilingual)

#### Fendall Pure Flow 1000®

Item #	Description
32-001000-0000	Eyewash Station (English)
32-001000-0022	Eyewash Station (French)
32-001050-0000	Eyesaline Refill Cartridges for Fendall Pure Flow 1000 (Trilingual)
32-ST1050-0000	Sterile Eyesaline Refill Cartridges for Fendall Pure Flow 1000
32-001053-0000	High Humidity Brace for Fendall Pure Flow 1000

### SECONDARY EYEWASH DEVICE

#### Fendall Porta Stream® II + III

Item #	Description
32-000200-0000	Eyewash Station (English) with Eyesaline Concentrate
32-000200-0020	Eyewash Station (English) with Eyesaline Concentrate (English/French)
32-000200-0022	Eyewash Station (French) with Eyesaline Concentrate
32-000200-0070	Eyewash Station (Mexican Spanish) with Eyesaline Concentrate
32-000230-0000	Eyewash Station (English) with Water Additive
32-000230-0020	Eyewash Station (English) with Water Additive (English/French)
32-000230-0022	Eyewash Station (French) with Water Additive
32-000230-0070	Eyewash Station (Mexican Spanish) with Water Additive
32-000310-0000	Eyewash Station (freeze protected) with Eyesaline Concentrate

#### Fendall Porta Stream® I

Item #	Description
32-000100-0000	Eyewash Station (English) with Eyesaline Concentrate
32-000100-0020	Eyewash Station (English) with Honeywell Eyesaline Concentrate (English/French)
32-000100-0022	Eyewash Station (French) with Eyesaline Concentrate
32-000100-0070	Eyewash Station (Spanish) with Eyesaline Concentrate
32-000130-0000	Eyewash Station (English) with Water Additive
32-000130-0020	Eyewash Station (English) with Water Additive (English/French)
32-000130-0022	Eyewash Station (French) with Water Additive
32-000130-0070	Eyewash Station (Spanish) with Water Additive

#### Fendall Flash Flood®

Item #	Description
32-000400-0000	Eyewash Station (English)
32-000400-0022	Eyewash Station (French)
32-000402-0000	Wire Storage Rack for Fendall Flash Flood
32-000401-0000	Eyesaline Refill Cartridges for Fendall Flash Flood
32-000401-0022	Eyesaline Refill Cartridges (French) for Fendall Flash Flood

\*Shelf life determined by date of manufacture. Always check product expiration date

### PERSONAL EYEWASH BOTTLES

#### Eyesaline Personal Travel Bag

Item #	Description
32-000440-0000	Eyesaline Personal Travel Bag (13" x9" x4")
32-000440-0020	Eyesaline Personal Travel Bag (French) (13" x 9" x 4")

#### Eyesaline Eyewash Bottles

Item #	Description
32-000455-0000	32 oz. Bottles with Extended Flow Nozzles (Trilingual)
32-000454-0000	16 oz. Bottles with Extended Flow Nozzles (Trilingual)
32-000445-0000	8 oz. Bottles with User-Controlled Delivery – Drops or Stream (Trilingual)
32-000452-0000	4 oz. Bottles with User-Controlled Delivery – Drops or Stream (Trilingual)
32-000451-0000	1 oz. Bottles with User-Controlled Delivery – Drops or Stream (English)
32-000451-0020	1 oz Bottles (French) with User Controlled Delivery – Drops or Stream
32-000456-0000	1/2 oz Bottles (English) with User Controlled Delivery – Drops or Stream
32-000456-0020	1/2 oz Bottles (French) with User Controlled Delivery – Drops or Stream

### WALL STATIONS

#### Eyesaline Wall Stations

Item #	Description
32-000460-0000	16 oz. Single Eyewash Wall Station (Trilingual)
32-000461-0000	32 oz. Single Eyewash Wall Station (Trilingual)
32-000462-0000	32 oz. Double Eyewash Wall Station (Trilingual)
32-000465-0000	16 oz. Double Eyewash Wall Station (Trilingual)
32-000489-0000	Single wall Station (Trilingual, bottles not included)
32-000490-0000	Double wall Station (Trilingual, bottles not included)

### REFILLS

#### Sterile Eyesaline Cartridge for Fendall 2000™

Item #	Description
32-ST2050-0000	Sterile Eyesaline Refill Cartridge for Fendall 2000 (Trilingual)

#### Sterile Eyesaline Cartridges for Fendall Pure Flow 1000®

Item #	Description
32-ST1050-0000	Sterile Eyesaline Refill Cartridges for Fendall Pure Flow 1000 (Trilingual)

#### Eyesaline Cartridges for Fendall Pure Flow 1000®

Item #	Description
32-001050-0000	Eyesaline Refill Cartridges for Fendall Pure Flow 1000 (Trilingual)

Call Customer Care at 800 430-5490.

**HONEYWELL SKU LISTING**

**High Humidity Brace for Fendall Pure Flow 1000® Cartridges**

Item #	Description
32-001053-0000	High Humidity Brace for Fendall Pure Flow 1000 (Trilingual)

**Fendall Flash Flood® Cartridge**

Item #	Description
32-000401-0000	Eyesaline Refill Cartridges for Fendall Flash Flood (English)
32-000401-0022	Eyesaline Refill Cartridges for Fendall Flash Flood (French)

**Eyesaline Solution**

Item #	Description
32-000502-0000	Eyesaline Solution (Premixed) for use with Fendall Porta Stream I, II, III (English/Spanish)
32-000502-0020	Eyesaline Solution (Premixed) for use with Fendall Porta Stream I, II, III (English/French)

**Eyesaline Concentrate**

Item #	Description
32-000513-0000	Eyesaline Concentrate for use with Fendall Porta Stream II, III (English/Spanish)
32-000513-0020	Eyesaline Concentrate for use with Fendall Porta Stream II, III (English/French)
32-000509-0000	Eyesaline Concentrate for use with Fendall Porta Stream I (English/Spanish)
32-000509-0020	Eyesaline Concentrate for use with Fendall Porta Stream I (English/French)

**Honeywell Water Additive**

Item #	Description
32-001100-0000	Water Additive for use with All Portable Devices (English/Spanish)
32-001100-0022	Water Additive for use with All Portable Devices (English/French)

**ACCESSORIES**

**Dust Covers**

Item #	Description
32-002015-0000	Fendall 2000 Dust Cover
32-001015-0000	Fendall Pure Flow 1000 Dust Cover
32-000517-0000	Dust Cover for Fendall Porta Stream I, II

**Reflective Cover**

Item #	Description
32-000532-0000	Reflective Cover for use with Fendall Porta Stream II

**Honeywell Fluid Disposal Cart**

Item #	Description
32-000511-0000	Disposal Cart for use with Fendall Porta Stream I, II, III, and Fendall Flash Flood

**Honeywell Universal Eyewash Cleaning Kit**

Item #	Description
32-000518-0000	Cleaning Kit for use with All Tank-Type Eyewash Stations

**Honeywell Waste Container**

Item #	Description
32-001061-0000	Waste Container for use with Universal Cart #32-001060-000

**Honeywell Universal Bottle Mounting Device**

Item #	Description
32-000435-0000	Universal Bottle Mounting Device

**Honeywell Universal Eyewash Stand**

Item #	Description
32-001065-0000	Eyewash stand for use with Fendall 2000, Fendall Pure Flow 1000, and Fendall Porta Stream I, II and III

**Honeywell Universal Eyewash Cart**

Item #	Description
32-001060-0000	Eyewash Cart for use with All Portable Devices

**Honeywell Wire Storage Rack**

Item #	Description
32-000402-0000	Wire Rack for use with Fendall Flash Flood

Call Customer Care at 800 430-5490.

## WHAT'S INSIDE

# Honeywell

- 127 • Spectacles
- 128 • Over-the-Glass (OTG)
- 129 • Goggles
- 130 • Polymer & Glass Windows
- 130 • Laser-Gard Barrier System
- 131 • LAZAN Software
- 131 • Specialty Filters and Custom Solutions
- 132 • Reference: How to Choose Protective Laser Eyewear
- 133 • Reference: Most Popular Laser Filters



## Superior Laser Protection

Since 1968, we have been the worldwide leader providing the laser industry with laser protective eyewear, patient eye shield products and specialty filters for every industry where lasers are used.

Our chemists and optical engineers design every laser protective filter not only to meet or exceed current US and European standards, but also to provide an advanced level of protection in every product.

We manufacture our products in the USA in an ISO 9001-certified facility in Smithfield, Rhode Island and have a sales office in Mainz, Germany. Through our international team of Certified Laser and Medical Safety Officers with nearly 90 years of combined experience in the laser field, we at Honeywell are uniquely qualified to help you address your light management needs.

Providing safety products and solutions for your light management needs.

**EYEWEAR • BARRIERS • WINDOWS • SPECIALTY PRODUCTS**

*For more information on these and other products, visit our website at [www.honeywellsafety.com/americas/laser](http://www.honeywellsafety.com/americas/laser).*

**⚠ WARNING!** Honeywell Laser products should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury including diminution or loss of vision.



**SPECTACLES**

When selecting a suitable frame style, consider requirements for adjustability, comfort, the need to wear prescription frames, etc. The style you select will have a great impact on the weight distribution and comfort, as well as ensuring that you look and feel good.

**Laser Eyewear**

**Honeywell New York™ Series**

- High level protection and style, by adding stylish anodized metal pieces as accents in strategic locations
- High quality OBE brand spring hinges provide the ultimate in comfort and durability
- Temples can be conformed for an improved face-form fit
- Lifetime warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1, CE EN207
- Filter Technology: Glass, Crystal Clarity



**Honeywell Milan™ Series**

- Adjustable nose bridge to fit a majority of facial profiles
- Spring hinges provide the ultimate in comfort
- Flexible, multi-material temples allow you to personalize the fit
- Lifetime warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1, CE EN207, CE EN208
- Filter Technology: Polymer, HT; Coatings on Lens: Anti-Fog, Anti-Scratch



**Honeywell XC®**

- Soft elastomeric brow guard and flexible “nose bridge fingers” cushion every point of contact with the face
- Adjustable temple length and inclination
- Wrap-around lens for uninterrupted peripheral vision and superior coverage
- Detachable prescription insert available upon request: fits up to 6 diopters
- Lifetime warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1, CE EN207, CE EN208
- Filter Technology: Polymer, HT; Coatings on Lens: Anti-Fog, Anti-Scratch



**Honeywell LGM Series**

- Contemporary style combined with wrap-around protection
- Superior optics provide a large protective area with unrestricted wide angle viewing
- Limited 2-year warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1, CE EN207
- Filter Technology: Polymer; Coatings on Lens: Anti-Scratch
- Limited filter availability



Patent-pending, High Transmission (HT) polymer filters help maximize productivity by providing excellent overall vision. These filters incorporate a patented notch dye technology that maximizes visible light transmission by limiting the wavelength band covered while providing the required protection level for your application.

**Filter Technology:  
HT™ Polymer**

Call Customer Care at 800 500-4739.

## OVER-THE-GLASS (OTG)

### Filter Technology: Glass

Glass Filters can absorb higher heat densities than Polymer filters, thus they can offer higher protection levels. These mineral glass filters have properties that protect against a specific laser by absorbing the light passing through the filter, hence providing maximum visibility and protection. These filters are by nature heavier than polymer filters.



### Honeywell Rio

- Metal accents: ensure high level of protection and user acceptance
- Detachable nose and flexible nose bridge: customize fit to multiple facial profiles
- Wire core temples: adjustable to your individual preferences
- Fits over a majority of prescription eyewear
- Lifetime warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1, CE EN207
- Filter Technology: Polymer, HT, Glass, Crystal Clarity; Coatings on Polymer Lens: Anti-Scratch



### Honeywell LGF Series

- Offers a large protective area with unrestricted wide-angle viewing
- Fits over many prescription frames
- Adjustable temples
- Lifetime warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1, CE EN207, CE EN208
- Filter Technology: Polymer, HT; Coatings on Lens: Anti-Scratch



### Honeywell Encore™ Series

- Comfortable to wear over long periods of time, flexible temples
- Fits over a majority of prescription eyewear
- Available in 2 sizes, Encore Large (Polymer Filter) and Encore Small (Glass and Crystal Clarity™ Filter)
- Lifetime warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1, ANSI Z87.1, CE EN207, CE EN208
- Filter Technology: Polymer, HT, Glass, Crystal Clarity; Coatings on Polymer Lens: Anti-Scratch



### Honeywell LOTG Series

- Fits comfortably over many different prescription eyewear styles due to its larger size
- Ratcheting hinge and temple length adjustments
- Duoflex® comfort-cushion temples
- Limited 2-year warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1, CE EN207
- Filter Technology: Polymer; Coatings on Lens: Anti-Scratch

### Filter Technology: Crystal Clarity™

Crystal Clarity technology protects against a laser light by reflecting it. These dielectrically-coated filters provide protection over a 30-degree angle of incidence in accordance with domestic and international laser eyewear standards.

Call Customer Care at 800 500-4739.

Polymer filters are designed to maximize visibility while providing unsurpassed attenuation by narrowing the absorption band to the specific laser wavelengths. These feather-weight, impact-resistant, polymer lenses are available for all of today's lasers. Custom designs are available upon request.

**Filter Technology:  
Polymer**

### Honeywell Flex Seal® Goggle

- Indirect ventilation system that enhances comfort and minimizes fogging
- Fits comfortably over prescription eyewear
- Silicon flange and adjustable headband provides a secure fit
- Lifetime warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1, CE EN207
- Filter Technology: Polymer, HT; Coatings on Lens: Anti-Fog, Anti-Scratch



### Honeywell LS6 Goggle

- Designed for high protection
- Fits comfortably over prescription eyewear
- Removable pads for personalized fit and hygiene
- Anti-fog design provides a free flow of air from bottom to top ensuring a cool, comfortable fit
- Lifetime warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1, CE EN207
- Filter Technology: Glass




Each Honeywell Laser Eyewear includes cleaning cloth or a microfiber cloth bag (which doubles as a cleaning cloth), a hard-case for storage and a safety hang cord to carry the eyewear around your neck. The LOTG and LGM eyewear do not include the hard-case.

**Honeywell**

Call Customer Care at 800 500-4739.

## POLYMER AND GLASS WINDOWS



### Polymer and Glass Windows

- Range of polymer and glass windows for today's most common wavelengths
- Typical polymer window sizes: 2' x 3' (60cm x 90cm) or 3' x 4' (90cm x 120cm)
- Available for Nd:YAG (high transmission), YAG/CO<sub>2</sub>, YAG/KTP, Argon/KTP, Excimer/CO<sub>2</sub>
- May be used as windows in the housing around laser machines, screens for laser workplaces or display panels
- Meets standards: ANSI Z136.1. Select polymer/glass windows are certified to EN 12254 and/or EN 207
- Custom wavelengths and sizes available upon request

## LASER-GARD® BARRIER SYSTEM



### Laser-Gard Barrier System

The patent-pending Laser-Gard Barrier System offers a unique, customizable way to securely enclose a laser set-up on an optical table, thereby enhancing experimental conditions while safeguarding personnel from exposure to laser radiation.

- Significantly reduces direct and indirect laser hazard exposure
- Cable access around the entire perimeter of the optical table
- Unique adjustable panel
- Reduces interference from air turbulence, ambient light and dust
- Flexible, modular design
- Locking mechanism for each panel
- Provides cost-effective solution versus traditional curtains



**Honeywell**

Call Customer Care at 800 500-4739.

**LAZAN SOFTWARE**

**LAZAN Software**

- Free web-based software program developed exclusively for authorized Honeywell distributors
- Aids in the laser eyewear selection process
- Step-by-step program prompts for essential parameters
- Calculates required optical density (OD) or EN 207 protection level
- Suggests appropriate Honeywell Laser Eyewear for the application
- Fine tune your results based on frame style, Visible Light Transmission (VLT), and filter technology
- To learn more, visit [www.honeywellsafety.com/americas/laser](http://www.honeywellsafety.com/americas/laser)



**SPECIALTY FILTERS AND CUSTOM SOLUTIONS**

**Specialty Filters and Custom Solutions**

- In any application where you need to control the light, our specialty filters offer virtually unlimited potential
- Laser absorbers can be processed in various polymers to meet special design needs
- Our chemists and engineers work as consultants for you to develop the dye that accommodates your application
- From research and development through testing, design, molding and manufacturing, Honeywell offers the services and expertise you need for a finished product

**Some Examples of Special Filters We Have Developed:**

- To improve the response of automatic light control systems in vehicles
- For manufacturing processes and the pharmaceutical industry
- Avionics filters for military night vision goggles to suppress infrared light from cockpit and displays



**Honeywell**

Call Customer Care at 800 500-4739.

## REFERENCE: HOW TO CHOOSE PROTECTIVE LASER EYEWEAR

### If You KNOW the Eyewear Specifications

<b>1</b>	Define specifications for eyewear – wavelength and OD or EN 207/EN 208 protection level.
<b>2</b>	Select a filter according to the required protection. Consider the following factors: <ul style="list-style-type: none"><li>• Weight – a lightweight product will generally be more comfortable to wear. Polymer filters are much lighter than glass filters.</li><li>• Select the highest possible VLT (Visible Light Transmission). The higher the VLT, the better you will be able to see.</li><li>• Do you need protection for multiple wavelengths?</li><li>• Do you need to see specific colors such as warning lights, colored wires, etc? Assess what impact the filter color and VLT may have on your ability to perform tasks while wearing the eyewear.</li><li>• Does the eyewear filter have anti-scratch and anti-fog capabilities?</li></ul>
<b>3</b>	Select a frame style. Frame style selection is critical and the following factors must be taken into account: <ul style="list-style-type: none"><li>• Design: This is critical for all-day comfort, because it determines whether the weight of the product is evenly distributed, thereby avoiding unnecessary pressure on the nose bridge or temple area.</li><li>• Adjustments: Multiple frame adjustments will ensure an optimal, individual fit.</li><li>• Does the eyewear need to fit over prescription glasses? Consider the Honeywell XC® with an Rx insert.</li><li>• Do you wear the eyewear for long periods of time?</li><li>• Does the eyewear provide good peripheral vision and side protection?</li></ul>
<b>4</b>	Provide the filter number and frame style to your representative or distributor.

### If You DO NOT know the Eyewear Specifications

Refer to your laser device manufacturer for the specifications or look at the identifying labels on your laser device. The specifications required to process the request are:

1. Laser type (ex. CO<sub>2</sub>, Nd:YAG, HeNe, etc.)
2. Wavelength in nanometers (nm)
3. Mode of operation – Continuous Wave, Pulsed Laser, Q-Switched Laser, etc.
4. Is there an alignment wavelength for the Laser?
5. In case of CW Lasers, Power (W or mW)
6. In case of Pulsed Lasers, Energy (J or mJ), Pulse length (seconds), Pulse frequency (Hz)
7. Specific requirements for your application
8. Frame style desired



REFERENCE: MOST POPULAR LASER FILTERS

Listed in increasing order of wavelength – from UV to IR. This list is indicative of the variety of filters we manufacture, but is not exhaustive. We are continuously developing new filters and making improvements to our current filters. Please visit our website at [www.honeywellsafety.com/americas/laser](http://www.honeywellsafety.com/americas/laser) for the latest list of filters.

	Wavelength (in nm)	Laser Type	Filter #	VLT	Color	Filter Technology	CE	
UV	200-380	Excimer	113	70%	Pink	Polymer	CE	
	190-532	UV, Argon, 532nm	13	42%	Orange	Glass	—	
Visible	488	Alignment: 488nm	150	72%	Yellow	Polymer	—	
	488-514	Alignment: Argon	154	70%	Amber	Polymer	—	
	532	Alignment: 532nm	151	65%	Amber	Polymer	CE	
	200-532	Argon / KTP	103	50%	Orange	Polymer	CE	
	488-676	Alignment: Argon / Krypton	156	22%	Light Blue-Green	Polymer	—	
	580-590	585nm Ophthalmic	130	25%	Pink	Polymer	—	
	567-582	Yellow Diode	147	27%	Blue	Polymer	—	
	582-589	Dye	10	35%	Violet	Glass	—	
	591-597	Dye laser	124	25%	Light Blue	Polymer	CE	
	614-666	Red Diode	118	21%	Light Blue	Polymer	—	
	532 & 660	Green & Red Diodes	144	18%	Green	Polymer	—	
	610-695	PDT	116	18%	Blue	Polymer	CE	
	630-650	Alignment: HeNe	152	40%	Light Blue	Polymer	—	
	670	Alignment: 670nm Diode	153	62%	Light Blue	Polymer	—	
	625-680	Alignment: Red Diodes	135	52%	Aqua	Polymer	CE	
	625-800	Low level lasers	117	10%	Red	Polymer	—	
	681-789	Ruby Plus	115	16%	Violet	Polymer	CE	
	655-905	Low level lasers	160	28%	Green	Polymer	CE	
	600-1064	Low level lasers	128	12%	Blue	Polymer	CE	
	705-810	Alexandrite	106	35%	Dark Pink	Polymer	CE	
	745-765	Alexandrite	129	60%	Yellow-Green	Polymer	CE	
	755-855	Alexandrite, Diode lasers	104	45%	Light Magenta	Polymer	CE	
	755-855	Femtosecond Diode	300	45%	Light Magenta	Polymer	CE	
	750-860	Alexandrite, Diode lasers	119	24%	Magenta	Polymer	—	
	IR	800-830	Diode 800nm, HT Filter	121	72%	Light Yellow-Green	Polymer HT	CE
		800-830 & 2700-3000	Diode 800nm, Erbium, HT Filter	131	72%	Yellow	Polymer HT	CE
		755-3000	Alexandrite, Diode, YAG, Ho, Er	40	72%	Light Gray	Crystal Clarity	CE
		755 & 800-1064	Alexandrite, Diode & YAG	132	37%	Green	Polymer	CE
800-1800		Telecom, Diode	107	16%	Green	Polymer	CE	
910-1500		YAG, Ho, Er, CO <sub>2</sub>	16	70%	Light Gray	Glass	CE	
980-1700		Telecom, Diode	94	80%	Light Gray	Glass	—	
810-1080		YAG, Diodes, HT Filter	137	55%	Lime	Polymer HT	CE	
925-1064		YAG, Diodes	42	80%	Clear	Crystal Clarity	CE	
1064-2940		YAG, Ho, Er	96	75%	Light Gray	Glass	CE	
800-1070		YAG, CO <sub>2</sub>	101	52%	Yellow-Green	Polymer	CE	
755-1064		GaAs, Ti, YAG, CO <sub>2</sub>	108	32%	Green	Polymer	CE	
800-1064 & 630-650		YAG, HeNe	157	37%		Polymer	—	
980-2100		YAG, Ho, Er	95	75%	Light Gray	Glass	—	
750-1350		Alexandrite, Ti, YAG, CO <sub>2</sub>	70	50%	Aqua	Glass	CE	
694-1320		Ruby, Alexandrite, YAG, CO <sub>2</sub>	45	36%	Green	Glass	—	
Broadband		980-10600	High powered Nd:YAG lasers	06	72%	Light Gray	Glass	—
		1050-1064	YAG & Harmonics	33	40%	Orange	Glass	—
	532 & 1050-164	Alignment: 532nm, YAG/Harmonics	55	32%	Orange	Glass	—	
	200-532, 800-1070	YAG & Harmonics, OD 7	102	40%	Light Brown	Polymer	CE	
	200-532, 850-1070	YAG & Harmonics, Alignment: 532nm	155	40%	Amber	Polymer	CE	
	532 & 1064	YAG & Double Harmonic	200	50%	Clear	Crystal Clarity	CE	
	200-532, 735-810, 1064	YAG, Alex, Diode, KTP	159	20%	Brown	Polymer	—	
	750-1050	Broadband	29	9%	Brown/Orange	Glass	—	
	200-532, 700-1064	Argon, Ti, Diodes, YAG, CO <sub>2</sub>	111	14%	Brown	Polymer	CE	
	200-532, 770-1070	Diode 800nm, YAG, Alignment: 532nm	136	23%	Brown	Polymer	—	
	200-532 & 800-1080	Femtosecond YAG & Harmonics	123	14%	Brown	Polymer	CE	
	Far IR	2700-3000	Erbium	109	90%	Clear	Polymer	CE
		5000-11100	CO <sub>2</sub>	100	89%	Clear	Polymer	CE
		10600	CO <sub>2</sub>	19	90%	Clear	Glass	—

## VISION SCREENERS

### Honeywell

As the market leader, Honeywell has developed the new Titmus VSeries™ of vision screeners.



### Vision Screening Products

A Honeywell predecessor set the standard for vision screening instruments in 1959 with the introduction of the OV7 model vision screener. Often referred to as the "Titmus," the older OV7 model, as well as the later-generation Titmus2, are still in use in many industrial locations, optical practices, and schools nationwide. As the market leader, Honeywell has developed the new Titmus VSeries™ of vision screeners, which are ergonomically-designed, precision-built stereoscopic instruments providing precise and prompt measurement of visual performance. The screeners are engineered for accuracy, validity and reliability of the test results, with emphasis on convenience and ease of administration.





**VISION SCREENERS**



**What is Vision Screening?**

Vision Screening is an efficient, practical and economical process to increase safety and productivity. A vision screener provides benefits to both employees and employers. It provides the employer with knowledge for proper selection and placement of employees leading to better quality, improved productivity and fewer accidents. In addition, employees benefit from improved vision which allows them to do a better job, experience less eye fatigue and possibly lead to early detection of pathological conditions.

**The Next Generation of Premium Vision Screening**

The Titmus VSeries™ family of vision screening instruments features an ergonomic design for patient comfort, standardized test illumination and an integrated handle for ease of transport. All models in the Titmus VSeries family combine a variety of vision screening tests like visual acuity, binocularity, color and depth perception, muscle balance, astigmatism and peripheral vision.

Model Features	Titmus V4	Titmus V3	Titmus V2
Membrane Control Panel	●	●	
Built-In Membrane Switches			●
Electronic Pointing System		●	
Ergonomics (Height Adjustment)	●	●	●
New Fluorescent Light Source	●	●	●
Portability	●	●	●
Soft Foam Headrest	●	●	●
Head Positioning Sensor	●	●	
Peripheral Vision Testing	●		●
Test Slide Advance/Reverse	Automatic	Automatic	Manual
Night Vision Testing	●		
Carrying Case (Soft-Sided)	Optional	Standard	Optional
Standard Accessories	●	●	●

**Honeywell**

Call Customer Care at 800 446-1802.

## WHAT'S NEW IN



by Honeywell

- 137 • Single-Use Earplugs
- 139 • Multiple-Use Earplugs
- 141 • Detectable & Banded Earplugs
- 143 • Earplug Dispenser
- 144 • Vending Packs
- 145 • Noise-Blocking Earmuffs
- 148 • Sound Management Earmuffs
- 149 • Stereo Earmuff
- 150 • Radio and Stereo Earmuffs
- 152 • Earmuff Accessories
- 154 • Hearing Conservation
- 156 • Reference: Attenuation Charts
- 159 • Full Line SKU Listing



Two of our latest innovations: Sync Digital AM/FM radio earmuffs and MAX® Small single-use earplugs.



## Your employees deserve the best hearing protection, period.

From technical innovations to educational initiatives to field verification, we offer a suite of resources to make Hearing Conservation happen. The Howard Leight® brand is a global leader in passive and intelligent hearing protection solutions, and the founder of the HearForever® Hearing Conservation initiative. For more than 30 years, we have pursued the prevention of occupational hearing loss through innovation in hearing protection design, technology, performance, comfort, and the promotion of progressive Hearing Conservation programs.

For more information visit [www.howardleight.com](http://www.howardleight.com)

**▲ WARNING!** Howard Leight® equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury including diminution or loss of hearing.

**SINGLE-USE EARPLUGS**

Under the Howard Leight® brand, we offer a comprehensive selection of Single-Use Earplugs that includes the comfort features your employees deserve in a range of attenuation ratings.

**Single-Use doesn't mean single choice**

**MAX®**

Superior noise-blocking performance in a single-use earplug.

- The world's most-used polyurethane foam earplug
- Contoured bell-shape is easier to insert, resists tendency to back-out of ear canal
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant closed-cell foam skin prevents dirt build-up
- MAX USA in patriotic red/white/blue colors



Item #	Cording	Packaging	NRR	Canada Class
MAX-1	Uncorded	Polybag	33	A (L)
MAX-5	Uncorded	5PR Resealable Bag	33	A (L)
MAX-LS4	Uncorded	Refill Bag for Leight Source 400	33	A (L)
MAX-1-D	Uncorded	Refill Box for Leight® Source 500	33	A (L)
MAX-30	Corded	Polybag	33	A (L)
MAX-30-PB	Corded Paper	Bag	33	A (L)
MAX-5-30	Corded	5PR Resealable Bag	33	A(L)
MAX1-USA	USA Uncorded	Polybag	33	A (L)
MAX-1-D-USA	USA Uncorded	Refill box for Leight® Source 500	33	A (L)
MAX-30-USA	USA Corded	Polybag	33	A (L)



**MAX® Small**

MAXimum protection. Minimum exposure.

- 20% smaller version of flagship Howard Leight MAX earplug, ideal for workers with smaller ear canals
- Bell shape delivers maximum in-ear comfort
- Contoured design easier to insert, resists tendency to back-out of ear canal
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant closed-cell foam skin prevents dirt build-up



Item #	Cording	Packaging	NRR	Canada Class
MAX-1S	Uncorded	Polybag	30	A (L)
MAX-30S	Corded	Polybag	30	A (L)
MAX-1S-D	Uncorded	Refill Box for Leight Source 500	30	A (L)



Call Customer Care at 800 430-5490.

## SINGLE-USE EARPLUGS



### Max Lite®

Low pressure foam for comfort.

- Low pressure polyurethane foam expands gently for comfortable long-term wear
- Ideal size for workers with smaller ear canals
- Contoured T-shape for easy handling and wear
- Smooth, soil-resistant closed-cell foam skin prevents dirt build-up

Item #	Cording	Packaging	NRR	Canada Class
LPF-1	Uncorded	Polybag	30	A (L)
LPF-5	Uncorded	5PR Resealable Bag	30	A(L)
LPF-1-PB	Uncorded	Paper Bag	30	A (L)
LPF-LS4	Uncorded	Refill Bag for Leight Source 400	30	A (L)
LPF-1-D	Uncorded	Refill for Leight® Source 500	30	A (L)
LPF-30	Corded	Polybag	30	A (L)
LPF-5-30	Corded	Resealable Bag	30	A(L)
LPF-30-PB	Corded	Polybag	30	A (L)
LPF-30-P	Cotton Cord	Paper Bag	30	A (L)



### Laser Lite®

High visibility protection.

- Vibrant colors make protection visible
- Self-adjusting foam expands to fit virtually every wearer
- Contoured T-shape for easy insertion and wear
- Smooth, soil-resistant closed-cell foam skin prevents dirt build-up

Item #	Cording	Packaging	NRR	Canada Class
LL-1	Uncorded	Polybag	32	A (L)
LL-5	Uncorded	5PR Resealable Bag	32	A(L)
LL-1-PB	Uncorded	Paper Bag	32	A (L)
LL-LS4	Uncorded	Refill Bag for Leight Source 400	32	A (L)
LL-1-D	Uncorded	Refill for Leight® Source 500	32	A (L)
LL-30	Corded	Polybag	32	A (L)
LL-5-30	Corded	5PR Resealable Bag	32	A(L)
LL-30-PB	Corded	Paper Bag	32	A (L)



### DeciDamp2™

Economical choice for basic protection.

- Familiar barrel shape offers ease of use
- PVC foam rolls easily between fingers and provides for easy insertion into ear canals
- One size fits most ear canals

Item #	Cording	Packaging	NRR	Canada Class
280005	Uncorded	Polybag	29	A (L)
280006	Corded	Polybag	29	A (L)



by Honeywell

 Call Customer Care at 800 430-5490.  Call Customer Care at 800 430-4110.

**MULTIPLE-USE EARPLUGS**

Multiple-use earplugs can be easily cleaned with soap and water. Ideal for environments where workers can retain and store earplugs for reuse.

**Multiple-Use Earplugs last for weeks, reduce waste, and save money.**

**SmartFit®** 

Revolution in personalized fit.

- Patented Conforming Material Technology™ uses body heat to adapt to the individual shape of each wearer's ear canal
- Delivers superior comfort and a truly individual fit
- Simplifies inventory control – a single product fits almost every wearer
- Detachable cord system and HearPack® storage case

Item #	Cording	Packaging	NRR	Canada Class
SMF-30	Detachable Cord	HearPack®	25	A (L)
SMF-1	Uncorded	HearPack	25	A(L)
SMF-30W-P	Attached Cotton Cord	Paper Bag	25	A (L)



**Fusion®** 

All-day comfort and easy handling.

- Patented dual-material design
- FlexiFirm® stem is easy to grasp, ensuring easy insertion into the ear canal
- SoftFlange™ creates comfortable seal in the ear canal for superior comfort and protection
- Unique detachable nylon cord system adapts to virtually any application
- Two sizes fine-tune fit for personal comfort and safety (green/small, blue/regular)

Item #	Cording	Packaging	NRR	Canada Class
FUS30-HP	Regular/Corded	HearPack	27	A (L)
FUS30S-HP	Small/Corded	HearPack	27	A (L)



**AirSoft®** 

Optimized for comfort.

- Advanced air pocket design features internal noise-blocking fins
- Four-flange profile creates better seal in the ear canal
- Less pressure in the ear canal eliminates that “plugged up” feeling
- Rounded flanges, tapered shape fits better in the ear canal
- Firm stem facilitates easy insertion and removal
- Outstanding noise-blocking protection – highest attenuation in multiple-use


Item #	Cording	Packaging	NRR	Canada Class
DPAS-1	Uncorded	Polybag	27	A (L)
DPAS-30R	Red Polycord	Polybag	27	A (L)
DPAS-30W	White Nylon Cord	Polybag	27	A (L)
AS-1	Uncorded	Reusable Case	27	A (L)
AS-30R	Red Polycord	Reusable Case	27	A (L)
AS-30W	White Nylon Cord	Reusable Case	27	A (L)



by Honeywell

 Call Customer Care at 800 430-5490.

## MULTIPLE-USE EARPLUGS



### Quiet®

Easy handling, better fit.

- Patented “no-roll” design is easy to handle and fit
- Contoured shape comfortably matches contours of the ear canal
- Smooth, non-irritating skin provides all-day comfort, easy to clean for long-term use
- Built-in insertion stem makes insertion quick and easy

Item #	Cording	Packaging	NRR	Canada Class
QD1	Uncorded	Polybag	26	A (L)
QD1-RC	Uncorded Reusable	Case	26	A (L)
QD-5	Uncorded	5PR Resealable Bag	26	A(L)
QD-1-DS	Uncorded	Refill Box for Leight Source 500	26	A (L)
QD30	Corded	Polybag	26	A (L)
QD30-RC	Corded	Reusable Case	26	A (L)
QD30	Corded	Polybag	26	A (L)
QD-5-30	Corded	5PR Resealable Bag	26	A (L)



### PILOT™

No roll foam.

- Combines the performance of Quiet® with the superior comfort of Max® in a hybrid, push-in style earplug
- Delivers long-wearing comfort and total control over your fit
- Inserts easily into your ear with a simple fingertip twist of the Navigation Stem for a quick, snug and comfortable fit
- Soft, pearl-skinned Howard Leight® polyurethane foam is resilient and easy to clean, delivering reliable, long-wearing performance
- NRR 26 provides ideal, consistent hearing protection in more noise environments and for more workers
- Can be used for up to several working days/shifts without impacting its overall performance

Item #	Cording	Packaging	NRR	Canada Class
PLT-1	Uncorded	Polybag	26	A (L)
PLT-30	Corded	Polybag	26	A (L)



by Honeywell

 Call Customer Care at 800 430-5490.

**DETECTABLE EARPLUGS**

Available in Single-Use and Multiple-Use styles. Our Detectable Earplugs are specially created for environments where contamination from foreign objects is unacceptable, such as food and beverage manufacturing, pulp and paper, and other process industries.

**Our comprehensive selection of Detectable Earplugs is designed for high visibility and detectability.**

**Laser Trak®**

High visual and metal detectability.

- Non-ferrous metal grommet and bright colors – easily detected by visual and automated inspection
- Self-adjusting foam expands to fit virtually any wearer
- Contoured T-shape for easy insertion and wear



Item #	Cording	Packaging	NRR	Canada Class
LT-30	Corded	Polybag	32	A (L)
LT-30-5	Corded	5PR Resealable Bag	32	A(L)

**SmartFit® Detectable**

All day comfort, easy handling, and detectability.

- Conforming Material Technology™ adapts to the shape of the surrounding ear canal when in your ear
- Delivers superior comfort and a truly individual fit
- Simplifies inventory control – a single product can fit almost every wearer
- Blue color provides high visibility in detection
- Metal ring on stem detectable by automated equipment



Item #	Cording	Packaging	NRR	Canada Class
SDT-30	SmartFit Detectable/Attached Polycord	Polybag	25	A (L)
SMF-30BU	SmartFitBlue/Nylon Cord	Polybag	25	A (L)

**BANDED EARPLUGS**

**QB1® HYG**

Inner-aural protection.

- Smooth, ergonomic pods fit in the ear for maximum protection
- Patented band design prevents pods from touching dirty or contaminated surfaces
- Lightweight and portable – designed especially for environments with intermittent noise hazards
- Includes pair of replacement pods



Item #	Description	Packaging	NRR	Canada Class
QB1HYG	Inner-Aural Band	Resealable Bag	27	B (L)
QB100HYG	Replacement Pods	Polybag		




by Honeywell

Call Customer Care at 800 430-5490.

## BANDED EARPLUGS

**Howard Leight® Banded Earplugs offer a variety of performance features.**

Our patented band design prevents ear pods from touching dirty or contaminated surfaces when set down. Ideal for managers or for use in environments with intermittent noise hazards.



### QB2HYG®

**Supra-aural protection.**

- Soft pods rest partially in the ear canal for a balance of comfort and protection
- Patented band design prevents pods from touching dirty or contaminated surfaces
- Lightweight and portable – designed especially for environments with intermittent noise hazards
- Includes pair of replacement pods

Item #	Description	Packaging	NRR	Canada Class
QB2HYG	Supra-Aural Band	Resealable Bag	25	B (L)
QB200HYG	Replacement Pods	Polybag		



### QB3HYG®

**Semi-aural protection.**

- Soft pods rest outside the ear canal opening for a balance of comfort and protection
- Patented band design prevents pods from touching dirty or contaminated surfaces
- Lightweight and portable – designed especially for environments with intermittent noise hazards
- Includes pair of replacement pods
- Ideal for vending programs


Item #	Description	Packaging	NRR	Canada Class
QB3HYG	Semi-Aural Band	Resealable Bag	23	B (L)
QB300HYG	Replacement Pods	Polybag		



### PerCap®

**Folding semi-aural protection.**

- Semi-aural protection, super soft pods rest outside the ear canal opening
- Multiple position wear — over the head, under the chin or behind the neck – provides flexibility in wear
- Compact, folding design easy to store in pocket



Item #	Description	Packaging	NRR	Canada Class
PERCAP	Folding Band	Resealable Bag	21	B (L)
PCAP100	Replacement Pods	Polybag	–	–



by Honeywell

Call Customer Care at 800 430-5490.



**EARPLUG DISPENSER**

For large and small operations, dispensers offer an economical, hygienic, and user-friendly source for earplugs.

**Save time, space and waste with earplug dispensers.**

**Leight® Source 400**

Hygienic and economical source for earplugs.

- Durable plastic design is an economical choice for dispensing earplugs
- Mounts to wall or stands as table-top dispenser with balanced footing
- Twist knob to dispense earplugs
- Catch basin prevents earplugs from falling to the ground
- Holds 400 pairs of Howard Leight® Single-Use earplugs: MAX®, Max Lite®, Laser Lite® and Multi Max®
- Ideal for small sized operations.

Item #	Description	Packaging
LS-400	Leight Source 400	Box
MAX-LS4	MAX LS400 Refill	200pr bags
LL-LS4	Laser Lite LS400 Refill	200pr bags
LPF-LS4	Max Lite LS400 Refill	200pr bags



**Leight® Source 500**

Hygienic and economical source for earplugs.

- Heavy-duty anodized aluminum withstands constant use
- Mount on wall for easy access
- Crank handle to dispense earplugs
- Ideal for large factories and process industries
- Holds 500 pairs of Howard Leight® earplugs: MAX®, Max Lite®, Laser Lite®, Multi Max®, and Quiet®

Item #	Description	Packaging
LS-500	Leight Source 500	Box
MAX-1-D	Max LS500 refill	500pr box
MAX-1-SD	Max Small LS500 refill	500pr box
LL-1-D	Laser Lite LS500 refill	500 pr box
LPF-1-D	Max Lite LS500 refill	500 pr box



by Honeywell

Call Customer Care at 800 430-5490.

## VENDING PACKS



### Vending Packs

Improved accessibility.

- 5-pair packs of earplugs provide workers with a full week of hearing protection, ideal for those who work off-site or frequently change out their earplugs
- Works with a wide range of vending machine solutions or distribute to workers as hearing protection
- Earplugs packaged in resealable bag for convenient storage
- Available in corded and uncorded models
- Each pack includes fitting instructions in English, French, and Spanish.

Item #	Description	Packaging	NRR	Canada Class
MAX-5	MAX® –Uncorded	Resealable Bag	33	A(L)
MAX-5-30	MAX – Corded	Resealable Bag	33	A(L)
LPF-5	Max Lite® – Uncorded	Resealable Bag	30	A(L)
LPF-5-30	Max Lite – Corded	Resealable Bag	30	A(L)
LL-5	Laser Lite® – Uncorded	Resealable Bag	32	A(L)
LL-5-30	Laser Lite – Corded	Resealable Bag	32	A(L)
QD-5	Quiet® – Uncorded	Resealable Bag	26	A(L)
QD-5-30	Quiet – Corded	Resealable Bag	26	A(L)
LT-30-5	Laser Trak® – Corded	Resealable Bag	32	A(L)
QB2HYG	QB2HYG® Banded	Resealable Bag	25	A(L)
1010924	Leightning® L3 Earmuff	Box	30	A(L)
1010970	Thunder® T3 Earmuff	Box	30	A(L)



Call Customer Care at 800 430-5490.

**NOISE-BLOCKING EARMUFFS**

From maximum attenuation to maximum value, we set the standard for noise blocking and hearing protection. Our Leightning®, Thunder®, Viking® and QM24+ series earmuffs provide a choice of features and protection ideal for many workers and environments.

**When you need to block noise, Howard Leight® earmuffs give you the tools to do the job right.**

**Leightning®**

**Maximum protection and contemporary design.**

- Robust steel construction withstands demanding use, especially in tough environments
- Features patented Air Flow Control™ technology for optimal attenuation
- Snap-in ear cushions make replacement quick and easy
- Multiple attenuation levels allow for targeted attenuation for a variety of applications

**Headband – L1, L3**

- Padded foam headband delivers superb comfort with minimal pressure on the head
- Telescopic height adjustment remains fixed during use

**Cap-Mounted – L1H, L3H**

- For use with a wide range of hard hats
- Earcups snap in place during use and swing back when not in use
- Includes SKU #13910039 Hard Hat Adapter for AO Safety, Bullard, Jackson, MSA, North (Adapter 3718)

**Neckband – L0N, L1N, L3N**

- Sleek, anatomical behind-the-neck design for use with face shields, visors, hard hats and other PPE
- Includes attached elastic headband strap for better positioning

**Folding – L0F**

- Convenient folding design for easy storage
- Folding Earmuff Belt Case also available

**Ultraslim – L0N, L0F**

- Ultraslim, lightweight earcups – ideal for lower noise levels
- L0N can be worn with welding shields, hard hats and other PPE
- L0F folds to less than 4" wide




Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1013461	Leightning L0F	Folding	23	B	1011998
1013460	Leightning L0N	Neckband	22	B	1011998
1010922	Leightning L1	Headband	25	B	1011998
1011991	Leightning L1H	Cap-Mounted	23	B (L)	1011998
1011994	Leightning L1N	Neckband	25	B	1011998
1010924	Leightning L3	Headband	30	A (L)	1012000
1011993	Leightning L3H	Cap-Mounted	27	A (L)	1012000
1011996	Leightning L3N	Neckband	28	A (L)	1012000

*Packaging: Individual box*

Our patented Air Flow Control technology™ delivers optimal attenuation across all frequencies, without increasing earcup size or weight. A patented baseplate chamber and high-tech non-woven layer manage the flow of air inside the earmuff to control how sound reaches the ear.

The result is better, more consistent overall attenuation for virtually all industrial noise environments. Air Flow Control is a standard feature on all Leightning®, Thunder®, and Viking® series earmuffs.

**Air Flow Control™ Technology**



Call Customer Care at 800 430-5490.

## NOISE-BLOCKING EARMUFFS



### Leightning® Hi-Visibility

Maximum protection and contemporary design.

- Bright green earcups provide high visibility and contrast
- Exclusive reflective headband illuminates under light for increased visibility and safety
- Ideal to wear at night, during the day, in low light and under inclement weather conditions
- Features patented Air Flow Control™ technology for optimal attenuation
- Robust steel construction withstands demanding use, especially in tough environments
- Snap-in ear cushions make replacement quick and easy

#### Headband — L3HV

- Padded foam headband delivers superb comfort with minimal pressure on the head
- Telescopic height adjustment remains fixed during use

#### Folding — L2FHV

- Convenient folding design for easy storage
- Folding Earmuff Belt Case also available

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1013942	Leightning L2FHV Hi-Vis	Folding	27	B (L)	1011999
1013941	Leightning L3HV Hi-Vis	Headband	30	A (L)	1012000

Packaging: Individual box



### Thunder®

Top-of-the-line protection and comfort.

- Dielectric construction suitable for all workplaces, especially electrical environments
- Features patented Air Flow Control™ technology for optimal attenuation
- Quick-Click height adjustment remains fixed during wear
- Snap-in ear cushions make replacement quick and easy

#### Headband — T1, T2, T3

- Uniform headband pressure for all head sizes, providing better comfort for long-term wear
- Inner-ventilated headband minimizes pressure on the head, breathes easier in warm/humid climates (T2 and T3 only)
- Non-deforming outer headband withstands rough treatment

#### Cap-Mounted — T1H, T2H, T3H

- For use with a wide range of hard hats
- Earcups snap in place during use and swing back when not in use
- Includes SKU #13910039 Hard Hat Adapter for AO Safety, Bullard, Jackson, MSA, North (Adapter 3718)

#### Folding — T1F

- Convenient folding design for easy storage
- Folding Earmuff Belt Case also available



Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1010928	Thunder T1	Headband	26	A	1010974
1011600	Thunder T1F	Folding	25	A	1010974
1011601	Thunder T1H	Cap-Mounted	23	A	1010974
1010929	Thunder T2	Headband	28	A (L)	1010975
1011602	Thunder T2H	Cap-Mounted	25	A (L)	1010975
1010970	Thunder T3	Headband	30	A (L)	1010976
1011603	Thunder T3H	Cap-Mounted	27	A (L)	1010976

Packaging: Individual box



by Honeywell

Call Customer Care at 800 430-5490.

**NOISE-BLOCKING EARMUFFS**

**Viking®**

**Multiple-position headband for alternative use.**

- Multiple-position headband allows wearer to select position over-the-head, behind-the-head or under-the-chin
- Alternative to cap-mounted earmuffs – wear with hard hats, face shields, respirators and other PPE
- Dielectric construction suitable for electrical environments
- Inner-ventilated headband minimizes pressure on the head, breathes easier in warm/humid climates
- Features patented Air Flow Control™ technology for optimal attenuation
- Non-deforming outer headband withstands rough treatment in the toughest workplaces
- Snap-in ear cushions make replacement quick and easy
- Includes attached elastic headband strap for better positioning when worn behind-the-head or under-the-chin



Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1010925	Viking V1	Multiple-Position	25	B	1011998
1010927	Viking V3	Multiple-Position	29	A (L)	1012000

Packaging: Individual box

**Cap-Mounted Earmuffs**

**Designed to work with North hard hats.**

- Passive earmuffs specifically designed for use with all North® brand hard hats, helmets, and faceshields
- EM7209 specifically designed for use with wide and full-brim hard hats
- Dielectric options suitable for electrical environments

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
EM2177	Dielectric Cap-Mounted Earmuff (red)	Helmet	22	A	HK200
EM4157	Dielectric Cap-Mounted Earmuff (blue)	Helmet	20	B	HK100
EM7206	Metal Cap-Mounted Earmuff	Helmet	27	A	HK400
EM7209	Wide/Full-Brim Cap-Mounted Earmuff	Helmet	24	B	HK400

Packaging: Individual box



by Honeywell

Call Customer Care at 800 430-5490.

## NOISE-BLOCKING EARMUFFS



### QM24+®

Economical protection.

- Ultra lightweight design
- Multiple-position headband allows wearer to select position over-the-head, behind-the-head or under-the-chin
- Alternative to cap-mounted earmuffs – wear with hard hats, face shields, respirators and other PPE
- Dielectric construction suitable for electrical environments

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
QM24+	QM24+	Multiple-Position	25	B	HK4

Packaging: Polybag with header card

## SOUND MANAGEMENT EARMUFFS

**Avoid overprotecting your employees by selecting hearing protectors with the right amount of attenuation for their workplace, especially in marginal noise environments.**

Protectors with the highest attenuation may not be the most appropriate solution in low level noise. Also, consider workers' communication requirements. In some environments, they need to communicate or hear signals and alarms while remaining protected from harmful noise.



### Clarity

Sound management technology enhances communication.

- Uniform attenuation allows wearer to hear co-workers, instructions, and other important sounds more naturally while blocking out harmful noise
- Dielectric construction suitable for all workplaces, especially electrical environments
- Quick-Click height adjustment remains fixed during wear
- Snap-in ear cushions make replacement quick and easy

#### Headband – C1, C3

- Uniform headband pressure for all head sizes, providing better comfort for long-term wear
- Inner-ventilated headband minimizes pressure on the head, breathes easier in warm/humid climates
- Non-deforming outer headband withstands rough treatment in the toughest workplaces

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1011142	Clarity C1	Headband	20	B	1006080
1011146	Clarity C3	Headband	27	B (L)	1006081

Packaging: Individual box



by Honeywell

Call Customer Care at 800 430-5490.

**STEREO EARMUFF**

**Impact®**

Electronic sound amplification.

- Amplifies ambient sound to safe 82 dB – response technology reverts to passive hearing protector when noise reaches 82 dB
- Sound amplification allows wearers to hear important communication – alarms/warning signals, co-workers' voices
- Directionally placed stereo microphones amplify and enhance sound for more natural hearing
- Inner-ventilated headband minimizes pressure on the head, breathes easier in warm/humid climates
- Non-deforming outer headband withstands rough treatment in the toughest workplaces
- Quick-Click height adjustment remains fixed during wear
- Snap-in ear cushions make replacement quick
- Includes 2 AA batteries for 140 hours of use
- Features 3.5mm audio jack and cable for connection to personal listening devices



**Cap-Mounted – Impact H**

- For use with a wide range of hard hats
- Earcups snap in place during use and swing back when not in use
- Includes SKU #13910039 Hard Hat Adapter for AO Safety, Bullard, Jackson, MSA, North (Adapter 3718)



Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1010376	Impact	Headband	23	B	1008000
1010632	Impact H	Cap-Mounted	21	B	1008000

Packaging: Individual box

**Impact® Sport**

Electronic sound amplification.

- Amplifies ambient sound to safe 82 dB – response technology reverts to passive hearing protector when noise reaches 82 dB
- Sound amplification allows wearers to hear important communication, alarms/warning signals, co-workers' voices
- Directionally placed stereo microphones amplify and enhance sound for more natural hearing
- Ultraslim, lightweight earcup design; low profile earcups with cut-out allow for full clearance of firearm stock, eliminating interference while shooting
- Contemporary leatherette headband, hunter green earcups
- Convenient folding design for easy storage
- Integrated power/volume knob
- AUX input allows connection to external MP3 players or other audio devices for additional listening off the field
- Snap-in ear cushions make replacement quick and easy
- Includes 2 AAA batteries
- **NEW!** Impact Sport MIL SKU is made with components of domestic and foreign origin, and is assembled in the United States.



Item #	Description	Style	NRR	Canada Class	Hygiene Kit
R-01526	Impact Sport	Folding	22	B (L)	1015280
R-01526-MIL	Impact Sport MIL	Folding	22	B(L)	1015280

Packaging: R-01526 – Blistercard / R-01526-MIL – Box



by Honeywell

Call Customer Care at 800 430-5490.

## RADIO & STEREO EARMUFFS

### Sync™ Family Earmuffs

Introducing the next generation of stereo, digital radio and sound amplification earmuffs to the Howard Leight family. The new Sync Stereo, Sync Digital AM/FM Radio, Sync Hi-Vis AM/FM Radio, and Sync Electro® combine hearing protection, high-fidelity sound, and the ability for individuals to listen to the radio or personal listening devices safely at work and at home. Studies show that workers who are allowed to wear hearing protectors that integrate personal listening devices and AM/FM radios are more productive and motivated on the job.

- Lightweight slim earcup design more comfortable to wear during the work day
- Features patented Air Flow Control™ technology for optimal attenuation across all frequencies without increasing earcup size or weight
- Snap-in ear cushions for easy maintenance and replacement
- Improved comfort and fit through its padded diamond-patterned headband and reinforced fork slides that keep it in place when worn
- Manages stereo and radio outputs to safer levels
- Technologically advanced acoustical bass chamber enhances bass sounds that are typically sacrificed in industrial stereo earmuffs
- Includes 3.5mm aux input cable



iPod not included

### Sync™ Stereo Earmuff

Play it. Safe.

- Use as passive hearing protector or as stereo earmuffs
- No volume knobs or power switches to coordinate nor batteries to replace
- Ease-of-use is enhanced by maintaining volume and power control through the external device
- Simply plug MP3 players and personal listening devices and listen
- Can be used with MP3 players, mobile phones and other personal listening devices, ideal for use at work or at home

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1030110	Sync Stereo	Headband	25	A	1030220

Packaging: Blistercard



by Honeywell

Call Customer Care at 800 430-5490.



**RADIO & STEREO EARMUFFS**

**Sync™ Digital AM/FM Radio**

Protection and improved performance.

- Digital AM/FM tuning with LCD display automatically searches for radio stations
- 10 pre-set stations and volume memory can be personalized for each worker
- Clean, crisp digital radio reception and high-fidelity stereo sound quality will keep workers in tune throughout their workday



Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1030331	Sync Digital AM/FM Radio	Headband	25	A	1015280

Packaging: Individual box

**Sync™ Hi-Vis Digital AM/FM Radio**

Protection, visibility and improved productivity.

- Digital AM/FM tuning with LCD display automatically searches for radio stations
- 10 pre-set stations and volume memory can be personalized for each worker
- Clean, crisp digital radio reception and high-fidelity stereo sound quality will keep workers in tune throughout their workday
- Lightweight slim earcup design more comfortable to wear during the workday
- Bright green earcups provide high visibility and contrast
- Exclusive reflective headband illuminates under light for increased visibility and safety

iPod not included



Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1030390	Sync Hi-Vis Digital AM/FM Radio	Headband	25	A	1015280

Packaging: Individual box

**Sync™ Electro®**

Situational awareness.

- Combines the entertainment benefit of our Digital FM Radio with advanced sound amplification technology for improved situational awareness
- Directionally placed stereo microphones amplify and enhance ambient sound up to 82 dB, allowing workers to hear important communication – alarms/warning signals, co-workers' voices – more effectively
- For ambient noise exposures over 82 dBA, Sync Electro's advanced response technology reverts to passive hearing protection, reducing further exposure to hazardous noise
- Digital FM tuning with LCD display automatically searches for radio stations
- 10 pre-set stations and volume memory can be personalized for each worker
- Clean, crisp digital radio reception and high-fidelity stereo sound quality will keep workers in tune throughout their workday
- Separate knobs adjust volume for radio and sound amplification



Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1030333	Sync Electro	Headband	25	A	1015280
1030334	Sync Electro H	Helmet	24	A	1015280

Packaging: Individual box



by Honeywell

Call Customer Care at 800 430-5490.

## EARMUFF ACCESSORIES



### Polar Hood®

- Balaclava-style hood provides protection from cold climates while ensuring optimal earmuff attenuation
- Patented side panels help to eliminate gap between earcup and ear, reducing hazardous noise exposure
- Does not distort sound or earmuff attenuation
- Seal around face prevents further exposure to the elements
- Adjustable design includes front zipper for ventilation and foldaway visor
- Bright green trim enhances visibility and safety outdoors
- Compatible with all Howard Leight® earmuffs, fits under most hard hats
- Ideal for airport ground crews, construction workers, oil/gas/petrochemical workers, frozen food production and other workers who require hearing protection while exposed to cold weather conditions

Item #	Description	Packaging
1016870	Polar Hood – L/XL	Hang Card
1016871	Polar Hood – S/M	Hang Card



### Cool Pads

- Apply to ear cushions to improve overall comfort and hygiene of earmuff wear
- Keep ears warm in cold climates, absorb moisture in humid areas
- Made of dermatologically tested material
- Absorb 15 times their own weight in moisture
- Fit all Howard Leight® earmuffs

Item #	Description	Packaging
1000365	Cool Pads, box of 20	5 Pair Packs Envelope
1000364	Cool Pads	100 Pair Roll Dispenser Pack Box



### Slim Belt Clip

- Easy to attach to belt or pockets
- Convenient storage solution when the earmuff is not in use
- Low profile design and lightweight

Item #	Description	Packaging
1016730	Slim Belt Clip	Polybag



### Folding Earmuff Belt Case

- Loops slide onto any belt for easy access
- Velcro flap easy to open, especially with gloves, folds flat when not in use
- Durable nylon construction withstands abuse
- Fits Leightning® L2F, Leightning® Hi-Visibility L2FHV, Thunder® T1F, Clarity® C1F and Impact® Sport folding earmuffs

Item #	Description	Packaging
1000251	Folding Earmuff Belt Case	Polybag

Call Customer Care at 800 430-5490.

**EARMUFF ACCESSORIES**

**Hygiene Kits**

- Includes one pair of replacement ear cushions and one pair of foam inserts
- Extends performance and lifetime of earmuff
- Recommended replacement every 6 months with general use, more frequently with heavy use
- Snap-in ear cushions are standard on all Howard Leight® earmuffs

Item #	Description
1006080	Hygiene Kit – Clarity C1
1010974	Hygiene Kit – Thunder® T1/T1H/T1F
1010975	Hygiene Kit – Thunder T2/T2H
1010976	Hygiene Kit – Thunder T3 /T3H
1011998	Hygiene Kit – Leightning® L1/L1H/L1N/L0N/L0F/L1HHV/Viking® V1
1011999	Hygiene Kit – Leightning L2FHV
1012000	Hygiene Kit – Leightning L3/L3H/L3N/L3HV/Viking V3
1030220	Hygiene Kit – Sync™ Stereo
1015280	Hygiene Kit – Impact Sport/Impact Sport MIL/Sync Radio/Sync Electro
HK100	Hygiene Kit – North EM4157
HK200	Hygiene Kit – North EM2177
HK400	Hygiene Kit – North EM7206 / EM7209

Packaging: Polybag



**Hard Hat Adapters**

- Easy to snap into slots or mount onto hard hats
- Durable plastic and metal styles to withstand the most demanding conditions
- Wide variety of adapters to fit nearly all available hard hats

Item #	Description
13910033	Hard Hat Adapter 3702 – Clip-On
13910034	Hard Hat Adapter 3710 – Dielectric Screw-On
13910035	Hard Hat Adapter 3711 – Centurion Adapter
13910036	Hard Hat Adapter 3712 – Balance, Bullard, LAS, MSA, Voss, Opus
13910037	Hard Hat Adapter 3713 – Norton, Bullard Adapter
13910038	Hard Hat Adapter 3714 – Protector, AO, JSP, Domeguard Adapter
13910039	Hard Hat Adapter 3718 – AO Safety, Bullard, Jackson, MSA, North Adapter

Packaging: Polybag



by Honeywell

Call Customer Care at 800 430-5490.

## HEARING CONSERVATION



For more information about VeriPRO, including technical articles and case studies, please visit: [www.howardleight.com/veripro](http://www.howardleight.com/veripro)

Want VeriPRO to be part of your Hearing Conservation Program? Call or visit us online: **1-877-837-4776**  
[www.howardleight.com/veripro](http://www.howardleight.com/veripro)

### VeriPRO®

#### Earplug Fit Testing.

VeriPRO uses software in a user-friendly format to determine the Personal Attenuation Rating (PAR) your employees are receiving from their earplugs.

- Measures the Personal Attenuation Rating (PAR) for each employee
- Works with any earplug, corded or uncorded, from any manufacturer
- Fulfills regulatory requirements to ensure proper initial fitting of hearing protection
- Creates accurate, easy-to-understand reports within minutes, including PAR, Safe Exposure Levels, and Protected Exposure Levels
- Documents training and proper fit for new or existing employees
- Fit training videos provide additional training opportunity
- Provides an ideal opportunity for one-on-one education

Item #	Description
VERIPRO	VeriPro Fit Testing Kit (includes headphones, audio processor, operating software, assortment of earplugs, replacement headphone cushions)

*Packaging: Hard plastic carry case*

## QUIETDOSE™



### QuietDose™

#### Know precisely. Protect personally.


The Howard Leight® QuietDose system provides the ultimate in accuracy for assessment of personal workplace noise risk.

QuietDose is the first noise level monitoring system that uses personal sound exposure monitoring (PSEM) to measure every sound that reaches the user's eardrum. Dramatically more precise than existing area or personal sampling devices currently in use, QuietDose data equips safety managers to:

- Determine whether workers are using their earplugs or earmuffs correctly
- Track and address the potential of noise-induced hearing loss (NIHL) in real time
- Potentially eliminate dual protection
- Provide workers more appropriate hearing protectors
- Streamline worker deployment by matching shift hours with proper protection more accurately

For more information on how QuietDose can be part of your Hearing Conservation Program, call or visit us online:

**1-877-837-4776 • [www.howardleight.com/quietdose](http://www.howardleight.com/quietdose)**

 Call Customer Care at 800 430-5490.



Listen Up. HearForever.

## Listen Up

Hearforever.org is a source about the latest advances, research and discoveries relating to Noise Induced Hearing Loss (NIHL). The site also provides an extensive library of existing materials and interactive resources for anyone interested in learning more about the way NIHL can be reduced, and even eliminated.

## Take Action with Hearforever.org

If you are a safety professional, be sure your Hearing Conservation Program is complete and clearly communicated. Whatever your role, with [www.hearforever.org](http://www.hearforever.org) you can ensure that Hearing Conservation is seen as more than just one more rule to follow on the job.

- Make Hearing Conservation part of your everyday life
- Advocate for Hearing Conservation at work
- Join the HearForever community at [www.hearforever.org](http://www.hearforever.org)
  - Receive informational updates on regulatory information
  - Obtain access to case studies
  - Download PDFs of training tools
  - Learn about Hearing Conservation Seminars coming to your area

[www.hearforever.org](http://www.hearforever.org).



 Call Customer Care at 800 430-5490.

## REFERENCE: ATTENUATION CHARTS

*NRR testing in accordance with ANSI S.3.19-1974*

### Single-Use Earplugs

<b>MAX®</b>	NRR 33				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	40.9	43.0	44.8	38.9	37.2	47.4	48.5	47.7	47.8
Std. Dev.	3.5	3.9	3.8	2.8	2.7	4.5	3.1	4.4	3.9

<b>MAX® Small</b>	NRR 30				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	35.7	36.8	40.0	39.6	36.1	42.2	46.4	47.1	46.3
Std. Dev.	3.6	4.7	4.4	3.6	3.2	3.4	4.3	4.5	4.4

<b>Max Lite®</b>	NRR 30				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	33.5	33.6	36.0	37.5	39.4	42.5	43.9	43.7	45.2
Std. Dev.	3.6	3.4	3.2	3.5	3.5	3.4	5.1	4.8	5.1

<b>Laser Lite®</b>	NRR 32				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	36.8	38.0	40.4	41.1	40.1	44.4	48.5	46.4	45.8
Std. Dev.	4.0	4.5	5.5	4.0	2.7	4.5	4.1	5.4	5.2

<b>Multi Max®</b>	NRR 31				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	30.9	32.4	33.9	34.9	36.5	46.1	47.1	50.9	52.1
Std. Dev.	2.1	2.5	2.7	1.9	1.9	3.3	2.6	2.7	2.5

<b>DeciDamp2™ Uncorded</b>	NRR 29				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	32.5	34.0	36.3	35.4	36.3	42.1	43.6	46.2	45.4
Std. Dev.	3.2	3.7	3.7	3.1	3.1	3.3	2.7	4.7	2.8

<b>DeciDamp2™ Corded</b>	NRR 29				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	31.7	33.1	36.3	35.7	35.4	41.4	42.3	44.6	44.8
Std. Dev.	3.6	3.7	3.7	2.8	3.1	3.8	3.6	3.1	3.3

### Multiple-Use Earplugs

<b>SmartFit®</b>	NRR 25				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	29.5	28.0	30.5	31.6	33.5	40.5	40.0	41.8	42.1
Std. Dev.	3.5	4.1	3.6	3.2	3.5	3.3	4.2	5.3	4.7

<b>Fusion®</b>	NRR 27				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	29.5	29.9	32.3	33.9	37.3	41.1	42.7	47.9	47.6
Std. Dev.	4.6	3.7	2.8	2.8	4.1	3.6	4.6	4.8	3.2

<b>Clarity®</b>	NRR 21				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	27.7	27.4	25.1	29.6	33.5	31.2	31.6	39.0	41.5
Std. Dev.	3.3	3.6	3.2	4.1	3.2	3.4	4.0	5.4	3.5

<b>AirSoft®</b>	NRR 27				Canada A				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	31.0	32.3	31.4	35.2	39.6	39.7	42.2	43.5	44.2
Std. Dev.	4.3	4.1	3.6	3.6	4.1	4.8	5.1	4.1	3.3

<b>Quiet®</b>	NRR 26				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	26.3	29.0	28.7	31.2	36.3	44.0	45.1	49.1	47.2
Std. Dev.	3.3	2.6	2.8	2.5	3.9	3.6	4.4	4.4	3.7

<b>Pilot™</b>	NRR 26				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	32.3	33.0	33.4	32.4	35.1	41.9	42.2	47.0	45.1
Std. Dev.	5.0	4.3	4.0	3.3	3.6	4.2	4.5	4.1	3.9

### Detectable Earplugs

<b>Laser Trak®</b>	NRR 32				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	33.3	36.1	41.7	42.3	40.5	48.3	49.7	49.7	52.0
Std. Dev.	4.4	3.6	2.6	4.4	3.5	3.2	3.6	2.9	3.6

<b>SmartFit® Detectable</b>	NRR 25				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	29.5	28.0	30.5	31.6	33.5	40.5	40.0	41.8	42.1
Std. Dev.	3.5	4.1	3.6	3.2	3.5	3.3	4.2	5.3	4.7

<b>Fusion® Detectable</b>	NRR 25				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	33.4	31.8	33.1	38.4	33.9	41.0	43.6	45.4	44.4
Std. Dev.	4.9	4.4	4.1	5.9	4.6	4.1	4.9	5.4	5.7

### Banded Earplugs

<b>QB1® HYG</b>	NRR 27				Canada B (L)		Under-the-Chin		
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	31.2	31.5	31.6	32.3	35.1	42.6	45.8	47.0	48.0
Std. Dev.	2.6	2.8	3.3	3.3	2.5	2.3	2.0	2.7	3.2

<b>QB2 HYG®</b>	NRR 25				Canada B (L)		Under-the-Chin		
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	28.2	28.3	26.8	29.6	34.4	40.7	40.3	43.3	42.4
Std. Dev.	2.5	2.5	2.8	2.0	1.2	2.7	1.2	2.3	2.2



by Honeywell

Call Customer Care at 800 430-5490.

REFERENCE: ATTENUATION CHARTS

*NRR testing in accordance with ANSI S.3.19-1974*

<b>QB3 HYG®</b>	NRR 23				Canada B (L)		Under-the-Chin		
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	26.9	26.0	24.1	26.0	34.4	40.7	40.3	43.3	42.4
Std. Dev.	1.8	2.2	2.4	2.1	1.7	1.5	2.3	2.1	1.7

<b>PerCap®</b>	NRR 21				Canada B (L)		Under-the-Chin		
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	28.3	25.7	24.3	25.6	34.2	39.0	40.0	43.8	42.1
Std. Dev.	5.2	4.1	3.0	3.5	2.6	2.1	2.5	3.5	3.0

	NRR 20				Canada B (L)		Over-the-Head		
Mean Attn.	24.9	22.3	21.1	23.9	32.5	37.4	37.9	40.8	42.1
Std. Dev.	3.9	3.1	2.6	2.5	2.4	3.2	3.6	3.8	2.8

	NRR 20				Canada B (L)		Behind-the-Head		
Mean Attn.	24.9	23.8	22.4	25.1	32.3	37.6	38.4	42.1	41.2
Std. Dev.	3.7	3.6	3.3	2.6	2.8	3.7	4.6	4.0	3.6

**Noise Blocking Earmuffs**

<b>Leightning® L1</b>	NRR 25				Canada B				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	19.7	23.8	29.0	31.3	32.1	37.8	39.2	39.5	39.5
Std. Dev.	2.6	2.9	2.6	2.5	2.4	3.1	2.0	2.3	2.4

<b>Leightning® L3/HV</b>	NRR 30				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	23.8	28.8	36.5	39.9	35.3	38.7	39.0	41.0	40.8
Std. Dev.	2.2	2.3	2.4	1.9	2.3	2.8	2.1	2.4	2.3

<b>Leightning® L1H</b>	NRR 23				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	20.0	22.4	26.9	29.6	32.1	36.4	37.4	40.2	39.6
Std. Dev.	2.9	3.4	2.8	2.2	2.8	3.3	2.9	3.7	4.9

<b>Leightning® L3H</b>	NRR 27				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	22.5	26.5	34.2	36.9	33.6	36.8	37.3	40.4	37.7
Std. Dev.	3.4	2.5	3.4	3.2	2.4	3.0	2.9	1.9	2.8

<b>Leightning® L0N</b>	NRR 22				Canada B				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	15.6	19.9	4.2	26.8	30.2	35.9	39.1	39.3	39.9
Std. Dev.	2.5	2.1	2.0	2.0	2.5	3.2	2.8	2.2	2.7

<b>Leightning® L1N</b>	NRR 25				Canada B				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	19.3	23.3	28.9	33.2	32.0	36.2	37.3	38.2	38.5
Std. Dev.	2.6	2.4	2.9	2.0	2.2	2.9	2.7	2.9	2.8

<b>Leightning® L3N</b>	NRR 28				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	22.5	27.8	33.7	37.1	33.7	38.5	38.6	40.8	40.3
Std. Dev.	3.3	2.6	2.9	2.7	2.1	2.7	2.7	2.3	2.6

<b>Leightning® L0F</b>	NRR 23				Canada B				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	16.8	22.1	25.2	27.2	31.3	36.2	40.3	40.2	42.1
Std. Dev.	2.5	2.1	2.0	2.2	2.3	2.8	2.9	2.1	3.5

<b>Leightning® L2FHV</b>	NRR 27				Canada B (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	21.5	26.8	31.8	34.7	32.0	37.7	37.5	38.6	39.9
Std. Dev.	2.9	2.6	2.5	1.9	2.1	2.8	2.5	2.4	2.8

<b>Thunder® T1</b>	NRR 26				Canada A				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	19.1	25.0	30.4	33.5	35.1	35.5	35.6	39.5	39.4
Std. Dev.	2.9	2.3	2.5	2.5	2.7	3.2	3.0	2.3	3.6

<b>Thunder® T2</b>	NRR 28				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	22.3	28.1	34.7	37.2	36.2	36.8	36.8	38.8	38.8
Std. Dev.	2.8	3.3	2.6	2.9	2.5	3.1	2.7	2.7	2.6

<b>Thunder® T3</b>	NRR 30				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	24.7	29.8	35.5	38.5	37.9	39.6	39.6	41.9	42.3
Std. Dev.	2.8	2.7	2.8	3.0	2.5	3.1	2.4	2.6	2.4

<b>Thunder® T1H</b>	NRR 23				Canada A				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	16.9	22.0	28.4	31.6	33.1	33.7	34.7	39.6	38.6
Std. Dev.	3.6	2.9	3.4	2.9	3.1	2.8	3.0	2.7	4.0

<b>Thunder® T2H</b>	NRR 25				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	20.7	26.9	31.6	34.1	34.9	35.2	36.6	39.4	39.6
Std. Dev.	3.5	3.8	3.7	3.7	3.5	3.3	3.2	2.4	3.5

<b>Thunder® T3H</b>	NRR 27				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	23.6	27.7	34.1	34.5	32.9	36.4	39.1	40.6	41.4
Std. Dev.	3.3	3.4	3.1	1.8	2.0	2.6	3.0	3.1	2.8

<b>Thunder® T1F</b>	NRR 25				Canada A				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	19.6	23.2	29.6	32.6	33.6	34.7	36.3	39.8	38.3
Std. Dev.	3.4	2.1	3.0	2.4	2.8	2.7	2.9	2.2	4.2



by Honeywell

Call Customer Care at 800 430-5490.

## REFERENCE: ATTENUATION CHARTS

*NRR testing in accordance with ANSI S.3.19-1974*

<b>Viking® V1</b>	NRR 25				Canada B		Over-the-Head		
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	18.4	23.1	28.1	32.1	3	3.8	37.9	37.0	37.6
Std. Dev.	3.1	2.2	2.6	2.2	2.5	3.0	2.8	3.0	2.4

	NRR 27				Canada B		Behind-the-Head		
Mean Attn.	18.8	22.5	26.7	31.1	32.2	37.3	37.5	36.4	36.3
Std. Dev.	3.5	2.7	2.4	2.2	2.5	2.8	2.3	2.3	3.7

	NRR 27				Canada B		Under-the-Chin		
Mean Attn.	18.8	22.8	27.4	32.5	32.0	37.5	36.8	35.5	36.1
Std. Dev.	3.6	3.0	2.7	2.1	2.7	3.1	2.7	2.0	2.2

<b>Viking® V3</b>	NRR 29				Canada A (L)		Over-the-Head		
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	23.8	28.7	32.9	36.7	36.0	38.6	39.6	39.3	40.4
Std. Dev.	2.5	2.3	2.4	2.0	2.5	3.2	2.8	2.3	2.8

	NRR 27				Canada A (L)		Behind-the-Head		
Mean Attn.	20.9	26.5	31.1	36.6	34.4	36.8	38.7	38.8	38.8
Std. Dev.	4.2	2.7	3.1	2.0	2.3	3.4	1.8	2.0	2.9

	NRR 27				Canada A (L)		Under-the-Chin		
Mean Attn.	22.2	26.3	31.8	36.7	35.2	38.1	39.0	38.9	38.1
Std. Dev.	2.9	3.2	3.2	2.1	2.7	3.1	2.8	2.7	2.6

<b>Mach™ 1</b>	NRR 18				Canada B		Over-the-Head		
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	9.3	14.5	23.2	29.6	30.7	31.5	31.7	31.5	31.9
Std. Dev.	3.2	2.6	2.8	3.2	3.0	3.0	2.9	3.2	2.8

<b>QM24+®</b>	NRR 25				Canada B				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	12.9	20.1	25.8	34.3	37.4	41.9	38.9	37.8	40.3
Std. Dev.	1.3	1.5	2.2	1.8	2.0	1.9	1.7	2.4	1.4

### Cap-Mounted Earmuffs

<b>EM2177</b>	NRR 22				Canada A				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	14.7	19.5	26.9	34.3	33.0	34.6	35.0	34.7	34.8
Std. Dev.	2.3	2.8	2.7	2.6	3.4	3.2	3.7	4.0	3.8

<b>EM4157</b>	NRR 20				Canada B				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	11.8	16.7	26.2	34.3	32.2	32.8	34.4	32.5	30.7
Std. Dev.	2.2	2.6	3.7	3.7	2.8	2.9	4.5	4.6	3.9

<b>EM7206</b>	NRR 27				Canada A				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	17.9	27.8	35.4	38.0	34.9	33.0	35.8	36.8	36.3
Std. Dev.	2.4	1.8	2.9	2.6	3.0	1.9	2.7	2.9	2.9

<b>EM7209</b>	NRR 24				Canada B				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	16.8	22.0	30.8	34.2	32.6	33.9	39.6	40.0	40.1
Std. Dev.	3.1	3.3	3.5	2.3	2.4	3.9	2.6	3.2	3.1

### Sound Management Earmuffs

<b>Clarity® C1</b>	NRR 20				Canada B				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	16.6	23.9	28.7	23.2	28.4	33.7	33.2	33.9	37.1
Std. Dev.	1.9	3.0	2.5	1.9	3.5	2.8	3.0	2.5	3.2

<b>Clarity® C3</b>	NRR 27				Canada B (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	26.5	31.2	36.0	31.7	31.4	33.6	36.4	37.3	37.6
Std. Dev.	3.1	3.2	2.1	1.7	2.2	2.0	1.6	2.7	2.6

<b>Impact®</b>	NRR 23				Canada B				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	13.6	19.3	29.4	30.1	32.4	37.3	40.8	43.9	5.6
Std. Dev.	2.4	2.3	1.9	2.1	2.8	2.6	2.4	2.7	2.2

<b>Impact® H</b>	NRR 21				Canada B				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	14.2	19.2	29.7	26.9	28.8	35.4	41.0	43.8	44.9
Std. Dev.	3.5	2.9	2.1	3.1	2.3	2.5	2.3	2.4	2.3

<b>Impact® Sport/MIL</b>	NRR 22				Canada B (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	18.1	21.4	23.5	27.5	27.1	35.3	36.8	29.6	39.2
Std. Dev.	2.7	1.9	1.9	2.0	1.8	.6	3.8	3.0	3.9

### Radio & Stereo Earmuffs

<b>Sync™ Stereo</b>	NRR 25				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	19.1	22.4	28.7	31.7	36.8	39.0	39.4	39.4	41.4
Std. Dev.	3.6	2.2	1.9	2.6	3.7	3.1	2.8	1.9	3.9

<b>Sync Digital AM/FM Radio, Hi-Vis Digital AM/FM Radio and Electro</b>	NRR 25				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	20.1	24.8	28.2	32.1	33.5	36.5	38.6	40.1	39.5
Std. Dev.	2.9	2.1	2.0	2.4	2.8	2.6	2.5	2.0	2.9

<b>Sync™ Digital Electro H</b>	NRR 24				Canada A (L)				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	20.7	23.6	29.6	30.2	29.6	32.9	37.9	38.6	37.6
Std. Dev.	2.7	2.9	3.1	1.7	1.9	2.1	3.6	3.3	3.1

 Call Customer Care at 800 430-5490.



**HOWARD LEIGHT SKU LISTING**

**SINGLE-USE EARPLUGS**

**Max®**

Item #	Cording	Packaging	NRR	Canada Class
MAX-1	Uncorded	Polybag	33	A (L)
MAX-5	Uncorded	5PR Resealable Bag	33	A (L)
MAX-LS4	Uncorded	Bulk Refill Bag for Leight Source 400	33	A (L)
MAX-1-D	Uncorded	Bulk Refill Box for Leight Source 500	33	A (L)
MAX-30	Corded	Polybag	33	A (L)
MAX-30-PB	Corded	Paper Bag	33	A (L)
MAX1-USA	Max USA Uncorded	Polybag	33	A (L)
MAX-1-D-USA	Max USA Uncorded	Bulk Refill Box for Leight Source 500	33	A (L)
MAX30-USA	Max USA Corded	Polybag	33	A (L)

**MAX® Small**

Item #	Cording	Packaging	NRR	Canada Class
MAX-1S	Uncorded	Polybag	30	A (L)
MAX-30S	Uncorded	Polybag	30	A (L)
MAX-1S-D	Uncorded	Bulk Refill Bag for Leight Source 500	30	A (L)

**Max Lite®**

Item #	Cording	Packaging	NRR	Canada Class
LPF-1	Uncorded	Polybag	30	A (L)
LPF-1-PB	Uncorded	Paper Bag	30	A (L)
LPF-LS4	Uncorded	Bulk Refill Bag for Leight Source 400	30	A (L)
LPF-1-D	Uncorded	Bulk Refill Box for Leight Source 500	30	A (L)
LPF-30	Corded	Polybag	30	A (L)
LPF-30-PB	Corded	Polybag	30	A (L)
LPF-30-P	Cotton Cord	Paper Bag	30	A (L)

**Laser Lite®**

Item #	Cording	Packaging	NRR	Canada Class
LL-1	Uncorded	Polybag	32	A (L)
LL-1-PB	Uncorded	Paper Bag	32	A (L)
LL-LS4	Uncorded	Bulk Refill Bag for Leight Source 400	32	A (L)
LL-1-D	Uncorded	Bulk Refill Box for Leight Source 500	32	A (L)
LL-30	Corded	Polybag	32	A (L)
LL-30-PB	Corded	Paper Bag	32	A (L)

**Multi Max®**

Item #	Cording	Packaging	NRR	Canada Class
MM-1	Uncorded	Polybag	31	A (L)
MM-1-PB	Uncorded	Paper Bag	31	A (L)
MM-LS4	Uncorded	Bulk Refill Bag for Leight Source 400	31	A (L)
MM-1-D	Uncorded	Bulk Refill Box for Leight Source 500	31	A (L)

**Matrix™**

Item #	Cording	Packaging	NRR	Canada Class
MTX-1-OR	Orange/Uncorded	Polybag	29	A (L)
MTX-1-GR	Green/Uncorded	Polybag	27	A (L)
MTX-1-BU	Blue/Uncorded	Polybag	23	A (L)
MTX-30-OR	Orange/Corded	Polybag	29	A (L)
MTX-30-GR	Green/Corded	Polybag	27	A (L)
MTX-30-BU	Blue/Corded	Polybag	23	A (L)

MTX-OR-LS4	Orange/Corded	Bulk Refill Bag for Leight Source 400	29	A (L)
MTX-GR-LS4	Green/Corded	Bulk Refill Bag for Leight Source 400	27	A (L)
MTX-BU-LS4	Blue/Corded	Bulk Refill Bag for Leight Source 400	23	A (L)
MTX-1-OR-D	Orange/Corded	Bulk Refill Box for Leight Source 500	29	A (L)
MTX-1-GR-D	Green/Corded	Bulk Refill Box for Leight Source 500	27	A (L)
MTX-1-BU-D	Blue/Corded	Bulk Refill Box for Leight Source 500	23	A (L)

**DeciDamp2**

Item #	Cording	Packaging	NRR	Canada Class
280005	Uncorded	Polybag	29	A (L)
280006	Corded	Polybag	29	A (L)

**MULTIPLE-USE EARPLUGS**

**SmartFit®**

Item #	Cording	Packaging	NRR	Canada Class
SMF-30	Detachable Cord	HearPack	25	A (L)
SMF-30W-P	Attached Cotton Cord	Paper Bag	25	A (L)

**Fusion®**

Item #	Cording	Packaging	NRR	Canada Class
FUS30-HP	Regular/Corded	HearPack	27	A (L)
FUS30S-HP	Small/Corded	HearPack	27	A (L)

**Clarity®**

Item #	Cording	Packaging	NRR	Canada Class
1005329	Regular/Corded	Reusable Case	21	A (L)
1005328	Small/Corded	Reusable Case	21	A (L)

**AirSoft®**

Item #	Cording	Packaging	NRR	Canada Class
DPAS-1	Uncorded	Polybag	27	A (L)
DPAS-30R	Red Polycord	Polybag	27	A (L)
DPAS-30W	White Nylon Cord	Polybag	27	A (L)
AS-1	Uncorded	Reusable Case	27	A (L)
AS-30R	Red Polycord	Reusable Case	27	A (L)
AS-30W	White Nylon Cord	Reusable Case	27	A (L)

**Quiet®**

Item #	Cording	Packaging	NRR	Canada Class
QD1	Uncorded	Polybag	26	A (L)
QD1-RC	Uncorded	Reusable Case	26	A (L)
QD-1-DS	Uncorded	Bulk Refill Box for Leight Source 500	26	A (L)
QD1-SM	Small/Uncorded	Polybag	26	A (L)
QD1-RC-SM	Small/Uncorded	Reusable Case	26	A (L)
QD1-LG	Large/Uncorded	Polybag	26	A (L)
QD1-RC-LG	Large/Uncorded	Reusable Case	26	A (L)
QD30	Corded	Polybag	26	A (L)
QD30-RC	Corded	Reusable Case	26	A (L)
QD30-SM	Small/Corded	Polybag	26	A (L)
QD30-RC-SM	Small/Corded	Reusable Case	26	A (L)
QD30-LG	Large/Corded	Polybag	26	A (L)
QD30-RC-LG	Large/Corded	Reusable Case	26	A (L)

**Pilot™**

Item #	Cording	Packaging	NRR	Canada Class
PLT-1	Uncorded	Polybag	26	A (L)
PLT-30	Corded	Polybag	26	A (L)

 Call Customer Care at 800 430-5490.

## HOWARD LEIGHT SKU LISTING

### DETECTABLE EARPLUGS

#### Laser Trak®

Item #	Cording	Packaging	NRR	Canada Class
LT-30	Corded	Polybag	32	A (L)

#### SmartFit® Detectable

Item #	Cording	Packaging	NRR	Canada Class
SDT-30	Attached Polycord	Polybag	25	A (L)
SMF-30BU	Nylon Cord	Polybag	25	A (L)

#### Fusion® Detectable

Item #	Cording	Packaging	NRR	Canada Class
FDT-30	Regular/Corded	HearPack®	25	A (L)
FDT-30-SM	Small/Corded	HearPack®	25	A (L)

### BANDED EARPLUGS

#### QB1HYG®

Item #	Cording	Packaging	NRR	Canada Class
QB1HYG	Inner-Aural Band	Resealable Bag	27	B (L)
QB100HYG	Replacement Pods	Polybag		

#### QB2HYG®

Item #	Cording	Packaging	NRR	Canada Class
QB2HYG	Supra-Aural Band	Resealable Bag	25	B (L)
QB200HYG	Replacement Pods	Polybag		

#### QB3HYG®

Item #	Cording	Packaging	NRR	Canada Class
QB3HYG	Semi-Aural Band	Resealable Bag	23	B (L)
QB300HYG	Replacement Pods	Polybag		

#### PerCap®

Item #	Cording	Packaging	NRR	Canada Class
PERCAP	Folding Band	Resealable Bag	21	B (L)
PCAP100	Replacement Pods	Polybag		

### EARPLUG DISPENSERS

#### Leight® Source 400

Item #	Description	Packaging
LS-400	Leight Source 400	Box

#### Leight® Source 500

Item #	Description	Packaging
LS-500	Leight Source 500	Box

### NOISE-BLOCKING EARMUFFS

#### Leightning®

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1013461	Leightning L0F	Folding	23	B	1011998
1013460	Leightning L0N	Neckband	22	B	1011998
1010922	Leightning L1	Headband	25	B	1011998
1011991	Leightning L1H	Cap-Mounted	23	B (L)	1011998
1011994	Leightning L1N	Neckband	25	B	1011998
1010924	Leightning L3	Headband	30	A (L)	1012000
1011993	Leightning L3H	Cap-Mounted	27	A (L)	1012000
1011996	Leightning L3N	Neckband	28	A (L)	1012000

Packaging: Individual Box

#### Leightning® Hi-Visibility

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1013942	Leightning L2FHV Hi-Vis	Folding	27	B (L)	1011999
1013941	Leightning L3HV Hi-Vis	Headband	30	A (L)	1012000

#### Thunder®

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1010928	Thunder T1	Headband	26	A	1010974
1011600	Thunder T1F	Folding	25	A	1010974
1011601	Thunder T1H	Cap-Mounted	23	A	1010974
1010929	Thunder T2	Headband	28	A (L)	1010975
1011602	Thunder T2H	Cap-Mounted	25	A (L)	1010975
1010970	Thunder T3	Headband	30	A (L)	1010976
1011603	Thunder T3H	Cap-Mounted	27	A (L)	1010976

Packaging: Individual Box

#### Viking®

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1010925	Viking V1	Multiple-Position	25	B	1011998
1010926	Viking V2	Multiple-Position	27	A (L)	1011999
1010927	Viking V3	Multiple-Position	29	A (L)	1012000

Packaging: Individual Box

#### Mach™ 1

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1010421	Mach 1	Headband	18	B	N/A

Packaging: Polybag

#### QM24+®

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
QM24+	QM24+	Multiple-Position	25	B	HK4

Packaging: Polybag

#### Cap-Mounted Earmuffs For North Hard Hats

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
EM2177	Dielectric Cap-Mounted (red)	Helmet	22	A	HK200
EM4157	Dielectric Cap-Mounted (blue)	Helmet	20	B	HK100
EM7206	Metal Cap-Mounted Earmuff	Helmet	27	A	HK400
EM7209	Wide/Full-Brim Cap-Mounted	Helmet	24	B	HK400

Packaging: Individual Box



by Honeywell

Call Customer Care at 800 430-5490.

**HOWARD LEIGHT SKU LISTING**

**SOUND MANAGEMENT EARMUFFS**

**Clarity®**

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1011142	Clarity C1	Headband	20	B	1006080
1011146	Clarity C3	Headband	27	B (L)	1006081

Packaging: Individual Box

**Impact®**

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1010376	Impact	Headband 23	B	1008000	
1010632	Impact H	Cap-Mounted	21	B	1008000

Packaging: Individual Box

**Impact® Sport**

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
R-01526	Impact Sport	Folding	22	B (L)	1008000

Packaging: Blistercard

**Impact® Sport MIL**

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
R-01526-MIL	Impact Sport	Folding	22	B (L)	1008000

Packaging: Individual Box

**SYNC EARMUFFS**

**Sync Stereo**

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1030110	Sync Stereo	Headband	25	A	1030220

Packaging: Individual Box

**Sync Digital AM/FM Radio**

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1030331	Digital AM/FM Radio	Headband	25	A	1015280

Packaging: Individual Box

**Sync Hi-Vis Digital AM/FM Radio**

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1030390	Hi-Vis Digital AM/FM Radio	Headband	25	A	1015280

Packaging: Individual Box

**Sync Digital Electro**

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1030333	Digital Electro with FM Radio	Headband	25	A	1015280
1030334	Digital Electro H with FM Radio	Helmet	24	A	1015280

Packaging: Individual Box

**EARMUFFS ACCESSORIES**

**Polar Hood®**

Item #	Description	Packaging
1016870	Polar Hood – L/XL	Hang Card
1016871	Polar Hood – S/M	Hang Card

**Cool Pads**

Item #	Description	Packaging
1000365	Cool Pads, box of 20	5 Pair Packs Envelope
1000364	Cool Pads	100 Pair Dispenser Pack Box

**Slim Belt Clip**

Item #	Description	Packaging
1016730	Slim Belt Clip	Polybag

**Folding Earmuff Belt Case**

Item #	Description	Packaging
1000251	Folding Earmuff Belt Case	Polybag

**Hygiene Kits**

Item #	Description	Packaging
1006080	Clarity C1/C1F/C1H	Polybag
1006081	Clarity C2/C3/C3H	Polybag
1010974	Thunder T1/T1H/T1F	Polybag
1010975	Thunder T2/T2H/T2HV	Polybag
1010976	Thunder T3/T3H	Polybag
1011998	Leightning L1/L1H/L1N/L0N/L0F/L1HHV/Viking V1	Polybag
1011999	Leightning L2/L2H/L2N/L2F/L2FHV/Viking V2	Polybag
1012000	Leightning L3/L3H/L3N/L3HV/Viking V3	Polybag
1015280	Impact Sport/Impact Sport/Sync Radio/Sync Electro	Polybag
1030220	Sync Stereo	Polybag

**Hard Hat Adapters**

Item #	Description	Packaging
13910033	3702, Clip-On	Polybag
13910034	3710, Dielectric Screw-On	Polybag
13910035	3711, Centurion	Polybag
13910036	3712, Balance, Bullard, LAS, MSA, Voss, Opus	Polybag
13910037	Norton, Bullard	Polybag
13910038	3714, Protector, AO, JSP, Domeguard	Polybag
13910039	3718, AO Safety, Bullard, Jackson, MSA North, Sperian	Polybag



by Honeywell

Call Customer Care at 800 430-5490.

## WHAT'S INSIDE



by Honeywell

- 166 • Body Wear
- 171 • Connecting Devices
- 178 • Anchorage Connectors
- 180 • Collective Safety at Height Systems
  - Horizontal Lifeline System
- 182 • Confined Space & Rescue/Descent
- 184 • Climbing & Fall Restraint
- 187 • Titan™ Body Wear
  - Titan™ Connecting Devices
- 189 • Titan™ Anchorage Connectors
- 190 • Fall Prevention & Protection Training
- 191 • Engineered Solutions



**▲ WARNING!** Miller fall protection equipment should be used only in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury or fatality.



Honeywell Safety Products takes particular pride in bringing to market innovative safety-at-height solutions represented by the well known and respected Miller brand. Honeywell offers a comprehensive line of products and services designed to enhance worker safety and productivity, while increasing compliance and lowering overall cost.

### Added-Value

Honeywell is committed to providing added-value fall protection equipment and services to those specifying, selecting and using our products. While safety at height is our ultimate goal, enhancing worker comfort and trust are also important qualities that products bearing the Miller name have strived to maximize since 1945.

### Innovation with a Purpose

The Miller brand is more than a line of quality products and services. The brand represents innovation, solutions expertise and absolute confidence that your workers will go home at the end of the day to their families, safe and healthy.

### Setting the Standard

Honeywell continues to build strength as the global force by setting the standard in user-focused safety at height solutions.

### Superior Product & Technical Support

Our recently-expanded field sales support provides problem-solving expertise to assist you with application assessment, proper product selection and product-use training. With extensive field experience and technical insight, our U.S. fall protection sales team is unsurpassed in the industry.

A fleet of Mobile Product Demonstration units is available to visit your site and features fall protection equipment and other Honeywell personal protection equipment.

**TOTAL SAFETY AT HEIGHT SOLUTIONS**

**Honeywell Technical Service**

Technical service includes the industry-leading technical experts from the North American Technical Support team. Call us at 800.873.5242.

**Total Product Solutions**

With an extensive selection of fall protection, confined space and rescue equipment, the Miller brand provides a total solution in height safety.

**Quality Assured**

With over 65 years of manufacturing excellence, Honeywell’s production, quality control and engineering personnel utilize the highest quality materials and testing procedures to produce fall protection equipment that consistently meets established safety standards. Our in-house, state-of-the-art testing facilities allow us not only to verify that specific standards are achieved, but to test beyond the standards to help provide the ultimate in safety performance.

For complete product information, contact Honeywell Technical Service at 800.873.5242.

**Service and Sales Network**

Miller brand equipment and services are readily available throughout North America with our dedicated and responsive Distributor network. The Honeywell-owned Miller service and repair center is located in Franklin, PA, while authorized mechanical repair centers across the United States service and repair Miller products.


**Commitment to Building a Culture of Safety**

**Lead them to safety** – Build an enduring culture of safety through comprehensive education, innovative technologies, and comfortable, high-performance products that inspire workers to make safer choices on their own. Honeywell Safety Products is the ideal partner for organizations committed to a cultural transformation that minimizes injuries and maintains a safer, more productive workplace.

**Added-Value Services Help Provide Compliance**

Added-value services include safety audits and product inspection/repair programs that are readily available to better serve your safety at height compliance requirements.


Our new innovative Honeywell Enabled Safety Products technology combines a web-based information management software service with ultra high-frequency (UHF) and radio frequency identification (RFID) enabled fall protection equipment for real-time tracking control and safety compliance management.



## ABCs OF FALL PROTECTION + HOW TO DON A HARNESS

**Anchorage:**  
Commonly referred to as a tie-off point (i.e. I-beam)

**Anchorage Connector:**  
Used to join the connecting device to the anchorage (i.e. beam anchor)



**Body Wear:**  
The personal protective equipment worn by the worker (i.e. full-body harness)




**Connecting Device:**  
The critical link which joins the body wear to the anchorage/anchorage connector (Ex: retractable lifeline, (shown) or shock-absorbing lanyard, see inset)

**3 key components of the Personal Fall Arrest System (PFAS) must be in place and properly used to provide maximum worker protection.**

Individually, these components will not provide protection from a fall. However, when used properly and in conjunction with each other, they form a Personal Fall Arrest System that becomes vitally important for safety on the jobsite.

Harness Size Chart



## 6 Easy Steps That Could Save Your Life

### How to Don a Harness

<p><b>1</b></p>	<p><b>2</b></p>	<p><b>3</b></p>	<p><b>4</b></p>	<p><b>5</b></p>	<p><b>6</b></p>
<p>Hold harness by back D-ring. Shake harness to allow all straps to fall in place.</p>	<p>If chest, leg and/or waist straps are buckled, release straps and unbuckle at this time.</p>	<p>Slip straps over shoulders so D-ring is located in middle of back between shoulder blades.</p>	<p>Pull leg strap between legs and connect to opposite end. Repeat with second leg strap. If belted harness, connect waist strap after leg straps.</p>	<p>Connect chest strap and position in mid-chest area. Tighten to keep shoulder straps taut.</p>	<p>After all straps have been buckled, tighten all buckles so that harness fits snugly but allows for full range of movement. Pass excess strap through loop keepers.</p>

GUIDE TO HARNESS FEATURES

**STANDARD FEATURES**



**Sliding/Stand-Up Back D-Ring**

Sliding back D-ring with injection-molded, flexible Santoprene® D-ring pad. Comfort-touch back D-ring pad (inset) provides added comfort.



**Self-Contained Label Pack**

Integrated pack encapsulates labels, minimizing damage and loss.



**Pull-Free Lanyard Rings**

Allows user to attach lanyard when not in use. Minimizes hazards associated with the lanyard hanging freely.



**Miller Revolution ErgoArmor Back Shield**

Semi-flexible back shield minimizes impact from sharp/heavy snap hooks and self-retracting lifelines. Stand-up back D-ring simplifies connection.



**Miller Revolution PivotLink™ Connection**

Unique rotary design provides greater comfort in bending/mobility. Also available in stainless steel (inset).

**ADJUSTMENT BUCKLE TYPES**



**Quick-Connect Buckle**

Quick-connect buckles for chest and leg straps interlock similar to a seat belt for easy donning and feature a dual-tab release mechanism to prevent accidental opening.



**Tongue Buckle**

The tongue buckle works similar to a belt buckle. Insert the loose strap of webbing through the buckle tongue placing the buckle tongue through the appropriate grommet hole. Push remaining webbing through the keeper.



**Mating Buckle**

To connect the mating buckle, push the center bar buckle completely through the square link and allow it to fall into place. Pull web end to tighten.



**Friction Buckle**

To adjust the friction buckle, simply pass the webbing over the knurled bar and back down between the knurled bar and frame. Pull web end to tighten.



**Cam Buckle**

Easy, one-hand adjustment/release allows simultaneous adjustment of shoulder straps.

**D-RING OPTIONS**



**Front D-Ring**

Used for a variety of climbing, confined space and rescue applications.



**Shoulder D-Rings**

Primarily used for lifting and lowering individuals, such as in confined space and rescue applications.



**Side D-Rings**

Most commonly used for work positioning.



**PVC Coated D-Rings**

Most commonly used to prevent scratching in a variety of applications.

**BODY WEAR**

**Miller AirCore™ Harness**

*COMFORT IN THE AIR*



The most unique and innovative fall protection available, this lightweight full-body harness is designed with breathable, open-core padding technology that provides optimal air flow, while reducing heat and moisture entrapment, keeping a worker drier and cooler.

The patented Miller DuraFlex® stretchable webbing provides greater flexibility and increased comfort. The unique cam buckles on the shoulder straps make vertical webbing adjustment the easiest of any harness on the market. A new webbing design creates an original and vibrant style for easy identification and greater visibility.

**Research has found that a comfortable harness is more likely to be worn properly, increasing compliance, safety and productivity.**

**COMFORT**

- Unique breathable, open-core padding technology provides optimal airflow and reduces heat and moisture build-up; up to 16% less surface area than other padding used on the market
- Contoured ergonomic padding design minimizes contact around a worker's neck, lower back and inner thighs to reduce chafing and irritation
- Patented DuraFlex stretchable webbing provides greater flexibility

**EASY ADJUSTABILITY**

- Cam buckles provide easy one-hand adjustment; hold webbing firmly in place with no readjusting required
- Stand-up back D-ring easily adjusts, simplifies attachment
- Quick-connect buckles for easy donning

**LIGHTWEIGHT**

- Materials and components selected to reduce fatigue for all-day endurance and increased productivity; **up to 10% lighter than similar competitive harnesses**

**STYLISH DESIGN**

- High-visibility color for greater safety
- Unique and vibrant patterned webbing for easy identification

**Optimal Air Circulation**



**Maximum Heat Ventilation**



by Honeywell

Call Customer Care at 800 430-5490.  
Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).



**BODY WEAR**

**Breathable, Open-Core Padding Technology**



- **Custom designed for the shoulders / lumbar / legs (patent pending)**
- **Optimal airflow / circulation**
  - Engineered to increase airflow through and around padding
- **Strategically-placed padding**
  - Reduces heat and moisture entrapment, keeping a worker drier and cooler
  - Contoured design minimizes contact around the neck, lower back and inner thighs, reducing chafing and irritation
- **Lightweight**
  - Materials and components selected to reduce fatigue for all-day endurance and increased productivity



**Stand-Up Back D-Ring**



Easily adjusts; simplifies attachment; back pad with built-in fall indicator

**Patented DuraFlex Stretchable Webbing**

Stretches with every movement; greater mobility and increased comfort

**Integral Label Pack**

Honeywell RFID-Enabled Technology for inventory management; easy tracking, inspection and monitoring

**Quick-Connect Chest Buckle**

Easy donning; dual tab release mechanism

**Mesh Back Shield**

Durable, knitted mesh membrane minimizes moisture absorption and maintains optimal air circulation

**Cam Buckle**

Easy, one-hand adjustment/release allows simultaneous adjustment of shoulder straps

**Removable Belt**

Uniquely designed to stay in position when disconnected, even when tools are attached; available on select models

**Web Finial**

Clip-on design safely organizes webbing after proper adjustment

**Miller AirCore™ Harnesses**

AC-QC-BDP/UGN

SKU	Side D-rings	Chest Strap	Leg Strap	Lumbar Pad	Removable Belt	Weight
AC-QC/UGN	No	Quick-Connect	Quick-Connect	No	No	4.0 lbs. (1.8 kg)
AC-TB/UGN	No	Quick-Connect	Tongue	No	No	4.0 lbs. (1.8 kg)
AC-QC-D/UGN	Yes	Quick-Connect	Quick-Connect	No	No	4.7 lbs. (2.1 kg)
AC-TB-D/UGN	Yes	Quick-Connect	Tongue	No	No	4.7 lbs. (2.1 kg)
AC-QC-BDP/UGN	Yes	Quick-Connect	Quick-Connect	Yes	Yes	6.1 lbs. (2.8 kg)
AC-TB-BDP/UGN	Yes	Quick-Connect	Tongue	Yes	Yes	6.1 lbs. (2.8 kg)

Model numbers listed are for universal size. Harnesses are also available in small/medium and XXlarge by replacing the "U" in the model number with "S/M" or "2/3XL". To order a blue harness, simply replace the "GN" in the model number with "BL" (ex. AC-QC/UBL). All listed models include a back D-ring and sub-pelvic strap.

Meets OSHA 1926.502, ANSI A10.32 and ANSI Z359.1 requirements. Rated to 400 lbs. (181.4 kg) capacity.



by Honeywell

Call Customer Care at 800 430-5490.  
Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).

## BODY WEAR

### Ultimate Comfort and Fit

Exceeding worker expectations in comfort, fit, ease-of-use, durability, compliance, flexibility and convenience, the new Miller Revolution Harness provides over 11 key product features from 7 unique components.



RDT-QC/UBK

### Miller Revolution™ Harnesses



- PivotLink™ Connection – Unique rotary design provides greater comfort in bending / mobility
- Integrated Accessory System – Modular attachment design provides additional connection points for belts / tools / accessories
- ErgoArmor™ Back Shield – Semi-flexible back shield minimizes impact from sharp / heavy snap hooks and self-retracting lifelines
- Web Finials – Clip-on design safely organizes webbing after proper adjustment
- Self-Contained Label Pack – Integrated pack encapsulates labels minimizing damage and loss
- A variety of user-friendly accessories available, including: cell phone and radio holders; water bottle holder; bolt, nail and tool holders; hammer loops; plier/tool holder and utility pouch. Universal size (L/XL) fits most

SKU	Side D-rings	Chest/Leg Strap	Removable Belt
▶ RDT-QC/UBK	No	Quick-Connect	No
RDT-QC-B/UBK	No	Quick-Connect	Yes
▶ RDT-QC-DP/UBK	Yes	Quick-Connect	No
▶ RDT-QC-BDP/UBK	Yes	Quick-Connect	Yes

▶ Rapid Response Program – *Same Day Shipping!* Consult Customer Care for up-to-date availability.

Designed to meet the durability, all-day comfort and safety requirements while working at heights on a construction site

The new Miller Revolution Construction Harnesses offer the same key features that have made the original Miller Revolution Harnesses the most comfortable and user-friendly products available.



R10CN-TB-BDP/UGN

### Miller Revolution™ Construction Harnesses



- Heavy-duty webbing that is almost twice as strong as the standards require

SKU	Description
R10CN-MB/UGN	Mating Buckle legs
▶ R10CN-TB/UGN	Tongue Buckle legs
R10CN-MB-BDP/UGN	Mating Buckle Legs, Removable Belt, Side D-Rings & Pad
R10CN-TB-BDP/UGN	Tongue Buckle Legs, Removable Belt, Side D-Rings & Pad

▶ Rapid Response Program – *Same Day Shipping!* Consult Customer Care for up-to-date availability.

Call Customer Care at 800 430-5490.  
Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).

**BODY WEAR**

**Miller Revolution™ Arc-Rated Harnesses**

- Protect workers from falls caused by electric arc-flash and arc-blast exposure when working at heights or in confined space applications near energized electrical sources
- Meets stringent ASTM F887-05 Arc-Flash Standards
- Additional custom safety features have been incorporated for the security and protection of utility and maintenance workers
- Universal size (L/XL) fits most



SKU	Leg Straps	Rescue Loops	Special Features
▶ RKNAR-QC/UBK	Quick-Connect	No	Leather insulators; web back D-ring
RKNAR-QC-BDP/UBK	Quick-Connect	No	Leather insulators; web back D-ring; removable belt; side D-rings and pad
RKNARRL-QC /UBK	Quick-Connect	Yes	Leather insulators; web back D-ring
RKNARRL-QC-BDP/UBK	Quick-Connect	Yes	Leather insulators; web back D-ring; removable belt; side D-rings and pad

▶ Rapid Response Program – *Same Day Shipping!* Consult Customer Care for up-to-date availability.



RKNAR-QC/UBK

**Miller DuraFlex Python® Ultra Harnesses**

- Cushioned tubular webbing in the shoulder straps minimizes discomfort when required to wear a tool belt; patented DuraFlex® stretchable webbing in the lower torso increases worker mobility with less fatigue
- Quick-connect buckles on the chest and leg straps for easy donning; specially-woven, breathable, comfort-touch back D-ring pad for greater comfort and tangle-free donning
- Universal size (L/XL) fits most



SKU	Side D-rings	Chest/Leg Strap	Special Features
▶ P950QC/UGN	No	Quick-Connect	Comfort-touch back D-ring pad/Belt loops
P950QC-4/UGN	No	Quick-Connect/Tongue Buckle	Comfort-touch back D-ring pad/Belt loops
▶ P950QC-7/UGN	Yes	Quick-Connect	Comfort-touch back D-ring pad/Belt loops
P950QC-77/UGN	Yes	Quick-Connect	Comfort-touch back D-ring pad/Belt loops /Removable waist belt

▶ Rapid Response Program – *Same Day Shipping!* Consult Customer Care for up-to-date availability.

*Greater comfort, less fatigue*



P950QC/UGN

**Miller DuraFlex Ultra™ Harnesses**

- Designed with patented DuraFlex® stretchable webbing for greater comfort, safety and productivity
- Quick-connect buckles on the chest and leg straps for easy donning; specially-woven, breathable, comfort-touch back D-ring pad for greater comfort and tangle-free donning
- Includes friction buckle shoulder straps and belt loops to accommodate a tool belt
- Universal size (L/XL) fits most



SKU	Side D-rings	Chest/Leg Strap	Special Features
▶ E650QC/UGN	No	Quick-Connect	Comfort-touch back D-ring pad/Belt loops
▶ E650QC-7/UGN	Yes	Quick-Connect	Comfort-touch back D-ring pad/Belt loops
E650QC-77/UGN	Yes	Quick-Connect	Comfort-touch back D-ring pad / Belt loops / Removable waist belt

▶ Rapid Response Program – *Same Day Shipping!* Consult Customer Care for up-to-date availability.

*Stretchable webbing*



E650QC-7/UGN

## BODY WEAR



P950-4/UGN

Wrap-around  
comfort

### Miller DuraFlex Python® Harnesses

- Feature wrap-around comfort with cushioned tubular webbing in the upper torso that reduces neck irritation and shoulder stress when wearing a tool belt
- DuraFlex® stretchable webbing in lower torso straps moves with the body for greater flexibility, mobility and less fatigue
- Includes friction buckle shoulder straps and belt loops to accommodate a tool belt
- Universal size (L/XL) fits most



SKU	Side D-rings	Leg Strap	Chest Strap	Special Features
▶ P950/UGN	No	Mating	Mating	Santoprene® D-ring back pad / Pull-free lanyard rings / Belt loops
▶ P950-4/UGN	No	Tongue	Mating	Santoprene® D-ring back pad / Pull-free lanyard rings / Belt loops
P950-7/UGN	Yes	Mating	Mating	Santoprene® D-ring back pad / Pull-free lanyard rings / Belt loops
▶ P950-58/UGN	Yes	Tongue	Mating	Santoprene® D-ring back pad / Pull-free lanyard rings / Belt loops
▶ P950-77/UGN	Yes	Tongue	Mating	Santoprene® D-ring back pad / Pull-free lanyard rings / Belt loops Removable tool belt / 6-in. back pad

▶ Rapid Response Program – Same Day Shipping! Consult Customer Care for up-to-date availability.



E650-7/UGN

Comfort and  
mobility

### Miller DuraFlex® Stretchable Harnesses

- Feature specially-formulated stretch webbing to provide greater comfort, safety and mobility
- Pull-free lanyard rings (2) allow user to attach lanyard when not in use
- Belt loops to accommodate a tool belt
- Universal size (L/XL) fits most



SKU	Side D-rings	Leg Strap	Chest Strap	Special Features
▶ E650/UGN	No	Mating	Mating	Pull-up adjustment / Pull-free lanyard rings / Belt loops
▶ E650-4/UGN	No	Tongue	Mating	Pull-up adjustment / Pull-free lanyard rings / Belt loops
▶ E650-7/UGN	Yes	Mating	Mating	Pull-up adjustment / Pull-free lanyard rings / Belt loops
▶ E650-58/UGN	Yes	Tongue	Mating	Pull-up adjustment / Pull-free lanyard rings / Belt loops
E552/UGN	Yes	Mating	Mating	Pull-free lanyard rings / Front D-ring

▶ Rapid Response Program – Same Day Shipping! Consult Customer Care for up-to-date availability.



650T-58/UGK

Extended-wear  
comfort

### Miller HP™ (High Performance) Non-Stretch Harnesses

- Lightweight and economical harness for light construction, general industry, painting and maintenance applications
- Comfort-touch back D-ring pad
- Tangle-free donning
- Universal size (L/XL) fits most



SKU	Side D-rings	Leg Strap	Chest Strap	Special Features
650T/UGK	No	Mating	Mating	Pull-free lanyard rings / Belt loops
▶ 650T-4/UGK	No	Tongue	Mating	Pull-free lanyard rings / Belt loops
650T-7/UGK	Yes	Mating	Mating	Pull-free lanyard rings / Belt loops
650T-58/UGK	Yes	Tongue	Mating	Pull-free lanyard rings / Belt loops
552T-4/UGK	Yes	Tongue	Mating	Pull-free lanyard rings / Front D-ring

▶ Rapid Response Program – Same Day Shipping! Consult Customer Care for up-to-date availability.

**BODY WEAR**

**Miller Contractor Non-Stretch Harnesses**

- Unique combination back D-ring pad/shoulder pads that minimize discomfort/stress around the neck and shoulders when using a tool belt
- Soft lumbar back pad for additional support and comfort
- Waist belt (removable) to accommodate tool pouches
- Rated to 400 lbs. (181.4 kg) capacity
- Meets applicable OSHA, ANSI and CSA Standards



650CN-BDP/UGN

SKU	Side D-rings	Chest/Leg Strap	Special Features
▶ 650CN-BP/UGN	No	Mating/Tongue	D-ring pad, Shoulder pads, Pull-free lanyard rings, Belt loops
▶ 650CN-BDP/UGN	Yes	Mating/Tongue	D-ring pad, Shoulder pads, Pull-free lanyard rings, Belt loops

▶ Rapid Response Program – *Same Day Shipping!* Consult Customer Care for up-to-date availability.

**BODY WEAR – ACCESSORY**

**Miller Relief Step™ Safety Device**

- Alleviates the effects of orthostatic intolerance, also known as suspension trauma
- When used after a fall, provides support and enhances blood circulation until rescue – permitting the ability to move and flex leg muscles
- Small and lightweight; attaches to any brand full-body harness
- Utilizing two (2) Relief Steps (one for each leg/foot) assures greater comfort until rescue is completed

SKU	Description
▶ 9099X/12	Consists of a box of 12 Relief Step Safety Devices
▶ 9099/36BULK	36 Relief Step Safety Devices in bulk quantity

▶ Rapid Response Program – *Same Day Shipping!* Consult Customer Care for up-to-date availability.



Help prevent suspension trauma

**CONNECTING DEVICES**

**Miller Positioning Assembly**

SKU	Description
6756RS-Z7	Rebar chain assembly with two locking snap hooks and one locking rebar hook; swivel attachment and length adjuster; ANSI Z359 compliant

Note: Locking Snap Hook – 3/4-in. gate opening; Locking Rebar Hook – 2-1/2-in. gate opening



6756RS-Z7



Call Customer Care at 800 430-5490.


Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).

## CONNECTING DEVICES



216WLS/6FTYL

Built-in shock absorber



231WRS/6FTYL

### Miller Manyard® Shock-Absorbing Lanyards

- 6 ft. web tubular lanyards with a built-in shock-absorbing inner core that smoothly expands to reduce fall arrest forces
- Heavy duty tubular web outer jacket serves as a back-up lanyard for added safety
- Unique warning flag indicates unit has been involved in a fall and should be removed from service
- Maximum work load 310 lbs



SKU	Number of Legs	Harness Connection	Anchorage Connection
▶ 216WLS/6FTYL	One	Locking snap hook	Locking snap hook
▶ 219WRS/6FTYL	One	Locking snap hook	Locking rebar hook
231WRS/6FTYL	Two	Locking snap hook	Locking rebar hooks
232WLS/6FTYL	Two	Locking snap hook	Locking snap hooks

▶ Rapid Response Program – Same Day Shipping! Consult Customer Care for up-to-date availability.

**Reduces Tripping Hazard**

Contracts 6 ft. to 4 ft., Manyard® II lanyards greatly reduce the chances of tripping, snagging, or dragging. Meets all applicable OSHA, ANSI and CSA standards.



216M-Z7/6FTGN



231M-Z7/6FTGN

### Miller Manyard® II Shock-Absorbing Lanyards

- Contracts 6 ft. to 4 ft., greatly reducing the chances of tripping, snagging or dragging
- Specially-woven shock-absorbing inner core smoothly expands to reduce fall arrest forces
- Heavy-duty tubular web outer jacket serves as a wear indicator and back-up strap to the red inner core for added safety
- Working load of 310 lbs. and features a warning flag to indicate that it has arrested a fall



SKU	Number of Legs	Harness Connection	Anchorage Connection
▶ 216M-Z7/6FTGN	One	ANSI Z359 compliant locking snap hook	ANSI Z359 compliant locking snap hook
▶ 219M-Z7/6FTGN	One	ANSI Z359 compliant locking snap hook	ANSI Z359 compliant locking rebar hook
▶ 231M-Z7/6FTGN	Two	ANSI Z359 compliant locking snap hook	ANSI Z359 compliant locking rebar hooks

▶ Rapid Response Program – Same Day Shipping! Consult Customer Care for up-to-date availability.



by Honeywell

Call Customer Care at 800 430-5490.  
Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).

**CONNECTING DEVICES**

**Miller Manyard HP™ Shock-Absorbing Lanyards**

- 6 ft. web tubular lanyards with a built-in shock-absorbing inner core that smoothly expands to reduce fall arrest forces
- Heavy duty tubular web outer jacket serves as a back-up lanyard for added safety
- Unique warning flag indicates unit has been involved in a fall and should be removed from service
- Maximum work load 310 lbs



*Shock-absorbing inner core*



216TWLS-Z7/6FTGN

SKU	Number of Legs	Harness Connection	Anchorage Connection
216TWLS-Z7/6FTGN	One	ANSI Z359 compliant locking snap hook	ANSI Z359 compliant locking snap hook
219TWRS-Z7/6FTGN	One	ANSI Z359 compliant locking snap hook	ANSI Z359 compliant locking rebar hook
231TWRS-Z7/6FTGN	Two	ANSI Z359 compliant locking snap hook	ANSI Z359 compliant locking rebar hooks
232TWLS-Z7/6FTGN	Two	ANSI Z359 compliant locking snap hook	ANSI Z359 compliant locking snap hooks

**Miller HP™ Lanyards w/SofStop® Shock Absorber**

- 6 ft. web lanyard with a SofStop shock absorber pack is designed with a specially-woven inner core that smoothly expands to reduce fall arrest forces
- Includes heavy-duty back up safety strap

*Smoothly expands to reduce forces*



913TWLS-Z7/6FTGN

SKU	Number of Legs	Harness Connection	Anchorage Connection	Special Features
910TWLS-Z7/6FTGN	One	ANSI Z359 compliant locking snap hook	ANSI Z359 compliant locking snap hook	Adjustable
913TWLS-Z7/6FTGN	One	ANSI Z359 compliant locking snap hook	ANSI Z359 compliant locking snap hook	-----
8798T-Z7/6FTGN	Two	ANSI Z359 compliant locking snap hook	ANSI Z359 compliant locking snap hooks	-----
8798TR-Z7/6FTGN	Two	ANSI Z359 compliant locking snap hook	ANSI Z359 compliant locking rebar hooks	-----

**Miller StretchStop® Lanyards with SofStop® Shock Absorber**

- Contracts 6 ft. to 4 ft., greatly reducing the chances of tripping, snagging or dragging
- SofStop shock absorber pack is designed with a special woven inner core that smoothly expands to reduce fall arrest forces
- Heavy duty tubular web outer jacket serves as a back-up lanyard for added safety

*Reduces Tripping Hazard*



913SS-Z7/6FTGN

SKU	Number of Legs	Harness Connection	Anchorage Connection
913SS-Z7/6FTGN	One	ANSI Z359 compliant locking snap hook	ANSI Z359 compliant locking snap hook
913RSS-Z7/6FTGN	One	ANSI Z359 compliant locking snap hook	ANSI Z359 compliant locking rebar hook
8798SS-Z7/6FTGN	Two	ANSI Z359 compliant locking snap hook	ANSI Z359 compliant locking snap hooks
8798RSS-Z7/6FTGN	Two	ANSI Z359 compliant locking snap hook	ANSI Z359 compliant locking rebar hooks



Call Customer Care at 800 430-5490.  
Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).

## CONNECTING DEVICES

**BackBiter® lanyard and T-BAK™ PFL offers the ultimate in tie-back safety**

The webbing and snap hooks of regular lanyards are not designed to withstand the rigors of tying back. The innovative BackBiter® Tie-Back Lanyard and T-BAK™ Tie-Back PFL were designed from top to bottom for tie-back use. Meets all applicable OSHA, ANSI Z359, ANSI A10.32 and CSA standards.



### Miller BackBiter® Tie-Back Lanyards

- All-in-one 6 ft. lanyard with SofStop® shock absorber and cross-arm anchorage connector
- Unique Miller 5K® snap hook with 5,000 lbs. gate load capacity from any angle for greater safety
- Heavy-duty webbing with 5-times more abrasion resistance
- SofStop® shock absorber pack is designed with a special woven inner core that smoothly expands to reduce fall arrest forces
- Heavy duty tubular web outer jacket serves as a back-up lanyard for added safety

SKU	Number of Legs	Anchorage Connection	Harness Connection
▶ 913B/6FTGN	One	Locking 5K snap hook	Locking snap hook
▶ 8798B/6FTGN	Two	Locking 5K snap hook	Locking snap hooks

▶ Rapid Response Program – *Same Day Shipping!* Consult Customer Care for up-to-date availability.



### Miller Turbo T-BAK™ Personal Fall Limiter

- The first and only retractable designed to tie-back anywhere along the lifeline.
- Cost-effective alternative to tie-back, shock-absorbing lanyards
- All-in-one design – 7.5 ft. working capacity and anchorage connector
- Designed for anchoring below a user's harness back D-ring for greater safety
- Integrated shock absorber with load indicator
- Only tie-back retractable that meets ANSI Z359
- The Miller Turbo T-BAK Fall Protection System easily adapts two units for 100% tie-off fall protection

SKU	Description and Unit Connector
MFLT-1/7.5FT	Turbo T-BAK without unit connector
▶ MFLT-2/7.5FT	Turbo T-BAK with a 17D-1 steel twist-lock carabiner
▶ *MFLT-3/7.5FT	Turbo T-BAK with a 17D-2 lightweight, aluminum twist-lock carabiner
MFLT-4/7.5FT	Turbo T-BAK with a locking snap hook with 3/4-in. gate opening
▶ MFLT-5/7.5FT	Turbo T-BAK with an ANSI Z359-compliant snap hook with 3/4-in. gate opening

### Miller Turbo T-BAK™ Fall Protection System

- ▶ MFLTB-1/7.5FT Twin Turbo D-ring Connector with two (2) MFLT-1/7.5FT Turbo T-BAK units

▶ Rapid Response Program – *Same Day Shipping!* Consult Customer Care for up-to-date availability.

\*Does not meet ANSI Z359



by Honeywell

Call Customer Care at 800 430-5490.  
Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).



CONNECTING DEVICES

New patent-pending Twin Turbo™ D-Ring connector easily adapts two lightweight TurboLite™ personal fall limiters (PFLs) for continuous 100% tie-off fall protection.

**An Effective Solution  
When Working with  
Low Fall Clearance**

**Miller TurboLite™ Personal Fall Limiter  
and Twin Turbo™ Fall Protection System**

The cost-effective and competitive pricing of the new Miller TurboLite Personal Fall Limiters will make shock-absorbing lanyards obsolete on the jobsite. Workers will no longer need to “switch-out” equipment to maintain a safe fall distance.

- Extremely compact and lightweight, provides 6 ft. working capacity; unit attaches directly to the harness back D-ring for greater mobility and versatility
- Engineered webbing for greater abrasion resistance and long service life
- High-strength, impact-resistant nylon housing for maximum durability
- Built-in swivel prevents lifeline from twisting
- Rated for up to a 400 lb. user
- No annual factory recertification required
- Meets global standards for international companies; meets all applicable OSHA, ANSI A10.32 and Z359-2007,\* and CSA standards



\*\*Miller TurboLite™ PFL



MFL-1-Z7/6FT

SKU	Description and Unit Connector	Lanyard End Connector
<b>**Miller TurboLite™ PFL</b>		
▶ MFL-1-Z7/6FT	TurboLite with Steel Twist-Lock Carabiner	ANSI Z359 Compliant Locking Snap Hook
▶ MFL-2-Z7/6FT	TurboLite with Steel Twist-Lock Carabiner	ANSI Z359 Compliant Locking Rebar Hook
▶ MFL-9-Z7/6FT	TurboLite with ANSI Z359 Compliant Locking Snap Hook	ANSI Z359 Compliant Locking Snap Hook
▶ *MFL-11/6FT	TurboLite with Aluminum Twist-Lock Carabiner	Aluminum Locking Snap Hook
▶ *MFL-12/6FT	TurboLite with Aluminum Twist-Lock Carabiner	Aluminum Locking Rebar Hook



MFLB-12/6FT

**Miller Twin Turbo™ Fall Protection System**

SKU	Description and Unit Connector	Lanyard End Connector
MFLB/	Twin Turbo D-Ring Connector	
▶ MFLB-3-Z7/6FT	Twin Turbo D-Ring Connector and two (2) MFL-3-Z7/6FT TurboLite PFLs	ANSI Z359 Compliant Locking Snap Hooks
▶ MFLB-4-Z7/6FT	Twin Turbo D-Ring Connector and two (2) MFL-4-Z7/6FT TurboLite PFLs	ANSI Z359 Compliant Locking Rebar Hooks
*MFLB-11/6FT	Twin Turbo D-Ring Connector and TurboLite PFLs	Aluminum Locking Snap Hooks
*MFLB-12/6FT	Twin Turbo D-Ring Connector and TurboLite PFLs	Aluminum Locking Rebar Hooks

▶ Rapid Response Program – Same Day Shipping! Consult Customer Care for up-to-date availability.

\*Does not meet ANSI Z359



by Honeywell

Call Customer Care at 800 430-5490.  
Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).

## CONNECTING DEVICES

### An Affordable Alternative to Shock-Absorbing Lanyards

The lightweight, compact design of the 9 ft. Black Rhino™ Self-Retracting Lifeline and Miller Scorpion™ Personal Fall Limiter requires less fall clearance, offers greater mobility and reduces tripping hazards. Meets all applicable OSHA, ANSI and CSA standards.



### Miller Black Rhino™ Cable Self-Retracting Lifelines

- Lightweight, 9 ft. self-retracting lifeline
- Designed with stainless steel wire rope to endure the daily rigors of harsh environments
- Quick-activating, high-strength stainless steel braking system – arrests free falls, providing a quick, safe rescue
- Integral load indicator indicates when the unit must be removed from service and returned for repair
- Repairable; no annual factory recertification required

SKU	Unit Connector	Lanyard End Connector
CFL-2-Z7/9FT	Steel twist-lock carabiner	ANSI Z359 compliant locking, swivel snap hook with load indicator
▶ CFL-4-Z7/9FT	Stainless steel swivel and steel twist-lock carabiner	ANSI Z359 compliant locking, swivel snap hook with load indicator
CFL-5-Z7/9FT	Stainless steel swivel and locking rebar hook	ANSI Z359 compliant locking, swivel snap hook with load indicator

▶ Rapid Response Program – Same Day Shipping! Consult Customer Care for up-to-date availability.



### Miller Scorpion™ Personal Fall Limiters

- Lightweight and compact design; 9 ft. web lifeline
- Dual operation: attach directly to harness back D-ring or use as traditional retractable lifeline
- Quick-activating, high-strength stainless steel braking system – arrests free falls, providing a quick, safe rescue
- No annual factory recertification required
- Visual load indicator indicates when the unit must be removed from service

SKU	Unit Connector	Lanyard End Connector
▶ PFL-2-Z7/9FT	Steel twist-lock carabiner	ANSI Z359 compliant locking snap hook
▶ PFL-4-Z7/9FT	Carabiner and swivel shackle	ANSI Z359 compliant locking snap hook
▶ PFL-6-Z7/9FT	ANSI Z359 compliant locking rebar hook and swivel shackle	ANSI Z359 compliant locking snap hook
▶ PFL-7-Z7/9FT	ANSI Z359 compliant locking snap hook and swivel shackle	ANSI Z359 compliant locking snap hook
PFL-15-Z7/9FT	Without unit connector locking, swivel snap hook	ANSI Z359 compliant

▶ Rapid Response Program – Same Day Shipping! Consult Customer Care for up-to-date availability.



by Honeywell

Call Customer Care at 800 430-5490.  
Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).

**CONNECTING DEVICES**

**Miller MiniLite® Fall Limiters**

- Compact, 11 ft. retractable web fall limiter with quick activating brake system limits free fall
- Corrosion-resistant, stainless steel interior components with high-impact thermoplastic housing
- Ideal for general plant maintenance, aerial or fork lifts, cherry pickers, bucket trucks, scaffold and steel erection
- Visual load indicator identifies when a unit has been involved in a fall
- Maximum work load 310 lbs.
- Meets all applicable OSHA, ANSI Z359, ANSI A10.32 and CSA standards

SKU	Unit Connector	Lanyard End Connector
FL11-0-Z7/11FT	N/A	Locking swivel snap hook
▶ FL11-1-Z7/11FT	Steel twist-lock carabiner	Locking snap hook
▶ FL11-3-Z7/11FT	Steel twist-lock carabiner and swivel shackle	Locking snap hook
FL11-6-Z7/11FT	Rebar hook and swivel shackle	Locking snap hook
FL11-8-Z7/11FT	Locking snap hook and swivel shackle	Locking snap hook

▶ Rapid Response Program – Same Day Shipping! Consult Customer Care for up-to-date availability.



Compact 11-ft. working capacity

FL11-1-Z7/11FT

**Miller Falcon™ Self-Retracting Lifelines**

- High impact-resistant nylon housing withstands the harsh rigors of the toughest applications
- Corrosion-resistant stainless steel and aluminum internal components extend service life and reduce replacement costs
- Dual-swivels (unit top and snap hook) included on all cable models to minimize lifeline from twisting during use
- Unique side payout design reduces wear on the entry bushing and cable for smooth operation with less drag
- No annual factory recertification required, keeping units on the jobsite for increased productivity

SKU	Description	Length
MP16P-Z7/16FT	16 ft. web lifeline with stainless steel swivel and carabiner and ANSI Z359 locking snap hook	16 ft.
MP20P-Z7/20FT	20 ft. web lifeline with stainless steel swivel and carabiner and ANSI Z359 locking snap hook	20 ft.
MP20G-Z7/20FT	20 ft. galvanized wire rope with tagline and ANSI Z359 carabiner, ANSI Z359 locking snap hook	20 ft.
MP30G-Z7/30FT	30 ft. galvanized wire rope with tagline and ANSI Z359 carabiner, ANSI Z359 locking snap hook	30 ft.
MP50G-Z7/50FT	50 ft. galvanized wire rope with tagline and ANSI Z359 carabiner, ANSI Z359 locking snap hook	50 ft.
MP65G-Z7/65FT	65 ft. galvanized wire rope with tagline and ANSI Z359 carabiner, ANSI Z359 locking snap hook	65 ft.

Note: Stainless steel models available

Lifetime housing guarantee



MP20P-Z7/20FT

MP20G-Z7/20FT



Call Customer Care at 800 430-5490.  
Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).

## CONNECTING DEVICES

Extended service life



RL20P-Z7/20FT

RL65G-Z7/65FT



8174/U



300L/50FTBL

### Miller MightyLite™ Self-Retracting Lifelines

- Corrosion-resistant stainless steel and aluminum components extend service life
- Double-swivel design prevents lifeline from twisting and kinking
- Narrow payout port prevents intrusion of dirt and debris
- No annual factory recertification required, keeping units on the jobsite for increased productivity
- Carabiner for attaching to anchorage and tagline included
- Meets applicable OSHA, ANSI Z359, ANSI A10.32 and CSA standards

SKU	Description	Length
▶ RL20P-Z7/20FT	1-in. Polyester webbing; ANSI Z359 locking snap hook	20 ft.
RL50P-Z7/50FT	1-in. Polyester webbing; ANSI Z359 locking snap hook	50 ft.
▶ RL20G-Z7/20FT	3/16-in. Galvanized wire rope; ANSI Z359 locking snap hook	20 ft.
▶ RLS30G-Z7/30FT	3/16-in. Galvanized wire rope; ANSI Z359 locking snap hook	30 ft.
▶ RL50G-Z7/50FT	3/16-in. Galvanized wire rope; ANSI Z359 locking snap hook	50 ft.
RL65G-Z7/65FT	3/16-in. Galvanized cable; ANSI Z359 locking snap hook	65 ft.
RL100G-Z7/100FT	3/16-in. Galvanized cable; ANSI Z359 locking snap hook	100 ft.
RL130G-Z7/130FT	3/16-in. Galvanized wire rope; ANSI Z359 locking snap hook	130 ft.
RL175G-Z7/175FT	3/16-in. Galvanized wire rope; ANSI Z359 locking snap hook	175 ft.

Note: Stainless steel models available

- ▶ Rapid Response Program – Same Day Shipping! Consult Customer Care for up-to-date availability.



### Rope Grabs and Lifelines


SKU	Description
▶ 8174/U	Manual Rope Grab – Stainless steel, manual rope grab for use with 5/8-in. or 3/4-in. synthetic rope
▶ 300L/50FTBL	Polypropylene blend rope lifeline with locking snap hook and loop; 5/8-in diameter; 50 ft.

- ▶ Rapid Response Program – Same Day Shipping! Consult Customer Care for up-to-date availability.

## ANCHORAGE CONNECTORS



8183/6FTGN



470/

### Miller Cross-Arm Strap Anchorage Connector

- Designed to wrap around approved I-beams or other structures for a secure attachment point for lanyards and self-retracting lifelines
- 400 lbs. maximum capacity

SKU	Description
▶ 8183/6FTGN	6 ft. web Cross-Arm Strap wraps around I-beams and other structures and attaches with a 2-in. D-ring that slips through a 3-in. D-ring

- ▶ Rapid Response Program – Same Day Shipping! Consult Customer Care for up-to-date availability.



### Miller Wire Hook Anchor

- Stainless steel wire hook is fast and easy to use
- 400 lbs. maximum capacity

SKU	Description
470/	Connects to various approved anchorages including railings, small I-beams, angle iron and scaffolding. Squeeze the spring-loaded hook and slip the large opening over the approved structure

Call Customer Care at 800 430-5490.  
Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).

**ANCHORAGE CONNECTORS**

**Miller Fusion™ Roof Anchor Posts**


- Permanent or temporary solution for roof safety
- Versatile single-point anchor adapts to a wide range of roof designs
- Protects worker by maintaining a secure connection to the structure; protects the structure with a unique energy-absorbing load distribution system

SKU	Description	Designed to Accommodate
X10000	Standing Seam Roofing	Standing seam spacing from 11.75-in. to 17-in.
▶ X10001	Standing Seam Roofing	Standing seam spacing from 11.75-in. to 21.25-in.
X10002	Standing Seam Roofing	Standing seam spacing from 11.75-in. to 24-in.
X10010	Metal Sheathing Roofing	Metal sheathing with minimum thickness of 24 gauge (0.024-in.)
X10011	Metal Sheathing Roofing	Metal sheathing with minimum thickness of 24 gauge (0.024-in.). Trapezoidal spacing of 8-in. to 20-in. in one-inch increments
X10030	Membrane/Built-up Roofing	Fastens through membrane, insulation and into metal sheathing, wood sheathing or concrete with a combined thickness of up to 5.5-in.
X10031	Membrane/Built-up Roofing	Fastens through membrane, insulation and into metal sheathing, wood sheathing or concrete with a combined thickness of > 5.5-in. up to 10.5-in.
X10020	Multi-Purpose Metal Sheathing, Wood and Concrete Roofing (no hardware included)	With Miller approved hardware, accommodates: metal sheathing with minimum thickness of 24 gauge (0.024 in.). Trapezoidal spacing of 8-in. to 20-in. in one-inch increments. Plywood with minimum thickness 5/8-in. CDX. Concrete decking with minimum thickness of 6.5-in. and minimum concrete compressive strength of 3000 PSI (20.7 MPa)

*Note: Additional models available for wood sheathing, concrete roofing and multi-purpose applications*



Standing Seam



Metal Sheathing



Membrane


**Temporary Anchors**

SKU	Description
▶ 17D-1/	Steel twist-lock carabiner; 1-in. gate opening. Meets ANSI Z359
▶ 18D-1/	Large, steel twist-lock carabiner; 2-in. gate opening. Meets ANSI Z359
18D-2/	Large, aluminum twist-lock carabiner; 2-1/4-in. gate opening
RA30-1	Reusable chain with 'O' ring; steep-pitched or flat roof
9065	Lightweight beam trolley adjusts to fit beam flanges from 3-in. to 4-1/2-in. wide. The adjustable trolley slides along with the worker to provide maximum mobility
▶ 496/	Miller Grip™ portable/reusable anchorage supports 5,000 lb. ultimate strength; for single user connection; 400 lbs. maximum capacity; color-coded green. Hole diameter – 3/4-in.
▶ 8816-14/	Lightweight, adjustable ShadowLite™ Beam Anchor – high-strength aluminum and bronze; 4.2 lbs.

▶ Rapid Response Program – Same Day Shipping! Consult Customer Care for up-to-date availability.



RA30-1



9065



17D-1

8816-14

496/

Call Customer Care at 800 430-5490.  
Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).

## ANCHORAGE CONNECTORS



### Permanent Roof Anchors

SKU	Description
RA40/	Double D™ permanent roof anchor is designed to provide two (2) D-ring anchorage points when securely installed on a wood roof sub-surface ridge peak; complete with 8, 16d nails
▶ RA41/	Single D™ permanent roof anchor is designed to provide one (1) D-ring anchorage point when securely installed on a wood roof sub-surface ridge peak or vertical wall; complete with 8, 16d nails
RA45/	The Claw™ permanent roof anchor is designed to provide a single anchorage point when securely installed on a wood rafter or truss member; fits wood sizes 2-in. x 4-in., 2-in. x 6-in., 2-in. x 8-in., 2-in. x 10-in. or 2-in. x 12-in.
▶ 416/	D-Bolt Anchor for up to 4-in. working thickness includes a 5/8-in. diameter bolt with lock washer and nut

▶ Rapid Response Program – Same Day Shipping! Consult Customer Care for up-to-date availability.

## COLLECTIVE SAFETY AT HEIGHT SYSTEMS



EPIC ULTRA Barrier System



EPIC Basic Barrier System

### Miller EPIC™ Barrier Systems


Most commonly used in building construction and other elevated areas where workers are exposed to leading edges, the Miller EPIC Barrier Systems provide durable, reusable safety solutions for multiple workers. Engineered for quick and easy installation to reduce labor costs, the barriers are available in four (4) cost-effective safety systems.

- EPIC ULTRA Barrier System
- EPIC Basic Barrier System
- EPIC POST-N-Barrier System
- EPIC Stair Barrier System

SKU	Description
M3203	EPIC ULTRA Barrier – Tightly engineered steel mesh design; height adjustable. Maximum post spacing 8 ft.
M1290	EPIC Multi-Foot Base – Used for horizontal surface applications, most commonly at the slab edge or for stair applications. The three points of support allow accurate installation on an uneven surface and ensure that the anchor load is correctly controlled. The Multi-Foot Base can be through-fitted using a variety of anchors appropriate to the base material. Hole size diameter 0.71-in. for fastening base
M1140	EPIC Adjustable Safety Post – Galvanized steel construction and designed with the Quiclox auto-locking mechanism to secure the post into the base making installation and dismantling quick and easy. Length 59.06-in.

▶ Rapid Response Program – Same Day Shipping! Consult Customer Care for up-to-date availability.

## HORIZONTAL LIFELINE SYSTEMS



Accommodates two workers



### Miller TechLine™ Temporary Horizontal Lifeline System Kit

- Low-stretch rope lifeline for better performance/less deflection
- Lightweight kit; easy to carry
- Quick and easy to install for increased productivity
- Cross-arm anchorage straps for easy installation
- Connecting O-rings for greater mobility
- Shock absorber pack reduces fall arrest forces
- Designed so anchorage points only need to be rated for 5,000 lbs. (22 kN)
- Rope lifeline adjuster to accommodate required length
- Meets applicable OSHA, ANSI and CSA requirements
- Waterproof bucket for safe storage

SKU	Description
▶ HLLR2/60FT	60 ft. Rope Temporary HLL System for two workers

▶ Rapid Response Program – Same Day Shipping! Consult Customer Care for up-to-date availability.

**HORIZONTAL LIFELINE SYSTEMS**

SkyGrip® Horizontal Lifeline systems are designed for easy installation on steel or concrete applications. A variety of innovative features have been engineered into these new systems, making them extremely user friendly with enhanced safety considerations. Maximize worker safety/productivity and minimize liability!

**A New Dimension in Horizontal Lifeline Fall Arrest Technology**

**Miller SkyGrip™ Temporary Horizontal Lifeline System**

- Systems available for steel and concrete applications
- Interchangeable stanchion posts enable systems for steel applications to be converted to concrete applications and systems for concrete applications to be converted for steel applications
- Above the beam quick installation for increased safety
- Stainless steel energy absorber minimizes fall clearance
- Tension indicator ensures proper tensioning critical to knowing fall clearance
- Continuous pass-through design
- Lightweight and compact

SKU	Description
-----	-------------

**Systems for Steel Applications:**

**Accommodates flanges 4 to 18 in. wide and up to 2-1/4 in thick**

▶ SGS18/60FT	60 ft single-span system accommodates up to 2 workers
▶ SGS18/120FT	120 ft multi-span system accommodates up to 4 workers

**Systems for Concrete Applications:**

**Attaches to rebar, concrete inserts or expansion bolt anchors**

SGC/60FT	60 ft single-span system accommodates up to 2 workers
SGC/120FT	120 ft multi-span system accommodates up to 4 workers

**Lifeline Kits**

SG416/60FT	60 ft Kit w/two 416 D-bolt anchors, accommodates up to 2 workers
SG8183-10/60FT	60 ft Kit w/two 10 ft 8183 cross arm straps, accommodates up to 2 workers
SG8815-12/60FT	60 ft Kit w/two 8815-12 fixed beam anchors, accommodates up to 2 workers

**System Components**

SGXK	Energy absorber kit includes energy absorber, tension indicator and 2 anchor shackles
------	---

**Convert systems for concrete applications for use in steel applications**


SGSB18	Base to convert stanchions for concrete applications for use in steel applications (1 SGSB18 required for each stanchion)
--------	---

**Convert systems for steel applications for use in concrete applications**

SGCB	Base to convert stanchions for steel applications for use in concrete applications (1 SGCB required for each stanchion)
SGCA	Kit to convert system for steel applications for use in concrete applications (1 SGCA required for each system)

*Note: Longer systems available that will accommodate up to six workers*

▶ Rapid Response Program – Same Day Shipping! Consult Customer Care for up-to-date availability.



by Honeywell

Call Customer Care at 800 430-5490.

Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).

## CONFINED SPACE & RESCUE/DESCENT



### Miller DuraHoist™ Safety Systems

Designed for manhole and confined space entry/retrieval and fall arrest applications. The modular design allows the use of components in various configurations and applications. Multiple winches and/or lifeline systems may be mounted as required. Lightweight, manageable components for easy storage, transport and set-up.

SKU	Description
<b>DuraHoist™ Portable Confined Space System</b>	
▶ DH-1/	Four-piece system with ManHandler® hoist/winch with 65-ft. of 3/16-in. galvanized steel cable
DH-2/	Four-piece system without ManHandler® hoist/winch
<b>DuraHoist™ Adjustable Masts &amp; Lower Mast Extensions</b>	
▶ DH-3/	One-Piece Adjustable Mast; offset adjusts from 12-in. to 29-in.; compatible w/any one Lower Mast Extension
DH-23/	Two-Piece Adjustable Mast; offset adjusts from 30-in. to 48-in.; compatible w/any two Lower Mast Extensions
DH-22/21	21-in. Lower Mast Extension
DH-22/33	33-in. Lower Mast Extension
DH-22/45	45-in. Lower Mast Extension
<b>DuraHoist™ Base Options</b>	
DH-4/	Three-Piece Portable Base; maximum 29-in. offset
DH-24	Three-Piece Portable Base; maximum 48-in. offset
DH-20ZP/	Flush Floor Mount Sleeve; Zinc-plated, mild steel
DH-8ZP/	Wall Mount Sleeve; Zinc-plated, mild steel
▶ DH-7ZP/	Floor Mount Sleeve; Zinc-plated, mild steel
DH-9ZP/	Core Mount Sleeve; Zinc-plated, mild steel
<b>DuraHoist™ Portable Fall Arrest Posts</b>	
▶ DH-AP-1/	Portable Fall Arrest Post
DH-AP-3/	Rescue/Material Handling Davit Arm
DH-AP-9/	Portable I-beam anchor base
<b>Miller MightEvac, ManHandler &amp; Mounting Bracket</b>	
▶ 8442-Z7/65FT	ANSI Z359 compliant ManHandler® personnel-rated hoist with 65 ft. of 3/16-in. galvanized steel cable
▶ MR50GB-Z7/50FT	ANSI Z359 compliant Miller MightEvac® SRL with 50 ft. of 3/16-in. galvanized wire rope, mounting bracket and carabiner
DH-19-MILLER/	Complete mounting bracket assembly required to mount a ManHandler® Hoist/Winch or a Miller MightEvac® SRL
▶ Rapid Response Program – Same Day Shipping! Consult Customer Care for up-to-date availability.	
<b>Miller Tripod with MightEvac® Self-Retracting Lifeline/Emergency Retrieval Hoist</b>	
<ul style="list-style-type: none"> <li>• Promotes quick and easy rescue with a 4:1 mechanical advantage (avg. speed of 25 ft. per minute)</li> <li>• 7 ft. tripod; lightweight, high-strength aluminum construction; adjustable legs; safety chain; rubber skid pads/serrated edge tripod feet</li> <li>• Corrosion-resistant stainless steel/aluminum components</li> <li>• 310 lb. capacity; no annual factory recertification</li> </ul>	
SKU	Description
MR50GC-Z7/50FT	MightEvac w/50 ft. of 3/16-in. galvanized wire rope; 7 ft. tripod; mounting bracket, pulley, carabiner and two heavy-duty equipment bags



MR50GC-Z7/50FT



**CONFINED SPACE & RESCUE/DESCENT**

**Miller QuickPick Rescue Kits**

Miller QuickPick™ Rescue Kits deliver peace of mind during unexpected, stressful peer-rescue situations. The rescuer can remotely attach the system to the suspended worker while remaining securely anchored on the walking/working surface. All rescue components are contained in one easy-to-store kit with no assembly necessary – only requiring an overhead anchorage

- Simplified Rescue Systems – Premium or Standard Kit choices
- Out-of-the-bag solution for prompt rescue – no assembly required
- Quickly raise or lower a fallen worker to safety – avoid suspension trauma
- Professional rescue solution – enhances worker safety and corporate rescue plan

SKU	Description	Maximum Capacity	Product Weight
-----	-------------	------------------	----------------

**QuickPick Premium Kits – for users whose job does not normally include rescue**

Include backup braking system, pulleys, rope, rescue pole with clip, pigtail rope control handle, carabiners, and cross-arm anchorage connector, Miller WristBandit™ Tool Lanyard, kit bag and pole bag

QP/25FT	25-ft. Working Length System	400 lbs.	22.9 lbs.
QP/50FT	50-ft. Working Length System	400 lbs.	30.4 lbs.
QP/75FT	75-ft. Working Length System	400 lbs.	37.9 lbs.
QP/100FT	100-ft. Working Length System	400 lbs.	45.4 lbs.


**QuickPick Standard Kits – for users more experienced with rescue**

Include pulleys, rope, rescue pole with clip, pigtail rope control handle, carabiners, and cross-arm anchorage connector, Miller WristBandit™ Tool Lanyard, kit bag and pole bag

QP-1/25FT	25-ft. Working Length System	310 lbs.	17.6 lbs.
QP-1/50FT	50-ft. Working Length System	310 lbs.	25.1 lbs.
QP-1/75FT	75-ft. Working Length System	310 lbs.	32.6 lbs.
QP-1/100FT	100-ft. Working Length System	310 lbs.	40.1 lbs.

**QuickPick Components**

QP-EP	12-ft. Rescue Pole with Carabiner Clip, Carabiner, Pigtail, Miller WristBandit™ Tool Lanyard and Bag	NA	5.7 lbs.
QP-SC	Replacement Carabiner Clip	NA	0.1 lbs.
QP-RHA	Rope Control Handle	400 lbs.	0.5 lbs.



QP/25FT



by Honeywell

Call Customer Care at 800 430-5490.  
Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).

## CONFINED SPACE & RESCUE/DESCENT



SEHW/75FT

### Miller SafEscape® ELITE Controlled Descent/Self-Rescue System

- Used for vertical and angular controlled descent from overhead cranes, towers, aerial lifts, oil derricks, platforms and other elevated work areas; approved for multiple descents
- Includes lifeline (specify length); rescue harness; cross arm strap anchorage connector / carabiner; retrieval yoke; and carrying bag

SKU	Description
SE/75FT	Miller SafEscape ELITE RDD; also includes anchor slings and rescue bag; 75 ft.
SEHW/75FT	Miller SafEscape ELITE RDD with Hoisting Wheel; also includes anchor slings and rescue bag; 75 ft.
SECRKT/75FT	Crane Rescue Kit – Miller SafEscape ELITE RDD, rescue harness, cross-arm strap, retrieval yoke and rescue bag
SEWPKT/75FT	Wind Energy Kit – SafEscape ELITE RDD with hoisting wheel and ladder bracket, T-bar, edge protector, 3 anchor slings, 3 carabiners, pulley, adjustable rope anchor, rescue rope grab, accessory bag and kit bag

## CLIMBING & FALL RESTRAINT



7700A/YL/GP-1

### Miller StopFall Fall Restraint Devices

Designed to easily and naturally climb (hitchhike) wood poles in a position that's both comfortable and ergonomically accepted.

- Automatic spring-loaded cinching feature – Miller Exclusive!
- Easy to use and adjust when hitchhiking wood poles
- For use on transmission and distribution poles
- Unique gaffs provide excellent stopping power on dry, wet or icy poles

SKU	Description
7700A/YL/GP-1	StopFall Device with attached Gaff Pullers fits wood pole size 20-in. – 60-in. circumference with inner cam buckle adjustment and outer friction buckle adjustment
7600B/YL/GP-1	StopFall System fits wood pole size 25-in. – 50-in. circumference; tongue buckle adjustment and attached Gaff Pullers

### Miller Safety Straps

- Safety straps are equipped with locking snap hooks and are constructed with a red inner core/wear indicator. Should the red core become exposed, the strap must be removed from service
- 400 lbs. maximum capacity



6NFLS/6FTYL



6YRLS/6FTBR

SKU	Description	Length
<b>Miller NF Series Safety Straps</b>		
6NFLS/6FTYL	1-3/4-in. wide, 100% nylon safety strap with friction buckle	6-ft
7NFLS/7FTYL	1-3/4-in. wide, 100% nylon safety strap with friction buckle	7-ft
<b>Miller YR Series Safety Straps</b>		
6YRLS/6FTBR	Strong, six-ply nylon safety strap with tongue buckle adjuster	6-ft.
7YRLS/7FTBR	Strong, six-ply nylon safety strap with tongue buckle adjuster	7-ft.

Call Customer Care at 800 430-5490.  
Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).

**CLIMBING & FALL RESTRAINT**

**Miller Linemen's Belts**

• Superior design characteristics and handmade craftsmanship

SKU	Style	Width	Construction
8449-1	Full-floating	5-in.	"Black Beauty" leather, cushioned body pad with 1-3/4-in. leather D-saddle, waist strap and scaffolding D-ring
88N-1	Full-floating	9-in.	Leather back-saver body pad with a D-saddle, 1-3/4-in. waist strap and scaffolding D-ring
88N	Full-floating	9-in.	Leather back-saver body pad with a D-saddle and 1-3/4-in. waist strap
60NL	Fixed	4-in.	Body pad with soft dielectric lining and 1-3/4-in. waist strap
95N	Full-floating	5-in.	Leather body pad with 1-3/4-in. waist strap



**Vi-Go™ Ladder Climbing Safety System Kits**

Vi-Go™ Ladder Climbing Safety Systems provide the ultimate in safety with continuous fall protection when climbing fixed ladders. Systems are available in easy-to-install kits or as a build your own option.

- Lower cost of ownership
- Option to cut cable lengths on site
- Accommodate up to four (4) workers at a time
- Select Automatic or Manual Personal Fall Arrester Cable

SKU	Description
<b>Vi-Go Systems with Automatic Pass-Through Kits include:</b> top bracket assembly with shock absorber, a bottom bracket assembly with lifeline tensioner, 3/8-in. galvanized steel cable lifeline, all necessary hardware, automatic pass-through intermediate cable guides (when applicable) and instruction manual.	
VG/30FT	30-ft. Vi-Go system
VG/50FT	50-ft. Vi-Go system
VG/70FT	70-ft. Vi-Go system
VG/90FT	90-ft. Vi-Go system
VGCS-SC/	Automatic Pass-Through Cable Sleeve with integral swivel and carabiner

*\*Other system kits are available in 10-ft. increments up to 300-ft., and then 50-ft. increments up to 500-ft. (e.g.: To place an order for a Vi-Go system kit with 500-ft. length cable, the SKU number is VG/500FT.)*



Call Customer Care at 800 430-5490.  
Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).

## CLIMBING & FALL RESTRAINT



### Xenon® Permanent Horizontal Lifeline Kits

Xenon kits provide do-it-yourself installation and feature patented stainless steel components that are easy-to-use and require minimal maintenance. Xenon stainless steel system kits are designed for up to two\* workers. Kits include Xenon 4-in-1 shock absorber, intermediate bracket(s) (see chart), two stainless steel D-bolt anchorage-connectors, swageless fast-attach fitting, anchor shackle, thimble, cable clips, hardware and instruction manual. Xenon shuttles are sold separately.

SKU	System Length	Number of Intermediate Brackets
X00030	30-ft.	0
X00060	60-ft.	1
X00090	90-ft.	2
X00120	120-ft.	3
X00150	150-ft.	4
1005709	Xenon Shuttle – Self-aligns for smooth automatic pass-through of intermediate brackets; dual-locking mechanism for added safety	

*\*Systems can accommodate up to four workers by adding a second Xenon shock absorber (Model 1014934).*



GG0050

### GlideLoc® Vertical Height Access Ladder System Kits

GlideLoc Ladder Systems provide an innovative solution for vertical climbing that is easy-to-use, requires minimal maintenance and provides superior safety. The easy-climb GlideLoc Systems offer hands-free safety at height that ultimately increases worker mobility, safety and productivity.

- Unique design keeps hands free for climbing
- Engineered for smooth operation for ascending/descending
- Durable construction for extended service life
- Accommodates multiple workers

Kits are available in aluminum, galvanized or stainless steel construction and come complete with GlideLoc rail, gated top end-stop, gated bottom end-stop, ladder attachment brackets, and hardware

SKU	Description
GG0020	20 ft. GlideLoc system; requires 2 sections of 10 ft rail and 4 rung clamps
GG0050	50 ft. GlideLoc system; requires 5 sections of 10 ft rail and 9 rung clamps
GG0100	100 ft. GlideLoc system; requires 10 sections of 10 ft. rail and 16 rung clamps
22697/	Comfort GlideLoc Fall Arrester – Locks into the rail in the event of a fall; Stainless steel and aluminum construction
25805/	Universal II GlideLoc Fall Arrester – Can be removed from the rail anywhere along the system enabling transfer onto platforms; Stainless steel and aluminum construction

*\*GlideLoc systems are available in 10-ft. increments of up to 200-ft. For longer systems contact Honeywell Technical Service.*



by Honeywell

Call Customer Care at 800 430-5490.  
Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).

**TITAN™ BODY WEAR**

Miller Titan T-FLEX™ Stretchable Harnesses have durable, stretch webbing construction for improved comfort and greater mobility. Meet applicable OSHA, ANSI A10.32 and CSA Standards.

**Durable Stretch Webbing  
for Greater Comfort**

**Titan T-Flex™ Stretchable Harnesses**

- Competitively-priced harness with comfort-stretch webbing
- Fully adjustable design for maximum comfort
- Non-slip mating buckle chest strap promotes proper fit
- Leg strap webbing in a contrasting color for ease of donning
- Back strap increases safety by preventing roll out in the event of a fall
- Sliding back D-ring and pad ensure correct back D-ring positioning
- Meets all applicable OSHA, ANSI and CSA requirements

SKU	Side D-rings	Leg Strap	Chest Strap	Special Features
TF4000/UAK	No	Mating	Mating	Pull-free lanyard rings
▶ TF4500/UAK	No	Tongue	Mating	Pull-free lanyard rings
TF4007/UAK	Yes	Mating	Mating	Pull-free lanyard rings
▶ TF4507/UAK	Yes	Tongue	Mating	Pull-free lanyard rings

▶ Rapid Response Program – *Same Day Shipping!* Consult Customer Care for up-to-date availability.



TF4000/UAK

**Titan Non-Stretch Harnesses**

- Rated to 400 lbs. (181.4 kg) capacity
- Fully adjustable designs
- Sliding back D-ring
- Two pull-free lanyard rings
- Meets all applicable OSHA, ANSI and CSA requirements

SKU	Side D-rings	Leg Strap	Chest Strap
▶ T4000/UAK	No	Mating	Mating
▶ T4007/UAK	Yes	Mating	Mating
▶ T4500/UAK	No	Tongue	Mating
▶ T4507/UAK	Yes	Tongue	Mating

▶ Rapid Response Program – *Same Day Shipping!* Consult Customer Care for up-to-date availability.



T4500/UAK

**TITAN™ CONNECTING DEVICES**

**Titan™ Tubular Shock-Absorbing Lanyards**

- Built-in woven inner core smoothly expands reducing fall arrest forces
- The outer jacket serves as a back-up web lanyard

SKU	Number of Legs	Harness Connection	Anchorage Connection	Length
▶ T5111/6FTAF	One	Locking snap hook	Locking snap hook	6-ft
▶ T5112/6FTAF	One	Locking snap hook	Large locking rebar hook	6-ft
T5113/6FTAF	One	Locking snap hook	Small locking rebar hook	6-ft
▶ T5122/6FTAF	Two	Locking snap hook	Large locking rebar hooks	6-ft

▶ Rapid Response Program – *Same Day Shipping!* Consult Customer Care for up-to-date availability.



T5111/6FTAF

## TITAN™ CONNECTING DEVICES



T6111/6FTAF

### Titan™ Pack-Type Shock-Absorbing Lanyards

- Pack-type web lanyard with a shock absorber pack is designed with a specially-woven inner core that smoothly expands to reduce fall arrest forces
- Includes heavy-duty back up safety strap

SKU	Number of Legs	Harness Connection	Anchorage Connection	Length
▶ T6111/6FTAF	One	Locking snap hook	Locking snap hook	6-ft
T6112/6FTAF	One	Locking snap hook	Large Locking rebar hook	6-ft
▶ T6121/6FTAF	Two	Locking snap hook	Locking snap hooks	6-ft
▶ T6122/6FTAF	Two	Locking snap hook	Large Locking rebar hooks	6-ft

▶ Rapid Response Program – Same Day Shipping! Consult Customer Care for up-to-date availability.



TFL-3/11FT

### Titan™ Fall Limiters

- Requires less fall clearance than shock-absorbing lanyards, making rescue easier and reducing trip hazards
- Increases productivity over a shock-absorbing lanyard by increasing a worker's mobility
- Offers 11 feet of working capacity
- Quick-activating stainless steel braking mechanism arrests free falls
- Compact, lightweight design
- Corrosion-resistant interior components
- No annual factory recertification required
- Visual load indicator

SKU	Description
TFL/11FT	Titan Fall Limiter without an anchorage connector
TFL-1/11FT	Titan Fall Limiter with steel twist-lock carabiner
TFL-2/11FT	Titan Fall Limiter with stainless steel swivel shackle
TFL-3/11FT	Titan Fall Limiter with stainless steel swivel shackle and carabiner
TFL-6/11FT	Titan Fall Limiter with stainless steel swivel shackle; large locking rebar hook



TR20/20FT

### Titan™ Self-Retracting Lifelines

Titan Self-Retracting Lifelines (SRLs) are constructed with steel frames and are ideal for a full-range of applications including construction and general maintenance.

- Constructed with durable, impact-resistant nylon housings with steel frames
- Affordably priced
- Quick-activating braking mechanism
- Variety of working lengths
- No annual factory recertification required
- Snap hook with swivel; carabiner included
- Narrow payout port

SKU	Housing Material	Lifeline Material	Length
TRW/20FT	Aluminum & Stainless steel	1-in. webbing	20-ft.
▶ TR20/20FT	Glass-filled Polypropylene	3/16-in. Galvanized wire rope	20-ft.
▶ TR30/30FT	Glass-filled Polypropylene	3/16-in. Galvanized wire rope	30-ft.
▶ TR50/50FT	Glass-filled Polypropylene	3/16-in. Galvanized wire rope	50-ft.
TR65/65FT	Glass-filled Polypropylene	3/16-in. Galvanized wire rope	65-ft.

▶ Rapid Response Program – Same Day Shipping! Consult Customer Care for up-to-date availability.



by Honeywell

Call Customer Care at 800 430-5490.  
Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).

**TITAN™ ANCHORAGE CONNECTORS**

Titan™ Self-Retracting Lifelines are designed for a full-range of applications, including general maintenance and construction. Meet all applicable OSHA 1926.502, ANSI A10.32 and CSA Z259.2.2-98 Type 2 Standards.

**Designed to Endure  
the Demands of Rigorous  
Work Environments**

**Titan™ Cross-Arm Anchorage Connectors**

- Designed to wrap around approved I-beams or other structures for a secure attachment point for lanyards and self-retracting lifelines
- 400 lbs. maximum capacity

SKU	Description
T7314/3FTAF	3-ft. web Cross-Arm Strap features a D-ring which slips through a web loop
▶ T7314/6FTAF	6-ft. web Cross-Arm Strap features a D-ring which slips through a web loop

▶ Rapid Response Program – *Same Day Shipping!* Consult Customer Care for up-to-date availability.



T7314/3FTAF

**Titan ReadyRoofer® Fall Protection System**

- Easy to use kits provide the necessary equipment for roof safety and compliance

SKU	Description
<b>Kits include:</b> lightweight full-body harness, reusable roof anchor with attachment D-ring, compact training rope grab, shock-absorbing lanyard, high-strength rope lifeline and waterproof container	
▶ BRFK25/25FT	Kit with 25-ft. rope lifeline
▶ BRFK50/50FT	Kit with 50-ft. rope lifeline
BRFK75/75FT	Kit with 75-ft. rope lifeline
BRFK100/100FT	Kit with 100-ft. rope lifeline

▶ Rapid Response Program – *Same Day Shipping!* Consult Customer Care for up-to-date availability.



BRFK50/50FT

**Titan B-Compliant™ Roof Kits**

The Titan B-Compliant™ Roof Kits provide a complete fall protection solution for roofing applications. The kits simplify product selection by providing all of the components necessary for fall protection safety and to meet federal OSHA compliance

- Economical
- Complete Fall Protection Solution
- Easy to Use

SKU	Description
<b>Kits include:</b> lightweight, full-body harness, rope grab with permanently-attached 3-ft. lanyard with shock-absorber pack, high-strength rope lifeline, reusable stainless steel roof bracket with plated D-ring and waterproof storage container	
TRK2000/25FT	Compliant roof kit with 25-ft lifeline
TRK2000/50FT	Compliant roof kit with 50-ft lifeline



TRK2000/25FT



by Honeywell

Call Customer Care at 800 430-5490.  
Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).

## FALL PREVENTION & PROTECTION TRAINING

Training is an integral component of a safety-at-height program. Miller Fall Prevention and Protection Training offers a complete line of custom and prescheduled open enrollment training courses with easy online registration. Discount packages available. Training is available in Spanish.

Open enrollment courses are conducted throughout the year in select cities in North America with primary focus on the two-day Competent Person Training program created for facility and site supervisors who must serve as the competent person as required by OSHA 1926.32(f), 1926.500 and 1910 standards.

For a complete list of Miller Open Enrollment courses, dates, locations, and online course selection, visit [www.millerfallprotection.com/training](http://www.millerfallprotection.com/training).

### Features

- Field-experienced professional instructors
- Live demonstrations and hands-on training
- 40-ft. (12 m) indoor tower, indoor confined space area, three levels of catwalks and wind energy nacelle simulator for training
- Addresses site-specific variables and performance requirements of fall prevention and protection
- Learn proper fall protection techniques and procedures for working at height
- Gain access to online fall protection training at your convenience and time schedule
- Receive a Certificate of Completion confirming course participation
- All training courses can be held at your facility and address your specific safety needs



### New! Wind Energy Training on our Nacelle Simulator



by Honeywell

Call Customer Care at 800 430-5490.

Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).



**ENGINEERED SOLUTIONS**

For over 20 years, Miller Engineered Solutions has been providing design and installation services for safety-at-height applications. While addressing the challenges defined by unique structures or extreme environmental conditions, Miller Engineered Solutions' priority has always been ensuring worker safety, in addition to offering other added-value benefits – significantly reducing on-site safety risks; maintaining or lowering insurance premiums; reducing worker compensation claims associated with height safety incidents; and meeting regulatory compliance.

**Having trouble finding solutions to safety-at-height hazards?**

Our team of experienced engineers and safety-at-height professionals are trained to work with you to identify all options available to solve your safety-at-height hazards, and ultimately recommend the best solution to meet your long-term safety needs.

Contact Miller Engineered Solutions for details  
Toll Free: 800/325-6746 or 814/432-2118

**Features**

- Site Survey and Hazard Analysis – including written and photo documentation
- Network of engineers and qualified installers servicing North America
- Follow-up testing, training, annual inspection and certification

**Safety at Height Applications:**

- Utilities
- Wind Energy
- Elevated Machinery, Stations or Decks
- Roof Access/Perimeters
- Window Washing
- Sloped Roof Surfaces
- Building Ledges/Beams
- Power Plants and Paper Mills
- Aircraft Hangars
- Communication Towers
- Elevated Railcars and Trucks
- Bridge Inspection
- Wastewater Treatment
- Pipe Racks
- Amusement Parks
- Sports Arenas/Stadiums
- Fixed Roof Anchors



by Honeywell

Call Customer Care at 800 430-5490.  
Call Honeywell Technical Service at 800-873-5242 or visit [www.millerfallprotection.com](http://www.millerfallprotection.com).

## WHAT'S INSIDE

**Honeywell**

**NORTH**

by Honeywell

- 193 • Disposable Respirators
- 195 • Limited Use Respirators
- 196 • North Reusable Air Purifying Respirators & N-Series Cartridges and Filters
- 200 • Honeywell Reusable Air Purifying Respirators & S-Series Cartridges and Filters
- 204 • North Powered Air Purifying Systems (PAPR) & Continuous Flow Supplied Air Respirator (CF-SAR)
- 206 • North® Primair® Hoods
- 208 • Honeywell Powered Air Purifying Systems (PAPR) & Continuous Flow Supplied Air Respirator (CF-SAR)
- 212 • Ambient Air Pumps and Kits (CF-SAR)
- 213 • Air Supply Systems
- 215 • Escape Solutions
- 216 • Pressure Demand Supplied Air Respirators (PD-SAR)
- 218 • Industrial Self-Contained Breathing Apparatus (SCBA)
- 221 • Fit Testing
- 222 • Accessories



## Respiratory Protection

### North N-Series cartridges and filter/cartridge combinations have lost the bulk!

- Redesigned profile is 7% lower, increasing workers' field of vision, even when doing close-up detail work
- Easy user seal check – workers with petite hands will appreciate this improvement, no more struggling or using adapters to achieve a negative check
- Threaded connectors securely fasten to our North half masks and full facepieces, making them easy to attach without worry of them popping off accidentally
- North N-Series are compatible with the current 5500, 7700, 5400 and 7600 Series facepieces and have the same long service life workers have counted on



**▲ WARNING!** Honeywell Respiratory (North® and Sperian® branded products) equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury, illness or fatality.

**DISPOSABLE RESPIRATORS**

**Sperian ONE-Fit™ NBW95 and NBW95V Molded Cup Particulate Respirators**

- Exclusive design and shape that contours with the natural shape of the face
- 95% filtration efficiency against solid particulates and non-petroleum based liquid aerosols
- Strong and rigid outer shell prevents mask from collapse in high humidity or moist environments
- Contoured mask fits with the natural shape of the face, minimizing pressure points
- Molded nose bridge comfortably fits a variety of face shapes and sizes
- Dual welded head straps secure the respirator comfortably on the user's face

SKU	Style #	Size	Description
14110444	NBW95	1 Size	Molded Cup, N95 Non-Valved
14110445	NBW95V	1 Size	Molded Cup, N95 Valved



NBW95



NBW95V

Sperian is now Honeywell

**Sperian ONE-Fit™ Healthcare Particulate Respirator and Surgical Mask**

- Lightweight, thin construction, with a soft inner layer designed for comfort
- Elastic head straps are sonic welded to the inside of the outer layers
- Latex-free and silicone-free construction
- Masks are individually bagged to keep from soiling and contamination
- Tear Away section on the bag for easy opening

SKU	Style #	Size	Description
14110451	HC-NB295F	1 Size	N95 Mask, flatfold, FDA cleared surgical respirator
14110446	HC-NB095	1 Size	N95 Mask, molded cup FDA cleared surgical respirator



HC-NB295F

Sperian is now Honeywell

**North Flatfold N95 Disposable Respirators**

- Basic protection against non-toxic dust, pollen, mold and dander
- Nose clip incorporated into mask for ease in fitting and no exposed metal parts
- One size fits most face shapes and sizes

SKU	Size	Description
7230N95	1 Size	Disposable respirator without valve, individually wrapped
7230N95B	1 Size	Disposable respirator without valve, bulk packaged
7240N95	1 Size	Disposable respirator with valve, individually wrapped
7240N95B	1 Size	Disposable respirator with valve, bulk packaged



7240N95



Call Customer Care at 800 430-5490.

Call Customer Care at 800 430-4110.

## DISPOSABLE RESPIRATORS

Sperian is now Honeywell



N1105



N1115



P1130



CP1000VP

### Sperian SAF-T-FIT® Plus

- Nose clip is color-coded for visible size recognition
- N95, N99, P95 or P100 protection to choose from
- Molded cup design and durable suspension straps
- Low breathing resistance
- Humidity-resistant filter media
- Latex free

Style #	Small	Med/Lrg	XL
<b>N95 Mask, Economy</b>			
N1105	14110387	14110388	14110389
<b>N95 Boomerang Nose Seal</b>			
N1115	14110390	14110391	14110392
<b>N95 Boomerang Nose Seal, Exhalation Valve</b>			
N1125	14110393	14110394	14110395
<b>N95 Boomerang Nose Seal, Exhalation Valve, Nuisance OV</b>			
N1125-OV	14110396	14110397	14110398
<b>N95 Mask with valve, closed cell foam nose seal, Odor relief from acid gas</b>			
N1125-AG	14110399	14110400	14110401
<b>N99 Mask with valve, full seal and adjustable straps</b>			
N1139	14110402	14110403	14110404
<b>P95 Mask with valve, full seal and adjustable straps</b>			
P1135	–	14110428	14110429
<b>P95 Mask with valve, full seal and adjustable straps, Odor relief from organic vapors</b>			
P1135-1	–	14110430	14110431
<b>P100 Mask with valve, full seal and adjustable straps</b>			
P1130	14110439	14110440	14110441

### Sperian Nuisance Disposable Dust Mask

- Basic protection against non-toxic dust, pollen, mold and dander
- Adjustable nose bridge clip offers a secure fit
- Universal size fits most face shapes and sizes

SKU	Style #	Size	Description
14110094CC	CP1000VP	1 Size	Molded cup, disposable, not NIOSH approved

 Call Customer Care at 800 430-5490.

 Call Customer Care at 800 430-4110.

LIMITED USE RESPIRATORS

**North CFR-1** 



- Elastomeric face-seal offers superior fit over filtering facepieces; filters are not in direct contact with the worker's face
- Cradle suspension with parking feature; mask is at the ready
- User seal check gasket for ease in performing a negative user seal check
- Exhalation valve limits build up of warm, moist, exhaled breath and lessens carbon build up



4200

SKU	Size	Description
4200	Sm/Med/Lrg	Limited Use elastomeric facepiece
4200W	Sm/Med/Lrg	Half Mask includes stainless steel mesh front for welding

**Replacement Filters**

SKU	Description	Packaging
42N95	R95	20 per/box
42R99	R99	20 per/box

**Sperian Freedom Disposable Respirator** 

Sperian is now Honeywell

- Cartridges are pre-assembled for convenience eliminating assembly mistakes
- Rolled edges, broad sealing flange, and forward angled nosepiece provide a secure and comfortable fit
- Perspiration port reduces facepiece slippage and skin irritation
- Sliding suspension for easy donning
- Low-profile nose bridge accommodates eyewear
- Dispose when cartridges are expended, replacement parts and decontamination concerns are eliminated
- Available in three sizes for improved fit
- Packaged in a resealable bag to protect from contamination when not in use



14150097

	SKU	Style #	Size
<b>P100 Respirator</b>	14150096	2110P100	Small
	14150097	2210P100	Medium
	14150098	2310P100	Large
<b>Multi-Contaminant Respirator*</b>	14150086	2108	Small
	14150087	2208	Medium
	14150088	2308	Large
<b>Multi-Purpose Cartridge &amp; P100 Filter Respirator</b>	14150089	2118P100	Small
	14150090	2218P100	Medium
	14150091	2318P100	Large
<b>Organic Vapor Respirator*</b>	14150001	2101	Small
	14150002	2201	Medium
	14150003	2301	Large
<b>Organic Vapor with R95 Respirator*</b>	14130475	211R95	Small
	14130476	221R95	Medium
	14130477	231R95	Large
<b>Organic Vapor/Acid Gas Respirator*</b>	14150013	2105	Small
	14150014	2205	Medium
	14150015	2305	Large
<b>Probed Respirator</b>	14150040	2140P	Small
	14150041	2240P	Medium
	14150042	2340P	Large



14150002

**Accessories: Filter Pad and Retainer**

*\*Applicable to these styles only*

SKU	Description	Packaging
T117010	N99/R95 Filter Pad	24/box
T106010	N95 Filter Pad	24/box
14900976	Retainer	10/box

## REUSABLE AIR PURIFYING RESPIRATORS



7700

### North Premium Half Masks 7700 and 5500 Series

- Can be adapted to PAPR or Supplied Air for added flexibility in the workplace
- Only 9 replacement parts, for quick and easy strip down and clean
- Both masks are latex free, no need to be concerned about latex allergens
- Strategically engineered exhalation valve placement allows more breath to be exhaled faster, making the mask more comfortable and cooler to wear

SKU	Size	Description
<b>7700 100% Silicone Half Mask</b>		
770030	Sm/Med/Lrg	Soft, comfortable and durable silicone half mask
<b>5500 Elastomeric Half Mask</b>		
550030	Sm/Med/Lrg	Economical elastomeric half mask



5580P100

### North 5500 Convenience Packs

- Convenience packs include 5500 half mask, cartridges and/or filters for convenience
- Cartridges and filters are replaceable so facepiece can be re-used
- Ideal as an economical respirator for sub-contractors, plant guests and occasional users

SKU	Size	Description
5580P100	Sm/Med/Lrg	Half mask respirator complete with P100 filters
5501N95	Sm/Med/Lrg	Half mask respirator complete with organic vapor cartridges and N95 pre-filters
5501R95	Sm/Med/Lrg	Half mask respirator complete with organic vapor cartridges and R95 pre-filters
5501	Sm/Med/Lrg	Half mask respirator complete with organic vapor cartridges
5503	Sm/Med/Lrg	Half mask complete with organic vapor/acid gas cartridge
5581P100	Sm/Med/Lrg	Half mask complete with organic vapor cartridge and P100 filter
5583P100	Sm/Med/Lrg	Half mask complete with organic vapor/acid gas cartridge and P100 filter
55SCP100	Sm/Med/Lrg	Half mask respirator complete with Defender™ multi-contaminant cartridges/P100 filters



BP1002  
Shown here with  
7700, mask not  
included

#### Accessory

SKU	Description
BP1002	Backpack for use with North 5500 and 7700 series; cartridges moved to the back for a lower profile to fit under welding helmets and face shields

 Call Customer Care at 800 430-4110.

**REUSABLE AIR PURIFYING RESPIRATORS**

**North 5400 Series Full Facepiece** 

- Wide sealing area fits more facial types
- Nose cup provides less dead air space and channels exhaled breath out
- Latex free, with no natural rubber proteins which may cause an allergic reaction
- Wide panoramic lens provides optimal field of vision in all directions
- Polycarbonate lens meets ANSI requirements for high impact
- Can be adapted to PAPR or Supplied Air for greater flexibility in the workplace

SKU	Size	Description
54001S	Small	Economy elastomeric full facepiece w/4-point headstrap
54001	Med/Lrg	Economy elastomeric full facepiece w/4-point headstrap
54001W	Sm/Med/Lrg	Economy elastomeric full facepiece w/welding attachment



54001

**NORTH**  
by Honeywell

**North 7600 Series Full Facepiece** 

- 100% Silicone facepiece is soft and flexible to provide workers with a comfortable and secure fit
- Wide sealing area fits more facial types
- Nose cup provides less dead air space and channels exhaled breath out
- Speech diaphragm is standard to amplify workers' conversations
- Wide panoramic lens provides optimal field of vision in all directions
- Polycarbonate lens meets ANSI requirements for high impact
- Also available with welding adaptor
- Can be adapted to PAPR or Supplied Air for greater flexibility in the workplace

SKU	Size	Description
760008AS	Small	Premium elastomeric full facepiece w/5-point headstrap
760008A	Med/Lrg	Premium elastomeric full facepiece w/5-point headstrap
760008ASW	Small	Premium elastomeric full facepiece w/5-point headstrap and welding attachment
760008AW	Med/Lrg	Premium elastomeric full facepiece w/5-point headstrap and welding attachment



760008A

**NORTH**  
by Honeywell

**N-SERIES CARTRIDGES AND FILTERS**

**North Gas and Vapor Cartridges** 

SKU	Packaging	Description
75SCL	Pair	<b>Defender™ Multi-Purpose:</b> Approved for use against Organic Vapors, Ammonia, Methylamine, Formaldehyde and Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Chlorine Dioxide, Hydrogen Fluoride)
N75001L	Pair	<b>Organic Vapor:</b> Approved for use against Organic Vapors
N75002L	Pair	<b>Acid Gas Cartridge:</b> Approved for use against Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride and Chlorine Dioxide) and Formaldehyde
N75003L	Pair	<b>Organic Vapor &amp; Acid Gases:</b> Approved for use against Organic Vapors and Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride and Chloride Dioxide)
N75004L	Pair	<b>Ammonia &amp; Methylamine:</b> Approved for use against Ammonia and Methylamine
N750052L	Pair	<b>Mercury Vapor Cartridge with ESLI:</b> Mercury Vapor and Chlorine with End-of-Service Life Indicator (ESLI) for Mercury Vapor



N75002L



N750052L

**NORTH**  
by Honeywell

## N-SERIES CARTRIDGES AND FILTERS



### North Combination Gas and Vapor Cartridges with P100 Particulate Filters

SKU	Packaging	Description
75SCP100L	Pair	<b>Defender™ Multi-Purpose with P100:</b> Approved for use against Organic Vapors, Ammonia, Methylamine, Formaldehyde and Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Chloride Dioxide, Hydrogen Fluoride); and 99.97% filter efficiency for all particulates
7581P100L	Pair	<b>Organic Vapor with P100:</b> Approved for use against Organic Vapors and 99.97% filter efficiency for all particulates
7582P100L	Pair	<b>Acid Gas with P100:</b> Approved for use against Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide (escape), Chloride Dioxide, Hydrogen Fluoride); and 99.97% filter efficiency for all particulates
7583P100L	Pair	<b>Organic Vapor and Acid Gas with P100:</b> Approved for use against Organic Vapors and Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Chloride Dioxide, Hydrogen Fluoride); and 99.97% filter efficiency for all particulates
7584P100	Pair	<b>Ammonia and Methylamine with P100:</b> Approved for use against Ammonia and Methylamine; and 99.97% filter efficiency for all particulates
75852P100L	Pair	<b>Mercury vapor cartridge with ESLI, with P100:</b> Mercury Vapor and Chlorine with End-of-Service Life Indicator (ESLI) for Mercury Vapor; and 99.97% filter efficiency for all particulates



### Particulate Filters

SKU	Packaging	Description
7580P100	Pair	<b>P100 filter:</b> 99.97% efficiency for all particulates
75FFP100	Pair	<b>Low Profile P100 Filter:</b> For use under welding helmets; 99.97% efficiency for all particulates
75FFP100NL	Pair	<b>Low profile filter with Odor Relief P100 Filter:</b> For use under welding helmets; 99.97% efficiency for all particulates, plus relief from odors caused by nuisance levels of organic vapors, acid gases and ozone
7506N95	10/pack	<b>N95 Prefilter:</b> 95% filter efficiency for non-oil based aerosol particulates
7506R95	10/pack	<b>R95 Prefilter:</b> 95% filter efficiency for all particulates. Restricted to 8 hours service life if used in atmospheres containing oil-based aerosols
7506N99	10/pack	<b>N99 Prefilter:</b> 99% filter efficiency for non-oil based aerosol particulates

Call Customer Care at 800 430-4110.



**N-SERIES CARTRIDGES AND FILTERS**



**Particulate Filter Assemblies**

SKU	Packaging	Description
7535FFP100	5 Pair filters & 1 Pair adapter	<b>Stack Pack:</b> 75FFP100 and Adapter: 99.97% filter efficiency for all particulates. Includes one pair of N750035 adapter to attach the filter to North cartridges. May not be used with the Defender cartridges
7531N95	1 Pair	<b>N95 Filter Assembly:</b> 95% filter efficiency for non-oil based aerosol particulates. Includes 7506N95 prefilters, N750027 filter covers and N750015 filter retainers for use on half mask or full facepiece when cartridges are not used
7531R95	1 Pair	<b>R95 Filter Assembly:</b> 95% filter efficiency for all particulates. Restricted to 8 hours service life if used in atmospheres containing oil-based aerosols. Includes 7506R95 prefilters, N750027 filter covers and N750015 filter retainers for use on half mask or full facepiece when cartridges are not used



7535FFP100



7531N95



7531R95

**Accessories**

SKU	Packaging	Description
N750036	1 Pair	<b>Assembly for filters:</b> Assembly for filters includes two (2) N750027 covers and two (2) N750038 spiders to attach filter pads to gas and vapor cartridges
N750037	1 Pair	<b>Assembly for filters:</b> Assembly for filters includes two (2) N750027 covers and two (2) N750015 filter holders to attach filters to facepiece
N750035	Each	<b>Low Profile Filter Adapter:</b> Allows user to stack the 75FFP100 or 75FFP100NL on a North cartridge, converting the filter to a P100 prefilter (may not be used with the Defender)
N750029	Each	<b>Shower Cap:</b> For use with 7580P100. Deflects moisture during decontamination shower, and sparks and slag during welding and grinding



N750035



N750036



N750037



N750029

Call Customer Care at 800 430-4110.

## REUSABLE AIR PURIFYING RESPIRATORS



### Speria Survivair 2000™

Speria is now Honeywell

- Head harness designed to reduce facepiece slippage
- Silicone facepiece construction is lightweight and durable
- Rear split strap for easy donning and better support
- Easily converts to belt-mounted PAPR or CF-SAR
- Compatible with S-Series filters and cartridges

	Small	Medium	Large
SKU	B250000	B260000	B270000

### Speria Survivair Blue 1™

Speria is now Honeywell

- Dual flange silicone provides a more comfortable and secure fit
- Features a speaking diaphragm for improved communication
- Compatible with S-Series filters and cartridges
- Packaged in a resealable bag to protect the respirator from contamination when not in use

	Small	Medium	Large
SKU	B210010	B220010	B230010

### Speria Survivair PREMIER® Plus

Speria is now Honeywell

- Triple flange design provides added sealing security
- Silicone facepiece construction is lightweight and durable
- Wide, wraparound, pleated silicone facepiece fits a large variety of facial types
- Strategic lateral placement of inhalation valves and cartridge ports enhances field of vision
- Yoke strap is contoured to match the skirt shape for even pressure point placement
- Cradle and straps are wider to assist in weight distribution for enhanced comfort
- Rear split strap for better support with retainer clips to hold excess straps in place
- Compatible with S-Series filters and cartridges

SKU	Size	Description
321500	Small	Silicone facepiece, fits petite face profiles
322500	Med/Lrg	Silicone facepiece, fits wider face profiles



S 2000



Blue 1



Premier Plus

 Call Customer Care at 800 430-5490.

**REUSABLE AIR PURIFYING RESPIRATORS**

**Sperian Survivair Opti-Fit™ APR** 

- Choose from a 5-point strap or industrial mesh headnet to fit your comfort and needs
- Silicone skirt offers exceptional durability and comfort
- All straps are attached to the rim of the facepiece, rather than the silicone skirt, to reduce pressure points and distortion of the sealing surface when tightened
- Replaceable, high impact resistant polycarbonate lens treated with anti-scratch coating
- Mask designed with a wide viewing area offering distortion free visibility and optical clarity
- Molded-in speaking diaphragm provides improved audio transmission for communication
- Compatible with S-Series filters and cartridges
- Available in 3 sizes for wide range of fit

	Small	Medium	Large
<b>Opti-Fit APR with 5-point strap</b>			
<b>SKU</b>	752000	762000	772000
<b>Opti-Fit APR with mesh headnet</b>			
<b>SKU</b>	752100	762100	772100

Sperian is now Honeywell



Opti-Fit™

**Sperian Survivair Opti-Fit Convertible** 

- NIOSH approved for 3 configurations: APR, PAPR, and CF-SAR
- Customizable to your environment and needs, allows users to switch the facepiece for various applications without having to change facepieces
- Only one fit test needed, saving inventory, time and cost


	Small	Medium	Large
<b>Opti-Fit Convertible APR with 5-point strap</b>			
<b>SKU</b>	754000	764000	774000
<b>Opti-Fit Convertible APR with mesh headnet</b>			
<b>SKU</b>	754100	764100	774100

Sperian is now Honeywell



Opti-Fit™ Convertible



 Call Customer Care at 800 430-5490.

## S-SERIES CARTRIDGES AND FILTERS

Sperian is now Honeywell



B100100










100800

Sperian is now Honeywell



105210

### Color Coded Label Hazard Identification

	Organic Vapors (OV)
	Acid Gases (AG)
	Organic Vapors and Acid Gases (OV/AG)
	Ammonia or Methylamine (AM/MA)
	Multi-Contaminant (MC)
	Mercury Vapor or Chlorine (MV/CL)
	P100 – All Particulates

### Sperian Gas and Vapor Cartridges

SKU	Description	Packaging
B100100	<b>Organic Vapors</b> – Approved for use against Organic Vapors	6 per box
B100200	<b>Acid Gases</b> – Approved for use against Chlorine, Hydrogen Chloride, Sulfur Dioxide and Formaldehydes	6 per box
B100300	<b>Organic Vapors / Acid Gases</b> – Approved for use against Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Formaldehyde and Hydrogen Sulfide (escape)	6 per box
B100400	<b>Ammonia and Methylamine</b> – Approved for use against Ammonia and Methylamine	6 per box
100600	<b>Mercury Vapor and Chlorine</b> – Approved for use against Mercury and Chlorine vapors	6 per box
100800	<b>Multi-Contaminant</b> – Approved for use against Organic Vapors, Ammonia, Methylamine, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Fluoride, Formaldehyde and Hydrogen Sulfide (escape) and Nitrogen Dioxide	6 per box

### Sperian® Combination Gas and Vapor Cartridges with P100 Particulate Filters

SKU	Description	Packaging
105005	P100 filter	10/Box
105110	Organic Vapor cartridge with P100	4/Box
105210	Acid Gas cartridge with P100	4/Box
105310	Organic Vapor & Acid Gas cartridge with P100	4/Box
105410	Ammonia & Methylamine cartridge with P100	4/Box
105610	Mercury Vapor cartridge with ESLI, with P100	4/Box
105810	Defender Multi-Purpose cartridge with P100	4/Box

#### Accessories

SKU	Description	Packaging
106010	N95 prefilter	24/Box
107010	N99 prefilter	24/Box
B140074	Filter base	2/Pkg
140170	Filter retainer	2/Pkg



105310

 Call Customer Care at 800 430-5490.

**REUSABLE AIR PURIFYING RESPIRATORS**

**Sperian Survivair Opti-Fit Tactical Gas Mask** 

- Superior field of vision offers an unobstructed view in critical situations where line of sight vision is essential
- Full facepiece constructed of soft silicone for excellent comfort, fit and durability
- Choice of headgear— 5-pt. strap or nylon mesh headnet
- Available in three sizes for wide range of fit
- Three-position canister mounting adaptable for various applications
- Anti-scratch coated polycarbonate lens is virtually free of distortion
- Lens meets ANSI Z87.1-1989 (R-1998)2 standard for impact and penetration resistance
- DIN-threaded 40 mm connectors make attaching and removing canisters quick and easy
- Low breathing resistance
- NIOSH approved with the Model 1688 Canister to provide protection against chloracetophenone (CN), chlorobenzylidene malononitrile (CS) and includes a P100 filter for use against particulates such as pepper spray
- NIOSH approval number TC – 14G 0264

	Small	Medium	Large
<b>Opti-Fit™ Tactical facepiece with 5-point straps</b>			
SKU	753000	763000	773000

	Small	Medium	Large
<b>Opti-Fit™ Tactical facepiece with mesh headnet</b>			
SKU	753100	763100	773100

**Accessories**

SKU	Description
168800	Canister, replacement (CN, CS, P100)
763076	Pouch for gas mask

Sperian is now Honeywell



**Sperian Survivair Opti-Fit™ CBRN Gas Mask** 

- Durable, chemical resistant butyl rubber face skirt
- Optional hydration drink tube allows for quick hydration
- Superior field of vision offers an unobstructed view in critical situations where vision is essential
- Available in three sizes for a wide range of fit
- Anti-scratch coated polycarbonate lens is virtually free of distortion
- Three-position canister mounting adaptable for various applications
- DIN-threaded 40 mm connectors make attaching and removing canisters quick and easy
- Standard nose-cup reduces lens fogging
- NIOSH CBRN approved with the model 169000 CBRN canister (NIOSH Cap-1 approved, TC # 14G - 0272)
- NIOSH approved with Model 168800 CN/CS/P100 canister for riot control (TC # 14G - 0264)


	Small	Medium	Large
<b>Opti-Fit™ CBRN with 5-point straps</b>			
SKU	759000	769000	779000

	Small	Medium	Large
<b>Opti-Fit™ CBRN with 5-point straps and hydration tube</b>			
SKU	759020	769020	779020

**Accessory**

SKU	Description
169000	CBRN Canister, replacement
168800	Canister, replacement (CN, CS, P100)



 Call Customer Care at 800 430-5490.

## POWERED AIR-PURIFYING RESPIRATORS (PAPR)



CA201



4001

### North Compact Air 200 Series PAPR

- Triple alarm system creates an audible, vibratory and visual alarm to warn workers of battery life and/or filter clog
- Vibratory alarm that can be felt even through welding jackets; warns workers who are hearing impaired or in high noise environments
- Two visual alarms: one for low battery and a separate one for a clogged filter; workers will know the alarm reason and maintain the PAPR accordingly
- Lightweight for improved comfort and longer wear
- The same unit can be used for either tight facepieces or loose fitting hoods to accommodate different needs and preferences
- Airflow is automatically adjusted to meet OSHA and CSA CFM requirements

SKU	Description	Packaging
<b>Select your 200 Series Blower and Battery</b>		
CA201	Compact Air 200 PAPR blower and battery assembly with backpad and nylon belt	Each
CA201D	Compact Air 200 PAPR blower and battery assembly with decon and PVC belt	Each

<b>Select your Breathing Tube</b>	
CA127	34" straight tube for use with Primair Series loose fitting headcovers
CA127L	40" straight tube for use with Primair Series loose fitting headcovers
CA229	34" "Y" breathing tube, for use with North tight fitting facepieces
CA229L	40" "Y" breathing tube, for use with North tight fitting facepieces

<b>Select your Cartridge/Filter</b>		
SKU	Environment	Packaging
4001	Organic Vapor	3 ea per box
4003	Organic Vapor/Acid Gas	3 ea per box
4004	Ammonia/Methylamine	3 ea per box
40HE	HEPA	
4001HE	Organic vapor cartridge with HEPA filter	3 ea per box
4003HE	Organic vapor & acid gas cartridge with HEPA filter	3 ea per box
4004HE	Ammonia & methylamine cartridge with HEPA filter	3 ea per box

<b>Select your Facepiece or Hood</b>	
Facepieces refer to page 196-197	
Hoods refer to page 206-207	



Call Customer Care at 800 430-4110.

**CONTINUOUS FLOW SUPPLIED AIR RESPIRATORS (CF-SAR)**

**North CF1000 Series** 

**Simple – Comfortable – Easy to Use.** Those key words describe the new North CF1000 Series supplied air respirator. Using the same breathing tube as the North Compact Air, this supplied air system is compatible with the complete line of North Primair Hoods. It is approved with five brands of couplers, available with a choice of nylon or PVC belt, and comes with a muffler to dampen noise inside the hood.

- Choose either nylon or PVC belt – nylon offers the most flexibility in movement for optimal comfort; the PVC belt is ideal in decontamination applications
- Muffler dampens noise in workers' hoods for a quieter work environment with less distraction
- Compatible with North Primair Series hoods offering a wide range of options to choose from; loose-fitting under the chin style to a hood with hard hat, and optional welding shield attachments

**Complete Assembly\* includes: Belt, muffler, and breathing tube**

SKU	Description
CF1001	Assembly with 34" breathing tube and nylon belt
CF1001D	Assembly with 34" breathing tube and PVC belt
CF1001L	Assembly with 40" breathing tube and nylon belt
CF1001DL	Assembly with 40" breathing tube and PVC belt

**Vortex Tube (optional)**

88600	Vortex tube for 3/8" I.D. hose (optional)
88800	Vortex tube for 1/2" I.D. hose (optional)

*\*Hood, couplers, and hoses must be ordered separately.*

**Breathing Tube for Compact Air 200 Series PAPR and North CF1000**

SKU	Description	Packaging
CA127	34" straight tube for use with Primair Series loose fitting headcovers	Each
CA127L	40" straight tube for use with Primair Series loose fitting headcovers	Each
CA229	34" "Y" breathing tube, for use with North tight fitting facepieces	Each
CA229L	40" "Y" Tube for North Half Masks and Full Facepieces	Each



CA127

**North CF2000 Series** 

**Convert your North half mask or full facepiece to continuous flow supplied air respirator with the CF2007 "Y" breathing tube.** The CF2007 is a cost-effective solution when upgrading to supplied air becomes necessary at your worksite.

- Adapts North half masks and full facepieces into CF-SAR through cartridge connectors, expanding the use of existing respirators with no additional fit testing required
- Breathing tubes are located on the worker's back, out of the work zone and not interfering with the task at hand
- Welding adapter for the 5400 and 7600 masks is NIOSH approved for use in welding applications adding greater flexibility of use

**Complete Assembly\* includes: Belt, muffler, and "Y" breathing tube**

SKU	Description
CF2007	Assembly, with "Y" breathing tube and nylon belt

*\*Facepiece, couplers, and hoses must be ordered separately.  
(Hoses and couplers continued on next page)*



CF2007  
Breathing tube shown on 7600 face mask, face mask not included

**NORTH**  
by Honeywell

 Call Customer Care at 800 430-4110.

## CONTINUOUS FLOW SUPPLIED AIR RESPIRATORS (CF-SAR)

(CF1000 and CF2000 respirators on previous page)

### Hoses for CF1000 and CF2000 Respirators

SKU	Description
996025	25 ft. breathing air hose, 3/8" I.D.
996050	50 ft. breathing air hose, 3/8" I.D.
996100	100 ft. breathing air hose, 3/8" I.D.
998025	25 ft. breathing air hose, 1/2" I.D.
998050	50 ft. breathing air hose, 1/2" I.D.
998100	100 ft. breathing air hose, 1/2" I.D.



88800H

### Couplers for CF1000 and CF2000 Respirators

SKU	Description
88600	Coupler Assembly for 3/8" I.D. breathing air hose (includes 880161 & 880040). Add suffix C (Cejn), F (Foster), H (Hansen), S (Schrader) or ST (Snap-Tite) to designate brand
88800	Coupler Assembly for 1/2" I.D. breathing air hose (includes 880161 & 880060). Add suffix C (Cejn), F (Foster), H (Hansen), S (Schrader) or ST (Snap-Tite) to designate brand
880161	Male plug and bushing for breathing tube and for 1/2" I.D. breathing air hose connecting to air supply. Add suffix C (Cejn), F (Foster), H (Hansen), S (Schrader) or ST (Snap-Tite) to designate brand
880141	Male plug for 3/8" I.D. breathing air hose connecting to air supply. Add suffix C (Cejn), F (Foster), H (Hansen), S (Schrader) or ST (Snap-Tite) to designate brand
880040	Female coupler for 3/8" I.D. breathing air hose connecting to male plug on breathing tube. Add suffix C (Cejn), F (Foster), H (Hansen), S (Schrader) or ST (Snap-Tite) to designate brand
880060	Female coupler for 1/2" I.D. breathing air hose connecting to male plug on breathing tube. Add suffix C (Cejn), F (Foster), H (Hansen), S (Schrader) or ST (Snap-Tite) to designate brand

## NORTH® PRIMAIR® HOODS



PA101

### North® Primair® 100 Series

Primair hoods can be used for both Compact Air 200 Series PAPR and CF1000 Supplied Air

- Ideal for pharmaceutical and other light duty industries, NIOSH approved with an APF of 25
- Manifold directs air flow to the front lens, not in worker's eyes
- Multiple size adjustments for a comfortable and personal fit
- Hoods are durable and lightweight, made from spun bond polypropylene
- PA101 is less bulky than full hoods; sealing under the chin, without covering the ears
- Adjustable bib length or cotton neck seal; workers can customize to their liking or need
- Spun-bond polypropylene hoods are available coated and uncoated; coated hoods provide incidental protection from occasional splash
- Peel-away window is available (item # PA105) to protect the lens from splatter, extending the life of the lens

 Call Customer Care at 800 430-4110.



**NORTH® PRIMAIR® HOODS**

SKU	Size	Description	Packaging
PA101S	Sm	Primair 100 headgear with Primair loose fitting head cover	Each
PA101M	Med/Lrg	Primair 100 headgear with Primair loose fitting head cover	Each
PA111		Primair 100 headgear with Primair hood	Each
PA121		Primair 100 headgear with Primair hood, protective splash coating	Each
PA131		Hood with cotton seal neck	Each
PA141		Coated hood with cotton seal neck	Each
<b>Replacement Hoods</b>			
PA102		Replacement hoods for PA101	10 per box
PA112		Replacement hoods for PA111	3 per box
PA122		Replacement hoods for PA121	3 per box
PA132		Replacement hoods for PA131	10 per box
PA142		Replacement hoods for PA141	10 per box



PA111



PA132

**North® Primair® FM300 Series** 

- 3C connection for Fibre-Metal welding helmets and faceshields
- Spun bond polypropylene hood with comfortable neck seal is lightweight and comfortable without sacrificing protection from all particles
- Carbtex cover provides FR protection from welding sparks

SKU	Description	Packaging
PA301	Primair FM 300 headgear and hood with knit neck seal	
PA331	Primair FM 300 headgear, hood with knit neck seal and flame resistant cover	

<b>Replacement Hoods</b>		
PA302	Replacement hood for PA301 and PA331	10 per box
PA332	Replacement FR cover for PA301 and PA331	Each



PA301

**Primair® 200 Series with Fibre-Metal Hard Hat** 

- SuperEight® Suspension system with 8 load bearing points balances and stabilizes the headgear weight, for greater comfort and fit
- Quick-Lok® attachment system connects Fibre-Metal welding helmets and faceshields to give added face protection during welding and grinding
- Spun bond polypropylene hood with cotton neck seal is lightweight and comfortable without sacrificing protection from all particles

SKU	Description	Packaging
PA201E01	Primair FM 200 E2 style hard hat with hood	Each
PA201P01	Primair FM 200 P2N style hard hat with hood	Each
PA231E01	Primair FM 200 E2 style hard hat with hood and Carbtex FR cover	Each
PA231P01	Primair FM 200 P2N style hard hat with hood and Carbtex FR cover	Each

<b>Replacement Hoods</b>		
PA202	Replacement hoods for PA201 and PA231	10 per box
PA232	Replacement FR cover for PA201 and PA231	Each



PA201E01

 Call Customer Care at 800 430-4110.

## CONTINUOUS FLOW SUPPLIED AIR RESPIRATORS (CF-SAR)



78005

### 7800 Series Full Facepiece with Cartridge Connectors

- Ideal for when workers need to disconnect from hoses, air-purifying cartridges supply backup and peace of mind to your supplied air respirator
- 7600 style full facepiece features a soft silicone dual flange sealing area that is soft, comfortable and wider to fit a full range of face shapes
- Lens offers a 200° field of vision and downward view to allow workers a clear line of site on work area and their surroundings
- Polycarbonate lens meets ANSI high impact requirements eliminating the need for safety eyewear
- Available with adjustable flow control valve
- Choice of two hose I.D. and three brands of couplers

SKU	Description	Size
78005	Full Facepiece w/breathing tube & cartridge connectors, fixed flow	Sm/Med/Lrg

#### Hoses for 7800 Series

SKU	Description
886025	25 ft. breathing air hose, 3/8" I.D. for use with 7800 Series airline
886050	50 ft. breathing air hose, 3/8" I.D. for use with 7800 Series airline
886100	100 ft. breathing air hose, 3/8" I.D. for use with 7800 Series airline
888025	25 ft. breathing air hose, 1/2" I.D. for use with 7800 Series airline
888050	50 ft. breathing air hose, 1/2" I.D. for use with 7800 Series airline
888100	100 ft. breathing air hose, 1/2" I.D. for use with 7800 Series airline

## POWERED AIR-PURIFYING RESPIRATORS (PAPR)

Sperian is now Honeywell



520600

### Sperian Survivair Mask Mounted PAPR

- Lightweight unit will not slow worker efficiency
- Low cost High Efficiency (HE) filter helps to reduce inventory cost
- The battery pack is water resistant, and contoured for wearer comfort
- Silicone facepiece offers high durability and unmatched comfort
- Includes: facepiece, blower, battery charger, power cord, HE filter, belt and air flow tester

	Small	Medium	Large
--	-------	--------	-------

#### Opti-Fit™ Mask Mounted PAPR with 5-point head strap

SKU	Small	Medium	Large
520500	520500	520600	520700

#### Opti-Fit™ Mask Mounted PAPR with mesh headnet

SKU	Small	Medium	Large
520520	520520	520620	520720

#### Parts and Accessories

SKU	Description
108000	PAPR filter, high efficiency (HE) (box of 4 filters)
108044	PAPR filter, high efficiency (HE) (bulk pack – case of 84 filters)
520020	Blower unit, mask-mounted
520030	Power cord, mask-mounted
520060	Battery pack, mask-mounted
981177	Filter shower cap with holes
981178	Filter shower cap without holes

Call Customer Care at 800 430-5490.

Call Customer Care at 800 430-4110.

**POWERED AIR-PURIFYING RESPIRATORS (PAPR)**

**Sperian Survivair Belt Mounted PAPR** 

- Choice of silicone full facepiece, silicone half mask, or Tyvek® single bib hood
- Low cost High Efficiency (HE) filter helps to reduce inventory cost
- The battery pack is water resistant, and contoured for wearer comfort
- Battery pack, blower kit and filters fit comfortably on wearer's hips
- Efficient motor provides high air-flow rate
- Long-lasting battery pack with trouble-free recharging
- Facepiece kit includes facepiece, breathing tube and breathing tube cover
- Blower kit and high efficiency filters sold separate



540610

	Small	Medium	Large
--	-------	--------	-------

**Opti-Fit™ Belt Mounted PAPR with 5-point head strap**

SKU	540510	540610	540710
-----	--------	--------	--------

**Opti-Fit™ Belt Mounted PAPR with mesh headnet**

SKU	541510	541610	541710
-----	--------	--------	--------

**Blower and Battery Kit Assembly**

SKU	Description
500085	Belt mounted PAPR blower battery kit assembly (filters sold separately)



500085

**Single Bib Hood** 

- Offers flexible alternative to tight-fitting facepieces and covers neck and collar area, providing splash/overspray/skin absorption protection and easy wearer cleanup
- Fits persons with facial hair or prescription glasses; the only alternative to tight-fitting facepieces
- Hood easily accommodates a hard hat when head protection is required

SKU	Description
590085	Assembly with hood

Sperian is now Honeywell

**PAPR Filters** 

SKU	Description
10800	PAPR filter, high efficiency (HE) 4/box

**Parts and Accessories**

SKU	Description
540050	Blower unit, belt-mounted
540030	Power cord, belt-mounted
540060	Battery pack, belt-mounted
981177	Filter shower cap with holes
981178	Filter shower cap without holes
981814	Hard hat adapter for hood (hard hat not included)
981812	Replacement hoods



590085

## CONTINUOUS FLOW SUPPLIED AIR RESPIRATORS (CF-SAR)

Sperian is now Honeywell



### Sperian Survivair CF-SAR

- Connects to an airline hose by using a high-volume, low pressure, durable rubber breathing tube
- Breathing tube attaches to front inlet nozzle port (the side ports are capped off)
- CF-SAR Front Port assemblies include:
  - Opti-Fit full facepiece, rubber hoses, belt and caps. Kits are also available without facepiece. Couplings sold separately.

#### Front port airline assembly w/Opti-Fit facepiece with 5-point headstrap

	Small	Medium	Large
SKU	981500	981501	981503

#### Front port airline assembly w/Opti-Fit facepiece with 5-point headstrap

	Small	Medium	Large
SKU	981550	981551	981553


#### Hoods – Sperian Survivair

SKU	Description
981820	Hood with polyester lens, single bib
981840	Hood with polyester lens, single bib. Plastic breathing tube and ratchet suspension
981812	Replacement hoods for 981820 and 981840



#### Hoses and Couplers – Sperian Survivair

SKU	Description
985241	25 ft. breathing air hose with OBAC couplers
985242	50 ft. breathing air hose with OBAC couplers
985244	100 ft. breathing air hose with OBAC couplers
930801	25 ft. breathing air hose, 3/8" I.D., standard pressure
930802	50 ft. breathing air hose, 3/8" I.D., standard pressure
930804	100 ft. breathing air hose, 3/8" I.D., standard pressure
930870	10 ft. breathing air hose, 3/8" I.D., high pressure
930861	25 ft. breathing air hose, 3/8" I.D., high pressure
930862	50 ft. breathing air hose, 3/8" I.D., high pressure
930864	100 ft. breathing air hose, 3/8" I.D., high pressure
930429	Male Coupler, Foster
930466	Male Coupler, Hansen
985247	Male Coupler, OBAC (required if using hoses with OBAC couplers)
930433	Male Coupler, Schrader
930424	Female coupler, Foster for air supply
930465	Female coupler, Hansen for air supply
985248	Female coupler, OBAC for air supply
930437	Female coupler, Schrader for air supply
930810	Coupler assembly, Foster (includes 930424 and 930429)
930424	Female coupler, Foster
930429	Male plug, Foster




(Sperian Survivair Opti-Fit Convertible CF-SAR Front Port continued on next page)

 Call Customer Care at 800 430-5490.

**CONTINUOUS FLOW SUPPLIED AIR RESPIRATORS (CF-SAR)**

930830	Coupler assembly, Hansen (includes 930465 and 930466)
930465	Female coupler, Hansen
930466	Male plug, Hansen
930840	Coupler assembly, OBAC (includes 985248 and 985247)
985248	Female coupler, OBAC
985247	Male plug, OBAC
930820	Coupler assembly, Schrader (includes 930437 and 930433)
930437	Female coupler, Schrader
930433	Male plug, Schrader



**Survivair W4K Hoods with Standard Suspension** 

SKU	Description
14510028	Hood with single bib and acetate lens, plastic breathing tube
14510004	Hood with single bib and acetate lens, plastic breathing tube. Includes Schrader fitting
14510021	Hood with double bib and acetate lens, plastic breathing tube
14510019	Hood with double bib and acetate lens, plastic breathing tube. Includes Schrader fitting
14510025	Hood with double bib and polyester lens, plastic breathing tube. Includes Schrader fitting
14510027	Hood with double bib and acetate lens, plastic breathing tube. Includes Schrader fitting and cooling system

Sperian is now Honeywell




14510028

**Replacement Hood**

14900409	Replacement hood, single bib with acetate lens
----------	--

**Hoses & Couplers – Survivair W4K**

SKU	Description
14900185	25 ft. breathing air hose, 3/8" I.D., includes Schrader fittings
14900186	50 ft. breathing air hose, 3/8" I.D., includes Schrader fittings
14900188	100 ft. breathing air hose, 3/8" I.D., includes Schrader fittings
14900743	25 ft. breathing air hose with MPT, 3/8" I.D.
14900744	50 ft. breathing air hose with MPT, 3/8" I.D.
14900521	Female coupler, Schrader, for hose and connection to air supply
14900524	Male plug, Schrader, for hose
14900538	Female coupler, Hansen, for hose and connection to air supply
14900531	Male plug, Hansen, for hose
14900519	Female coupler, Industrial Interchange, for hose and connection to air supply
14900517	Male plug, Industrial Interchange, for hose

 Call Customer Care at 800 430-5490.

## AMBIENT AIR PUMPS AND KITS (CF-SAR)

Honeywell



86610

### Honeywell Ambient Air Pump

Ambient Air Pumps are ideal for continuous flow applications for up to three workers – available individually or as part of a complete package.

- Lightweight and portable air pumps offer the flexibility for use at multiple sites and are easily stored when not in use
- No special wiring or adapters are necessary, air pumps can plug into any standard electrical outlet for plug and go ease
- Air pumps can be ordered on their own or as Pump Kits that are pre-assembled for convenience and assurance that all components are readily available

**Ambient Air Pumps** – for use with either North or Sperian Supplied Air Respirators

SKU	Description
86610	¾ horse power Ambient air pump for 1 to 2 workers
86630	1.5 horse power Ambient air pump for 1 to 3 workers
86613	50' Extension hose

Honeywell



86630

### Honeywell Ambient Air Pump Kits

**Pump Kit includes:** Facepiece or hood assembly, breathing tube, couplers, 50' hose

SKU	Pump #	Workers	Facepiece or Hood	Breathing Tube	Couplers	Hoses
APPA	86610	1	North 7600 full facepiece, size M/L	CF2007	Hansen 88800H	998050 50' ½" I.D.
APPB	86610	1	North PA131 bibbed hood	CA127	Hansen 88800H	998050 50' ½" I.D.
APPC	86610	1	North 7700 half mask, size medium	CF2007	Hansen 88800H	998050 50' ½" I.D.
APPF	86630	2	North 7600 full facepiece, size M/L	CF2007	Hansen 88800H	998050 50' ½" I.D.
APPG	86630	2	North PA131 double bibbed hood	CA127	Hansen 88800H	998050 50' ½" I.D.
962331	86610	1	Sperian Opti-Fit full facepiece, size med.	Included	OBAC 930840	985242 50' 3/8" I.D.
962352	86610	2	Sperian Opti-Fit full facepiece, size med.	Included	OBAC 930840	985242 50' 3/8" I.D.
962333	86610	1	Sperian single bibbed hood	Included	OBAC 930840	985242 50' 3/8" I.D.



APPC

### Ambient Air Pump Considerations for Use

25' hose length is not recommended for use with ambient air pumps, since it results in significantly warmer air being delivered to the user. Using the smaller 3/8" I.D. hose will result in less air flow, and the minimum requirement of 4 or 6 CFM may not be delivered to the facepiece or hood.

 Call Customer Care at 800 430-4110.

**AIR SUPPLY SYSTEMS**

**Honeywell Icebox Cooling System** 

Cool the air flowing from your Ambient Air Pump with the Honeywell Icebox. This large cooler holds 18.5 gallons (70 litres) of ice to cool the air traveling through the inner hose. The Honeywell Icebox is part of your air source; it does not change your established respirator hose length.

- The Icebox cools air from 180°F (50°C) to 50°F (10°C) keeping workers more comfortable in warmer temperatures or hot work environments
- Three airline connections to accommodate up to three workers
- Encased breathing hose protects workers from possible contaminants
- Filtration system eliminates particulates as small as 5 um to protect breathable air from harmful dust and contaminants
- Bottom drain for quick and easy access for emptying Icebox at the end of the work day

SKU	Description
86695	Honeywell Icebox



**Honeywell**

**Honeywell Compressor** 

The Honeywell compressor is compact for use in confined spaces, and is transportable for use in remote areas. Connections support up to 2 workers.


- Compact and transportable for use in confined spaces and remote locations
- Supplies up to 100 psi for use with PDAR
- Warning alarm sounds at 84 dB from 100' away to alert workers of low pressure or a power failure

SKU	Description
86620	Honeywell Compressor



**Honeywell**



 Call Customer Care at 800 430-4110.

## AIR SUPPLY SYSTEMS

Honeywell



RFPF100A



RFPFRA

### Honeywell Filtration Panels


The Honeywell Portable Filtration Panel produces clean air wherever you want it; converting shop air used for pneumatic tools and equipment – to clean, breathable air. The Portable Filtration Panel allows you to meet OSHA and CSA standards for breathing air without the costly installation of separate breathable air systems. The three stage filtration system purifies compressed air by removing water, oil, and particulate contaminants, while monitoring levels of carbon monoxide.

- Flashing red light and up to 90 db audible alarm on CO monitor can be seen and heard by workers in area
- CO monitor is preset to OSHA or CSA regulations to ensure compliance and safety of workers
- Optional external CO alarm allows the placement of alarms closer to work area to alert workers of high CO levels
- Pressure regulator with adjustable knob allows the pressure recommended by the respirator manufacturer be set and locked into place with locking ring, prevents tampering or accidental adjustment
- Clear window over pressure gauge allows workers to know the pressure without opening the case
- Durable Pelican case is sealed to protect against dust and liquids, and can also be locked to prevent unauthorized persons from changing air flow

**The Honeywell Filtration Panel includes:** Plastic carrying case, 1 cylinder of 20.9% oxygen (zero gas), 1 cylinder of 20 PPM carbon monoxide (span gas), and inline pressure regulator with gauge

SKU	Description
RFPF60A	Filtration panel for 4 workers with Carbon Monoxide (CO) monitor set to alarm at 10 ppm CO (OSHA)
RFPF60C	Filtration panel for 4 workers with Carbon Monoxide (CO) monitor set to alarm at 5 ppm CO (CSA)
RFPF100A	Filtration panel for 8 workers with Carbon Monoxide (CO) monitor set to alarm at 10 ppm CO (OSHA)
RFPF100C	Filtration panel for 8 workers with Carbon Monoxide (CO) monitor set to alarm at 5 ppm CO (CSA)
RFPFCK	Calibration kit for CO Monitor on RFPF Series filtration panels
RFPFCO	17 liter CO gas cylinder for CO monitor in RFPF Series filtration panels
RFPFO2	17 liter O <sub>2</sub> gas cylinder for CO monitor in RFPF Series filtration panels
RFPFRA	CO remote alarm, 50 feet, for RFPF Series filtration panels
RFPF987295	115-120V AC adaptor for RFPF Series filtration panels

*Note: OSHA requires the CO monitor to alarm at 10 ppm, CSA recommends the CO monitor to alarm at 5 ppm. Honeywell Filtration Panels are preset to 10 or 5 ppm alarm. Check any local State or Province for additional regulations and requirements. Refer to the product descriptions for the appropriate CO monitor setting.*

 Call Customer Care at 800 430-5490.

 Call Customer Care at 800 430-4110.



ESCAPE SOLUTIONS

**North Mouthbit Respirators** 

- Mouthbit respirators offer a quick and economical method to escape non-IDLH emergency situations
- Large, soft and flexible nose pads hold securely without pinching
- Wider nose clip fits a variety of facial types
- Silicone mouthpiece is more comfortable to wear over long periods
- Packed in sealable plastic bag, carrying bag sold separately (79BAG)

SKU	Description	Packaging
7902	Acid gas mouthbit respirator for protection from atmospheres containing Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, (escape) Chloride Dioxide, Hydrogen Fluoride	Each
7904	Ammonia mouthbit respirator. For protection from atmospheres containing ammonia	Each



7902

**North CBRN Respirators** 

- Emergency escape respirator is NIOSH approved CAP 2 for minimum of 30 minutes of protection for escape from non-IDLH atmospheres.
- Easy to use and universally sized
- Dual cartridge design are strategically located to keep out of line of site
- Translucent polyurethane hood allows for full vision and is less-claustrophobic

SKU	Description	Packaging
ER2000CBRN	Emergency Escape CBRN Respirator, complete Escape hood assembled in sealed inner bag, within nylon carry bag	Each

**Replacement Components**

ERBAG	Replacement black nylon carry bag for ER2000CBRN	Each
ERTRAIN	Training Kit includes 1 set of labels for ER2000	1 per package



ER2000CBRN



**North Escape Breathing Apparatus (EBA)** 

- Transparent polyurethane hood is less claustrophobic
- Air deflector directs air to front of hood and away from workers' eyes
- Pictogram instructions on carrying bag can be understood in any language
- 42 lpm of breathing air is higher than many units so worker is less likely to over breathe
- High visibility carrying bag

SKU	Description	Packaging
845	5 minute breathing time EBA; bright yellow carrying bag	Each
850	10 minute breathing time EBA; bright orange carrying bag	Each
89992	Molded carry case for 845 Five Minute EBA	Each
89987	Molded carry case for 850 Ten Minute EBA	Each



845 and 850

**Sperian Survivair Escape Breathing Apparatus (EBA)** 

- Features a valve and pressure gauge assembly, breathing tube, protective air hood and regulator assembled in a carry pouch for added convenience
- Hood fits easily over eye glasses
- Flexible hood has a large opening with drawstring, offering a proper fit to wearers
- Clear tuftane film hood with a permanent anti-fog coating

SKU	Description
975080	Survivair 5-Minute Escape Breathing Apparatus (EBA-5)
975090	Survivair 10-Minute Escape Breathing Apparatus (EBA-10)
975163	Sperian EBA-5/10 Min, Molded Case
975081	Spare Cylinder (2216 psig, Aluminum), 5-Minute EBA and Hip-Pac
975091	Spare Cylinder (3000 psig, Aluminum), 10-Minute EBA

Sperian is now Honeywell



975090

## PRESSURE DEMAND SUPPLIED AIR RESPIRATORS (PD-SAR)

Sperian is now Honeywell



### Sperian Tight-Fitting Pressure Demand SAR

- Respirators and Hip-Pacs provide the highest level of interchangeability, protection, and ease of operation
- Full Facepiece PD SARs offer the simplicity and reliability of Survivair Panther® mask-mounted regulators
- Hip-Pacs enhance protection in environments immediately dangerous to life or health (IDLH), with 5-, 10-, or 15-minute escape cylinders
- Survivair Panther PD SARs and Hip-Pacs provide significant cost savings and convenience as part of fully interchangeable respirator systems

Choose from items 1 through 4 to make a COMPLETE RESPIRATOR

#### 1: Select System

##### Survivair Panther Hip-Pac, Mask-Mounted Regulator, with Emergency Escape

SKU	Description
P968455	Panther Hip-Pac, with 5-Minute Escape (2216 psig, Aluminum), with Quick-Disconnect, No Coupling, TC-13F-300
P968457	Panther Hip-Pac, with 5-Minute Escape (2216 psig, Aluminum), without Quick-Disconnect, No Coupling, TC-13F-300
P968475	Panther Hip-Pac, with 10-Minute Escape (3000 psig, Aluminum), with Quick-Disconnect, No Coupling, TC-13F-301
P968477	Panther Hip-Pac, with 10-Minute Escape (3000 psig, Aluminum), without Quick-Disconnect, No Coupling, TC-13F-301
P968605	Panther Hip-Pac, with 10-Minute Escape (4500 psig, Fully Wrapped Carbon), with Quick-Disconnect, No Coupling, TC-13F-482
P968500	Panther Hip-Pac, with 15-Minute Escape (3000 psig, Hoop-Wrapped Fiberglass), with Quick-Disconnect, No Coupling, TC-13F-307

##### Sperian Panther Series, Mask-Mounted Regulator, Non-Escape (No Coupling)

P968446	Full Facepiece, No Coupling TC-19C-302 (Small)
P968445	Full Facepiece, No Coupling TC-19C-302 (Medium)
P968447	Full Facepiece, No Coupling TC-19C-302 (Large)
P968435	Full Facepiece, with P100, No Coupling, TC-84A-0229 (Classic)
P968437	Full Facepiece, Black (Welding), with P100 Escape, No Coupling, TC-84A-0229 (Classic)

Optional: also available with the Puma hood.

#### 2: Select Airline Hose

##### Lightweight 3/8" Hose

SKU	Description
930801	25-Foot hose without couplings
930802	50-Foot hose without couplings
930804	100-Foot hose without couplings

##### High Performance 3/8" Hose

930870	10-Foot Hose without Couplings
930861	25-Foot Hose without Couplings
930862	50-Foot Hose without Couplings
930864	100-Foot Hose without Couplings

 Call Customer Care at 800 430-5490.

**PRESSURE DEMAND SUPPLIED AIR RESPIRATORS (PD-SAR)**


**3: Select Couplers**

Sperian is now Honeywell

**Air Line Coupling Hardware—Air Line Coupling Kits and Individual Couplings**

Order one coupling kit for each hose length and one extra set: male plug for respirator and female for air supply source

SKU	Description
930810	Foster Kit (1 Each, Male and Female)
930424	Foster Coupling
930429	Foster Plug
930820	Schrader Kit (1 Each, Male and Female)
930437	Schrader Coupling
930433	Schrader Plug
930830	Hansen Kit (1 Each, Male and Female)
930465	Hansen Coupling
930466	Hansen Plug
945007	Hansen Kit – Stainless Steel (1 Each, Male and Female)
945010	Hansen Stainless Steel Coupling



930810



930437

**4: Select Cylinder**

**Spare Hip-Pac Cylinders**

SKU	Description
975081	Spare Cylinder (2216 psig, Aluminum), 5-Minute Hip-Pac
975154	Spare Cylinder (3000 psig, Aluminum), 10-Minute Hip-Pac
917250	Spare Cylinder (4500 psig, Fully Wrapped Carbon), 10-Minute Hip-Pac
968513	Spare Cylinder (3000 psig, Hoop-Wrapped Fiberglass), 15-Minute Hip-Pac



Sperian is now Honeywell

Panther Hip Pack

Call Customer Care at 800 430-5490.

## INDUSTRIAL SELF-CONTAINED BREATHING APPARATUS (SCBA)

**An affordable SCBA with the finest respiratory protection**

The Survivair Cougar meets the demands of industrial users who want the finest respiratory protection against environments that are Immediately Dangerous to Life or Health (IDLH). The Survivair Cougar is designed to be a basic industrial unit, yet provides superior safety and comfort for industrial needs.

Sperian is now Honeywell




888888

### Sperian Survivair Cougar™ SCBA

- Silicone rubber facepiece provides unsurpassed comfort and durability, even in extreme heat or cold. Won't oxidize or react with ozone. Also provides better sealing ability for improved comfort and fit. Five-strap head harness and skirt are available in 3 color coded sizes (TwentyTwenty® Plus facepiece). Available in small and standard sizes in blue and black (Classic™ facepiece)
- Optional headnet mesh-style head harness
- First stage regulator has minimal moving parts, dramatically enhancing reliability while reducing maintenance costs. Choice of three low air alarms – bell, plain whistle, or warbling whistle
- Second stage regulator has compact, low profile; Survivair Air Klic™ fastening system; first-breath-on; better downward vision for less chance of damage; allows attachment in any orientation; regulator holder on waist strap allows regulator to be kept in stand-by mode
- Survivair Mighty-Light® backpack is one of the lightest, easiest to use, and most comfortable backpacks in the industry; no tools required – no bolts or screws on harness for quick, easy disassembly and assembly

SKU	Description
888888	Stock configuration includes: Survivair Cougar 2216 psig, TwentyTwenty Plus medium facepiece, bell alarm, 2216 psig 30-minute aluminum cylinder without locking collar
555555	Stock configuration includes: Survivair Cougar 4500 psig, TwentyTwenty Plus medium facepiece, bell alarm, 4500 psig 60-minute carbon cylinder without locking collar
481121	Configuration includes: Survivair Cougar 2216 psig, TwentyTwenty Plus medium facepiece, bell alarm, 2216 psig 30-minute aluminum cylinder without locking collar, SAR attachment with Hansen Couplings, carrying case
483121	Stock configuration includes: Survivair Cougar 2216 psig, TwentyTwenty Plus medium facepiece, bell alarm, 2216 psig 30-minute carbon cylinder without locking collar, SAR attachment with Hansen couplings, carrying case
486121	Stock configuration includes: Survivair Cougar 4500 psig, TwentyTwenty Plus medium facepiece, bell alarm, 4500 psig 30-minute carbon cylinder without locking collar, SAR attachment with Hansen couplings, carrying case

 Call Customer Care at 800 430-5490.

**INDUSTRIAL SELF-CONTAINED BREATHING APPARATUS (SCBA)**

Sperian Survivair Puma is the first NIOSH-certified, OSHA-compliant, hooded pressure demand SCBA designed for users with street glasses or facial configurations that are hard to fit with a conventional facepiece.

**An SCBA designed for hard to fit users**

**Sperian Survivair PUMA™ SCBA** 

Sperian is now Honeywell

- The Survivair Puma is a Survivair Cougar with a tight-fitting hood with a neoprene neck seal and is rated for entry into IDLH environments
- No need for spectacles kits – the user can wear normal street glasses (although sports straps on the temples are useful to keep the glasses in place while donning)
- Hood is made from Challenge® NXT barrier fabric (fluoropolymer films laminated to aramid substrates) for excellent permeation resistance; lens is made from 10 mil FEP Teflon
- Flexible neoprene neck seal provides excellent protection against contaminants in IDLH atmospheres
- Factory-installed silicone nose cup; available in 3 sizes; reduces fogging and CO<sub>2</sub> buildup in hood

SKU	Description
777777	Stocked configuration includes: Survivair Puma 2216 psig, Survivair Puma hood with medium nose cup, plain whistle alarm, 2216 psig 30-minute aluminum cylinder without locking collar.
471281	Configuration includes: Survivair Puma 2216 psig, Survivair Puma hood with medium nose cup, plain whistle alarm, 2216 psig 30-minute aluminum cylinder without locking collar, SAR attachment with Hansen couplings, carrying case
476281	Configuration includes: Survivair Puma 4500 psig, Survivair Puma hood with medium nose cup, plain whistle alarm, 4500 psig 30-minute aluminum cylinder without locking collar, SAR attachment with Hansen couplings, carrying case



777777



 Call Customer Care at 800 430-5490.

## INDUSTRIAL SELF-CONTAINED BREATHING APPARATUS (SCBA)

Sperian is now Honeywell



493121

### Sperian Survivair PANTHER™ SCBA

- TwentyTwenty Plus or classic facepiece both with either the Kevlar mesh headnet or classic silicone straps
- Mighty-Light backpack with lumbar pad is easy to use, comfortable and provides added back support
- Choice of 3 low air alarms, bell, plain whistle or warbling whistle; customizable warning system to workers' specifications
- Supplied air attachment option allows air to be supplied from a remote source
- Clear and audible communication options for noisy environments; includes voice amp or hard-wired radio systems

#### Sperian Survivair Panther – 1997-Style

- Mid-tier industrial SCBA designed for users requiring a NIOSH-certified SCBA for high-heat, flashover or non-fire-related applications
- Welding shield option is available for the Classic facepiece; easily attaches without the use of tools, choice of auto darkening 9-12 shade or fixed 10 shade lens

#### Survivair Panther HUD – 2002 Style

- Premium industrial SCBA designed for users requiring a NIOSH-certified SCBA for industrial high-heat, flashover or non-fire-related applications with standard Heads-Up Display and RIC/UAC
- Heads-Up-Display provides a wide-span LED-style “gas-gauge” display for easy differentiation, 100%, 75%, 50%, 25% and 10% visual indicators
- Optional COMPASS integrated PASS device locates worker in “man-down” situations
- Rapid Intervention Crew Universal Air connection (RIC/UAC) is standard; allows for quick refilling of cylinders from an RIT Kit air supply

SKU	Description
491121	Configuration includes: 1997-style Panther 2216 psig, TwentyTwenty Plus medium facepiece, bell alarm, 2216 psig 30-minute aluminum cylinder without locking collar, SAR attachment with Hansen couplings, carrying case
493121	Configuration includes: Survivair 1997-style Panther 2216 psig, TwentyTwenty Plus medium facepiece, bell alarm, 2216 psig 30-minute carbon cylinder without locking collar, SAR attachment with Hansen couplings, carrying case
499121	Configuration includes: Survivair 1997-style Panther 4500 psig, TwentyTwenty Plus medium facepiece, bell alarm, 4500 psig 60-minute carbon cylinder without locking collar, SAR attachment with Hansen couplings, carrying case
496324	Configuration includes: Survivair 2002-style Panther 4500 psig, TwentyTwenty Plus medium facepiece, warbling whistle, 4500 psig 30-minute carbon cylinder without locking collar, HUD, analog gauge, SAR/buddy breather dual port attachment with Hansen couplings, chest strap, left and right D-rings, carrying case

#### Replacement Cylinders

SKU	Description
915140	Spare 30-minute 2216 psig (all aluminum), without locking collar
916103	Spare 30-minute 2216 psig (hoop-wrapped fiberglass), without locking collar
917130	Spare 30-minute 2216 psig (fully wrapped carbon), without locking collar
916123	Spare 30-minute 3000 psig (fully wrapped carbon), without locking collar
915165	Spare 30-minute 4500 psig (hoop-wrapped fiberglass), without locking collar
917131	Spare 30-minute 4500 psig (fully wrapped carbon), without locking collar
917145	Spare 45-minute 4500 psig (fully wrapped carbon), without locking collar
917160	Spare 60-minute 4500 psig (fully wrapped carbon), without locking collar

 Call Customer Care at 800 430-5490.

For most applications a qualitative fit test will be sufficient. Irritant Smoke creates a positive reaction of coughing if there is breakthrough. Bitrex uses a nebulizer to spray a bitter substance inside a hood. Since Bitrex requires N95 type filters, it is the preferred method for qualitatively fit testing disposable filtering facepieces (dust masks). It can also be used to fit test the CFR-1 and the 7190.

**Which Fit Test Method is Best for You?**



**Qualitative Fit Test Kits**

A choice of portable fit test kits is available for fitting employees in the right size mask using qualitative fit testing. Select from Irritant Smoke or Bitrex® kits. Deluxe kits include a hard case. The Irritant Smoke Deluxe Kit also includes a training video. The VeriFit® irritant smoke kit features a handy cassette and includes 10 easy to use, plastic smoke tubes.

**Quantitative Fit testing**

Quantitative Fit testing provides an absolute number, telling you how well a mask fits on an individual. These tests can be performed using either a particle count such as the TSI Porta-Count® or a negative pressure method.

**Quantitative Fit Test Kit for CFR-1**

The CFR-1 fit test kit contains one each of small, medium and large 4200 masks, probed to perform quantitative fit testing. 100 refresher wipe pads plus extra suction cups and tubes for fit testing are also included. The rugged storage case keeps contents secure and readily available when needed. The 4200QNKT is used in conjunction with a PortaCount® fit tester with the N95 companion.

*\*Economy Fit Test Kits are not available in U.S. or Mexico*



193120



770039E



770040E

**North Fit Test Kits**

SKU	Description
193120	Saccharin fit test kit
770039E	Bitrex fit test kit, economy
770039	Bitrex fit test kit, deluxe
770046	Irritant smoke fit test kit, 6 smoke tubes
770040E	Irritant smoke fit test kit, economy
770040	Irritant smoke fit test kit, deluxe
193140	Isoamyl Acetate (IAA) fit test kit
194040	Isoamyl Acetate (IAA) fit test kit, deluxe

**Quantitative Fit Test Adapter**

SKU	Description
770021	For North 5500, 7700, 5400 and 7600 Series facepieces

**Sperian Fit Test Kits**

SKU	Description
420025	Quantitative fit test adapter for Opti-Fit facepieces with S-Series cartridges
769095	Quantitative fit test adapter for Opti-fit CBRN gas mask



194040

Call Customer Care at 800 430-5490.


Call Customer Care at 800 430-4110.

## ACCESSORIES



80100

Sperian is now Honeywell



80836A

### North Eyewear and Accessories

SKU	Description
80100	Eyeglass frame for North 5400, 7600 and 7800 Series full facepieces. Plastic, no lenses
760023	Eyeglass frame for North 5400, 7600 and 7800 Series full facepieces. Metal, no lenses
760024	Eyeglass frame for North 5400, 7600 and 7800 Series full facepieces. Metal with spring, no lenses
962260	Eyeglass frame for Opti-Fit facepieces including tactical and CBRN, no lenses
80836A	Cover lens, peel-away, clear, for North 5400, 7600 and 7800 Series full facepieces. Three sheets per set, 5 sets per pack
PA105	Cover lens, peel-away, clear, for North Primair 100 Series hoods PA111, PA121, PA131 and PA141. Three sheets per set, 5 sets per pack
PA106	Cover lens, peel-away, clear, for North Primair FM 200 and 300 Series hoods. Three sheets per set, 5 sets per pack

### Sperian Eyewear and Accessories

SKU	Description
702028	Cover lens, peel-away, clear, for Opti-Fit facepieces including tactical and CBRN. 25 per box
702019	Cover lens, peel-away, tinted for Opti-Fit facepieces including tactical. 25 per box


### Voice Amplifier

The 7600VA Voice Amplifier is designed to clip onto the 7600 Series full facepiece speaking diaphragm housing and easily installs in a few seconds. This compact, battery-operated unit clearly amplifies and projects the wearer's voice, allowing for clear and crisp speech, even in areas with high ambient noise.

SKU	Description
7600VA	Voice Amplifier for 7600 Series full facepiece



7600VA

 Call Customer Care at 800 430-5490.

 Call Customer Care at 800 430-4110.



**ACCESSORIES**

**Cleaning and Sanitizing** 

Sperian is now Honeywell

Refresher wipe pads provide a quick, easy method of removing perspiration and body oils from the respirator facepiece between scheduled cleanings.

These wipe pads make respirator usage more acceptable to the wearer by improving comfort. Shockwave™ is a disinfectant and cleaner that may be used to clean all reusable facepieces and their replacement parts. This concentrated liquid will make just the right amount of sanitizing solution for your needs when mixed with warm water. Each ounce will make one gallon of detergent that will sanitize, disinfect and deodorize surfaces.



140082

SKU	Description	Packaging
7003	Refresher wipes with alcohol, 5" x 7"	Individually wrapped, 100 per box
7003L	Refresher wipes with alcohol, 8" x 10"	Individually wrapped, 100 per box
7003A	Refresher wipes, alcohol free, 5" x 7"	Individually wrapped, 100 per box
7003AL	Refresher wipes, alcohol free, 8" x 10"	Individually wrapped, 100 per box
80944A	Anti Fog wipes for North facepieces	Individually foil packaged, 10 per box
80995	Cleaner and disinfectant for respirator facepieces	10 oz. bottle
140082	Refresher wipes	Canister of 220 wipes
981803	Anti Fog wipes for Sperian facepieces	100 per box
981808	Anti Fog wipes, dry, for Sperian facepieces	100 per box

**Storage** 

OSHA and CSA require respirators to be stored in a clean and contaminant free environment. Protect your workers and your respirators by storing them properly.

SKU	Description
79BAG	Nylon carrying bag North CFR-1, 7190 and mouthbit respirators
77BAG	Nylon carrying bag half masks
76BAG	Nylon carrying bag full facepieces
200101	Tote Bag
CA133	Molded carrying case for North Compact Air PAPR
89986	Wall mount bracket for EBA
83219	Wall Case, deluxe unit with shelf, for single SCBA
940118	Zipper storage bag for half masks and full facepieces



79BAG



76BAG

 Call Customer Care at 800 430-5490.

 Call Customer Care at 800 430-4110.

## WHAT'S INSIDE

**Honeywell**

**NORTH**  
by Honeywell

- 225 • Features
- 226 • Chemical Resistant
- 230 • Controlled Environment
- 231 • Finger Cots
- 232 • Glovebox Gloves
- 235 • Cut-Resistant Gloves
- 241 • Metal Mesh
- 243 • General Purpose Gloves
- 247 • Mechanic's Gloves
- 248 • Arm Protection



**▲ WARNING!** Honeywell and North equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury.



## Hand & Arm Protection

The key to hand protection is workers wearing gloves! That's why our goal at Honeywell is to provide gloves and sleeves that not only protect, but also have the fit, form and comfort workers are asking for. We are committed to developing and delivering hand and arm protection that will protect workers from the harshest conditions, in the widest array of applications. From Silver Shield gloves protecting against the most caustic of chemicals, to our extensive line of glovebox gloves for nuclear and pharmaceutical needs, to our Whiting + Davis metal mesh gloves shielding workers from severe lacerations – our mission is to inform and educate workers to help them choose the correct glove for the job, and deliver the glove they'll want to wear.

## A Range of Protection

**Disposables** are thin (5 to 12 mil) unsupported gloves, usually made from nitrile or natural rubber (commonly known as latex) or a combination of polymers. Disposable gloves provide limited protection against liquids, oils, chemicals and mechanical hazards, but are an excellent choice for contamination protection. They can be used to protect the wearer from the product, or the product from the wearer. They are ideal for tasks requiring short-term protection from minor hazards. Typical applications include maintenance, inspection, food preparation, etc. They are usually discarded after a single use.

**Liquid & Chemical Resistant** gloves provide a continuous membrane that protects the hands from hazardous and non-hazardous substances. They are available in many different types and materials. Choice is dependent upon the hazard being faced. Most gloves in this category are unsupported, but supported types are also available (with an integral liner for wearer comfort). Many liquid and chemical-resistant gloves can also be used for protection against abrasion, cuts, tears and punctures. Their applications vary depending on the material used.

**General Purpose** gloves encompass many different designs and materials. For the most part, they are intended to provide protection from dirt and mechanical hazards (such as incidental nicks, cuts or abrasions) or to enhance the wearer's grip. Some types are also liquid proof, but generally offer low levels of chemical protection.

**Cut Resistant** gloves are specifically designed to provide protection against sharp objects such as blades, glass and metals. Gloves in this category offer enhanced protection compared to similar looking general purpose gloves, because they are made from materials that offer superior performance against mechanical hazards. Typical materials include Kevlar®, Dyneema® and stainless steel mesh.

**Controlled Environment** hand protection products range from finger cots to cleanroom gloves to glovebox and isolator box gloves. Finger cots are generally worn to protect an item or product from the wearer (for example, static dissipative cots protect sensitive electronic components on a PCB). Cleanroom gloves prevent contamination of critically clean products, such as silicon chips and protect the wearer from hazardous chemicals. Glovebox and isolator box gloves allow a worker to safely handle toxic or radioactive substances within the box, or protect the product in the box from contamination from the environment outside the box. Controlled environments are found mostly in the electronic, nuclear and pharmaceutical industries.

## Standards and Testing

### Abrasion Resistance

Abrasion resistance testing measures how well the glove material resists loss of material from rubbing on rough surfaces. Large numbers of abrasion cycles until failure reported by this method indicate a glove with greater abrasion resistance.

	Standard			
	ASTM D-3389-05		EN388	
	Level	#Cycles	Level	#Cycles
500 Gram Load	0	< 100		
	1	≥ 100	1	≥ 100
	2	≥ 500	2	≥ 500
1000 Gram Load	3	≥ 1,000	3	≥ 2,000
	4	≥ 3,000	4	≥ 8,000
	5	≥ 10,000	5	—
	6	≥ 20,000		

### Cut Resistance

Cut resistance testing measures how the glove material will resist cutting by a sharp edge. Larger weights reported by this method indicate a glove material with a greater cut resistance.

Standard			
ASTM D-F1790-97		EN388	
Level	Grams of weight	Level	Grams of weight
0	< 200		
1	≥ 200	1	≥ 1,2
2	≥ 500	2	≥ 2,5
3	≥ 1,000	3	≥ 5,0
4	≥ 1,500	4	≥ 10,0
5	≥ 3,000	5	≥ 20,0



**Honeywell**

## CHEMICAL RESISTANT

### Disposable Gloves

- Nitrile formulation provides better chemical resistance than latex for incidental exposure
- 100% nitrile does not contain allergy-causing proteins, 8 mil style provides added protection against cuts, snags and tears
- Dexi-Task styles and PSD-NI8 comply with USDA and FDA regulations, 21 CFR, for use in food processing
- Latex Sensi-Task offers good resistance to some acids with excellent flexibility and dexterity, and complies with USDA and FDA regulations, 21 CFR, for use in food processing
- Tri-polymer offers the best of three worlds, chemical resistance of nitrile and neoprene with the comfort of latex



LA049



PSD-N18



PSD-TRIP



T425



by Honeywell

### North® Dexi-Task™

Value, Blue Nitrile Gloves

SKU	Description	Sizes	Grip/Cuff	Length/Gauge
LA049	Lightly powdered, exam grade	S–XL	Smooth/rolled	9" / 5 mil
LA049PF	Powder-free, exam grade	S–XL	Smooth/rolled	9" / 5 mil
LA049IND	Lightly powdered, industrial grade	S–XL	Smooth/rolled	9" / 5 mil
LA049PFIND	Powder-free, industrial grade	S–XL	Smooth/rolled	9" / 5 mil

### Honeywell PowerCoat®

Premium 8 mil Nitrile Gloves

SKU	Description	Sizes	Grip/Cuff	Length/Gauge
PSD-NI8	Powder-free, blue	S–XXL	Smooth/rolled	12" / 8 mil

### Honeywell PowerCoat® – Tri-Polymer\*

Triple polymer protection—nitrile, neoprene and latex blend

SKU	Description	Sizes	Grip/Cuff	Length/Gauge
PSD-TRIP	Powder free, purple	S–XL	Smooth/rolled	12" / 5 mil

### North® Sensi-Task™ – Natural Rubber\*

Latex\* Exam Grade Glove

SKU	Description	Sizes	Grip/Cuff	Length/Gauge
T425	Lightly powdered, natural	S–XL	Smooth/rolled	9" / 5 mil
T425PF	Powder free, natural	S–XL	Smooth/rolled	9" / 5 mil

\* **▲ WARNING:** These products contain natural rubber/latex which may cause allergies in some individuals. These allergies can lead to serious illness or death. If an allergic reaction occurs (skin rashes, hives, flushing, itching, nasal, eye, or sinus symptoms, shortness of breath, asthma or shock), stop using this product immediately and consult a medical provider.

## Honeywell

 Call Customer Care at 800 430-5490.

 Call Customer Care at 800 430-4110.

**CHEMICAL RESISTANT**

- 100 % nitrile offers superior mechanical strength and outperforms supported natural rubber, neoprene and vinyl gloves when exposed to solvent, caustics and animal fats
- Gloves are free of latex proteins which can cause allergic reactions
- Comply with USDA and FDA regulations, 21 CFR, for use in food processing
- Curved shaped hand provides a natural fit and comfort for less worker hand fatigue
- Nitri-Knit™ insulated gloves recommended for temperatures from -10°F to 300°F (-23°C to 149°C)

**Nitrile**

**North® Nitriguard Plus™** 

Unsupported Nitrile Gloves

SKU	Description	Sizes	Grip/Cuff	Length/Gauge
LA102G	Green, sanitized interior	7-11	Sandpatch/straight	13"/11 mil
LA142G	Green, sanitized interior	7-11	Sandpatch/straight	13"/15 mil
LA225G	Green, sanitized interior	7-11	Sandpatch/straight	15"/22 mil
LA258G	Green, sanitized interior	7-11	Sandpatch/straight	18"/25 mil
LA111EB	Blue, sanitized interior	7-11	Sandpatch/straight	13"/11 mil
LA132G	Green, flock interior	7-11	Sandpatch/straight	13"/15 mil
LA172G	Green, flock interior	7-11	Sandpatch/straight	13"/17 mil
LA111EBFL	Blue, flock interior	7-11	Sandpatch/straight	13"/15 mil



**North® Nitri-Knit™** 

Supported Nitrile Gloves

SKU	Description	Sizes	Grip/Cuff	Length	Pack/Case
NK803	Blue, interlock liner	7-11	Rough/pinked	12"	12 Pr/144 Pr
NK804	Blue, interlock liner	7-11	Rough/pinked	14"	12 Pr/144 Pr
NK803ES	Blue, interlock liner	7-11	Rough/elastic	26"	6 Pr/72 Pr
NK803IN	Blue, insulated liner	7-11	Rough/trimmed	12"	6 Pr/72 Pr
NK803ESIN	Blue, insulated liner	7-11	Rough/elastic	26"	6 Pr/72 Pr



- 100% natural rubber latex has excellent dexterity, elasticity, and tensile strength for long wear and comfort
- Resistance to diluted acids, bases, alcohols, and aqueous solutions
- PNLB1815/O complies with USDA and FDA regulations, 21 CFR, for use in food processing
- Chlorinated for ease of donning and doffing

**Latex\***

**North® Premium Latex\*** 

Unsupported Premium Latex Glove, Sanitized Interior

SKU	Description	Sizes	Grip/Cuff	Length/ Thickness	Pack/Case
PNLB1815/O	Latex, orange	8-11	Diamond Embossed/Bead	15"/18 mil	12 Pr / 144 Pr



\* **▲ WARNING:** These products contain natural rubber/latex which may cause allergies in some individuals. These allergies can lead to serious illness or death. If an allergic reaction occurs (skin rashes, hives, flushing, itching, nasal, eye, or sinus symptoms, shortness of breath, asthma or shock), stop using this product immediately and consult a medical provider.

**Honeywell**

 Call Customer Care at 800 430-4110.

## CHEMICAL RESISTANT

### PVC

- PVC coating provides good chemical resistance to oils, greases, caustics, acids and alcohols
- Superior grip, dexterity, and flexibility reduces hand fatigue and promotes increased productivity
- Heavy duty coating is ideal for rough applications
- Ideal alternative for workers with latex allergies
- Fully coated with attached sleeves are also available



850FWG

### North® Trawler King™

Supported, Jersey Liner PVC Gloves

SKU	Description	Sizes	Grip/Cuff	Length	Pack/Case
850FWG	Green, fully coated	9L, 10XL	Rough/Gauntlet	14"	12 Pr / 72 Pr

### Honeywell PowerCoat®

Supported, Interlock Liner, Premium PVC Gloves

SKU	Description	Sizes	Grip/Cuff	Length	Pack/Case
660	Triple-dipped, blue	M-XXL	Rough/Gauntlet	12"	12 Pr / 72 Pr



660

### North Butyl™

Unsupported Butyl Gloves

- Highest permeation resistance to gas and water vapor for greater worker protection, especially when handling toxic substances
- Highly resistant to ketones (MEK, MIBK, acetone) and esters (tricresyl phosphate, amyl acetate, ethyl acetate)
- Sanitized interior limits odors
- Flexible and sensitive, even at lower temperatures
- Available with "Grip-Saf" roughed palm for enhanced grip and less hand fatigue, rolled bead cuff prevents tearing
- GI styles are manufactured on govt. spec. APM hand forms to meet the requirements of MIL-DTL-43976D, but are not fully tested, inspected, marked or packaged in accordance with this specification



B131

SKU	Description	Sizes	Grip/Cuff	Length/ Thickness	Pack/Case
B131	Black	7-11	Smooth	11"/13 mil	24 Pr / 288 Pr
B131R	Black	7-11	Rough	11"/13 mil	24 Pr / 288 Pr
B161	Black	7-11	Smooth	11"/16 mil	24 Pr / 288 Pr
B161R	Black	7-9	Rough	11"/16 mil	24 Pr / 144 Pr
B174	Black	8-11	Smooth	14"/17 mil	24 Pr / 144 Pr
B174R	Black	8-11	Rough	14"/17 mil	24 Pr / 144 Pr
B324	Black	8-11	Smooth	14"/32 mil	12 Pr / 72 Pr
B324R	Black	8-11	Rough	14"/32 mil	12 Pr / 72 Pr
B144RGI	Black	XS-XL	Rough	14"/14 mil	1 Pr / 100 Pr



## Honeywell

Call Customer Care at 800 430-5490.

Call Customer Care at 800 430-4110.

**CHEMICAL RESISTANT**

**North Neo Task™ Neoprene** 

Supported Neoprene, Interlock Liner

- Neoprene delivers exceptional flexibility and chemical resistance against a broad range of chemicals including acids, petroleum, solvents and oils
- Available in either supported or unsupported (not listed below) to suit worker and application needs
- Flame retardant and resistant to sunlight and ozone degradation
- Durable neoprene provides excellent dexterity and mechanical protection
- CFIA Approved

SKU	Sizes	Grip/Cuff	Length	Pack/Case
T1841WG	11XXL	Rough/Gauntlet	18"	6 Pr / 36 Pr



T1841WG

**Honeywell PowerCoat® Neoprene** 

Supported Neoprene, Interlock liner, Double-Dipped Blue/Black

SKU	Sizes	Grip/Cuff	Length	Pack/Case
PC-NE14	M-XL	Rough	14"	12 Pr / 48 Pr



PC-NE14

**North Unsupported Viton®** 

- Superior resistance to PCBs, aromatic hydrocarbons (benzene, toluene) and chlorinated solvents
- Can be used in water-based solvents without dissolving
- Curved finger and hand design provides a better fit for greater worker comfort
- Sanitized interior to help reduce bacteria build-up

SKU	Sizes	Grip/Cuff	Length/Thickness	Pack/Case
F284	8-11	Smooth/straight	14" / 28 mil	1 Pr / 50 Pr



F284

**North Silver Shield® Gloves** 

- Resistant to over 280 different chemicals, including alcohols, aliphatics, aromatics, chlorines, ketones and esters – provides high performance protection in the most demanding applications
- Does not contain latex or chemical accelerators – little chance of allergic reactions
- Can be used as a secondary inner glove – allows worker maximum protection in heavy duty jobs where the dangers of mechanical damage to gloves are high
- Gloves and garments are 2.7 mil gauged

SKU	Glove Sizes	Grip/Cuff	Length	Pack/Case
SSG	6-8	Smooth/straight	14.5"	10 Pr / 50 Pr
	9-11	Smooth/straight	16"	10 Pr / 50 Pr
SSG29/10	10	Smooth/straight	29"	10 Pr / 50 Pr



SSG

**Garments**

SKU	Description	Sizes	Length	Pack/Case
SSA	Apron	One Size	45"	1 Apron / 50 Aprons
SSCA	Coat	S, M, L, XL	43", 50", 56", 62"	1 Coat / 50 Aprons
SSS	Sleeves	One Size	20"	1 Pr / 50 Pairs
SSB	Booties	One Size	15"	1 Pr / 50 Pairs



**Honeywell**

 Call Customer Care at 800 430-5490.

 Call Customer Care at 800 430-4110.

## CONTROLLED ENVIRONMENT



CE412W

### North Chemsoft CE®

#### Unsupported Nitrile Disposable

- Cleanroom packaged for protection against airborne contamination; double bagged with cleanroom compatible packaging and labeling materials
- Surface resistivity  $\Omega 1010$  ohms/sq
- State-of-the-art cleaning process reduces particulate contamination
- Low modulus formulation stretches for a more comfortable fit
- Suitable for up to class 100 clean-room
- Testing: IEST-RP-CC005.3 for particles and extractables, ASTM 739 for permeation
- Antistatic formulation eliminates static discharge in many cases

SKU	Description	Sizes	Grip/Cuff	Length/Thickness
CE412W	White, powder-free	XS-XL	Textured/Rolled	12"/4 mil
<b>Packaging:</b> 100 gloves per inner, 1000 gloves per case				



ATCP1815/Y

### North ANTI C

#### Unsupported Natural Rubber\*

- High density, 100% natural rubber protects against incidental abrasions, snags and cuts
- Diamond embossed palm has a positive grip in wet and dry applications
- Embossed hand sizes makes sorting after decontamination easy
- Gloves are certified incinerable
- Beaded cuff adds strength and tear resistance
- Meets MIL-G-82242D
- Chlorinated finish for ease in donning and doffing
- Sanitized interior to help reduce bacteria build-up

SKU	Description	Sizes	Grip/Cuff	Length/Thickness
ATCP1815/Y	Yellow	8-11	Diamond/beaded	15"/18 mil
<b>Packaging:</b> 12 pair per inner, 144 pair per case				



AK1815/O

### North AK

#### Premium Natural Rubber\* Cleanroom Gloves

- 100% natural rubber latex has excellent dexterity and elasticity
- Powder-free manufacturing process reduces particulate and extractable contamination
- Cleanroom packaged and double bagged with cleanroom compatible packaging and labeling materials
- Testing: IEST-RP-CC005.3 (modified) particulate and extractables; ASTM 739 permeation and are suitable for up to class 100 cleanroom

SKU	Description	Sizes	Grip/Cuff	Length/Thickness
AK1815/O	Orange	7-11	Diamond/beaded	15"/20 mil
<b>Packaging:</b> 1 pair/inner bag; 10 outer bags, 10 pairs/outer bag (100 pairs)				

\***▲ WARNING!** This product contains natural rubber latex proteins which may cause allergic reactions in some individuals. These allergies can lead to serious illness or death. If an allergic reaction occurs, stop using this product immediately and consult a medical provider.



by Honeywell

## Honeywell

Call Customer Care at 800 430-4110.



**CONTROLLED ENVIRONMENT**

**SK – Cleanroom Nitrile Chemical Resistant** 

- Nitrile formulation has superior solvent resistance
- 100% powder-free glove reduces particle contamination
- Sandpatch finish has excellent wet and dry grip
- Cleanroom packaged to protect gloves from airborne contamination: double bagged with cleanroom compatible packaging and labeling materials
- Size embossed on gloves so there is no ink to contaminate process
- Testing: IEST-RP-CC005.3 (modified) particulate and extractables; ASTM 739 permeation, and are suitable for up to Class 100 Cleanroom

SKU	Sizes	Grip/Cuff	Length/Thickness
SK142W/HEM	7-11	Sand/straight	13"/15 mil
<b>Packaging:</b> 1 pair/polybag; 10 bags/inner pack, 10 packs/case			



SK142W/HEM

**FINGER COTS**

**Nitrile Anti-Static Finger Cots** 

**Powder Free**

- 100% nitrile formulation is inherently anti-static and will eliminate damaging static discharge (surface resistivity of 1011 ohms/sq.) in many applications
- Multiple washed cots are powder-free and have low particle count
- Very low extractables mean less contamination from reactive ions
- Comply with USDA and FDA regulations, 21 CFR, for use in food processing
- Powder-free, white, rolled – 2 ¾ in / 3 mil

SKU/Small	SKU/Medium	SKU/Large	SKU/XLarge
<i>Packaged 720 cots (5 gross) per inner bag, 30 bags (150 gross) per case</i>			
115LNR/S	125LNR/M	135LNR/L	145LNR/XL



135LNR

**Natural Rubber\* Finger Cots** 

- Comply with USDA and FDA regulations, 21 CFR, for use in food processing
- Powder-free, white, rolled – 2 ¾ in / 3 mil

SKU/Small	SKU/Medium	SKU/Large	SKU/XLarge
<i>Packaged 720 cots (5 gross) per inner bag, 30 bags (150 gross) per case</i>			
115LWR	125LWR	135LWR	145LWR
<i>Packaged 1440 cots (10 gross) per inner bag, 30 bags (150 gross) per case</i>			
314LWR/S	324LWR/M	334LWR/L	344LWR/XL
<i>Packaged 144 cots (1 gross) per inner box, 100 boxes (100 gross) per case</i>			
311LWR/S	321LWR/S	331LWR/S	341LWR/S



314LWR

- Industrial weight, white, unrolled mechanically cleaned – 2 ¾ in / 9 mil

SKU/Small	SKU/Medium	SKU/Large	SKU/XLarge
<i>Packaged 144 cots (1 gross) per inner box, 20 boxes (20 gross) per case</i>			
2115WU/WS	2215WU/M	2315WU/L	2415WU/XL

\*▲ **WARNING!** This product contains natural rubber latex proteins which may cause allergic reactions in some individuals. These allergies can lead to serious illness or death. If an allergic reaction occurs, stop using this product immediately and consult a medical provider.



**Honeywell**

 Call Customer Care at 800 430-4110.

## FINGER COTS



135LBR

### Natural Rubber\* Static Dissipative Finger Cots

#### Powder Free

- Very rapid static decay, will not permit buildup of destructive static energy – 5000 to 0 volts in 0.01 second (maximum time allowed by MIL-B-81705B is 2.0 seconds)
- 2 x 10<sup>6</sup> ohms/sq average surface resistivity allow rapid bleed-off of charge. Reference ASTM D 257
- Virtually no static build-up on the hand of a grounded person
- Meets requirements of ASTM X3772 for physical properties and consistent high quality
- Packaging complies with MIL-P-82646A; conductive bag can be taken into the immediate work area
- Multiple washings make cots powder-free with very low particle count
- Powder free, black, rolled – 2 ¾ in / 3 mil

	SKU/Small	SKU/ Medium	SKU/Large	SKU/XLarge
<i>Packaged 720 cots (5 gross) per inner bag, 30 bags (150 gross) per case</i>				
	115LBR/S	125LBR/M	135LBR/L	145LBR/XL

\***▲ WARNING!** This product contains natural rubber latex proteins which may cause allergic reactions in some individuals. These allergies can lead to serious illness or death. If an allergic reaction occurs, stop using this product immediately and consult a medical provider.

## GLOVEBOX GLOVES



8N1532

### Neoprene Glovebox Gloves

- Manufactured from premium quality milled neoprene which provides high permeation resistance to vapors and gases
- Resistant to a broad range of chemicals, including oils, greases, fuels and acetone
- Solvent based, multi-dip manufacturing process provides multiple layers of polymer (like a glove-within-a-glove) which results in a glove of superior quality
- High tensile strength provides resistance to accidental tears
- Good elongation provides flexibility; ideal for work requiring dexterity and sensitivity
- Good abrasion resistance helps provide a long service life
- Lead-loaded neoprene styles also available, contact Customer Care for details
- Complies with USDA and FDA regulations, 21 CFR, for use in food processing

Cuff/Port Diameter	5 Inch	6 Inch	7 Inch	8 Inch	10 Inch
<i>32 in long/ 15 mil gauge</i>					
<b>Hand-Specific SKU</b>	5N1532	6N1532	7N1532	8N1532	
<b>Ambidextrous SKU</b>	5N1532A	6N1532A	7N1532A	8N1532A	10N1532A
<i>32 in long/ 30 mil gauge</i>					
<b>Hand-Specific SKU</b>	5N3032	6N3032	7N3032	8N3032	
<b>Ambidextrous SKU</b>	5N3032A	6N3032A	7N3032A	8N3032A	10N3032A

Most glovebox gloves are available in sizes 8H(8½), 9Q(9¾) and 10H(10½)



**Honeywell**

 Call Customer Care at 800 430-4110.

**GLOVEBOX GLOVES**

**CSM Glovebox Gloves** 

- CSM provides superior resistance to ozone and oxidizing chemicals such as alcohols, alkalis and acids
- Highly resistant to the effects of UV radiation in both artificial light and sunlight
- Very high abrasion resistance provides long glove service life
- White CSM surface will not hide contamination and is easily cleaned (important for “clean” applications, such as in the pharmaceutical industry)
- Natural soft feel for greater worker comfort
- Solvent based, multi-dip manufacturing process provides multiple layers of polymer (like a glove-within-a-glove) which results in a glove of superior quality
- Good tensile strength provides resistance to accidental tears
- Lead-loaded CSM styles also available, contact Customer Care for details



8Y1532

Cuff/Port Diameter	5 Inch	7 Inch	8 Inch	10 Inch
<i>32 in long/ 15 mil gauge</i>				
<b>Hand-Specific SKU</b>	5Y1532	7Y1532	8Y1532	-
<b>Ambidextrous SKU</b>	5Y1532A	7Y1532A	8Y1532A	10Y1532A
<i>32 in long/ 30 mil gauge</i>				
<b>Hand-Specific SKU</b>	5Y3032	7Y3032	8Y3032	-
<b>Ambidextrous SKU</b>	-	-	8Y3032A	10Y3032A

SKU	Description	Wrist/Cuff Diameter	Length/Gauge	Inner/Case
YSL2027	CSM Sleeve for use with short glovebox gloves	3 ½" / 10"	27" / 20 mil	1 Pr / 1 Pr

**CSM/PU Glovebox Gloves** 

- CSM provides superior resistance to ozone and oxidizing chemicals such as alcohols, alkalis and acids and is highly resistant to the effects of UV radiation in both artificial light and sunlight
- Inner PU layer provides excellent resistance to mechanical hazards, such as cuts, abrasions and punctures
- Textured inner surface improves grip between the workers fingers and the fingers of the glove, reducing hand fatigue and improving productivity
- Solvent based, multi-dip manufacturing process provides multiple layers of polymer (like a glove within a glove) which results in a glove of superior quality




8UY2032

Cuff/Port Diameters	7 Inch	8 Inch	10 Inch
<i>32 in long / 20 mil gauge</i>			
<b>Hand-Specific SKU</b>	7UY2032	8UY2032	-
<b>Ambidextrous SKU</b>	7UY2032A	8UY2032A	10UY2032A

Most glovebox gloves are available in sizes 8H(8½), 9Q(9¾) and 10H(10½)



**Honeywell**

 Call Customer Care at 800 430-4110.

## GLOVEBOX GLOVES



8B1532A

### Butyl Glovebox Gloves

- Butyl provides the highest permeation resistance to vapors and gases, as well as exceptional resistance to a broad range of toxic chemicals, making it the only suitable glove choice for many critical applications
- Highly resistant to ketones (MEK, MIBK, acetone) and esters (tricresyl phosphate, amyl acetate, ethyl acetate)
- Butyl has a soft and flexible feel, even at low temperatures, which reduces hand fatigue and enhances worker comfort
- Solvent based, multi-dip manufacturing process provides multiple layers of polymer (like a glove-within-a-glove) which results in a glove of superior quality
- Complies with USDA and FDA regulations, 21 CFR, for use in food processing

Cuff/Port Diameters	5 Inch	6 Inch	7 Inch	8 Inch	10 Inch
<i>32 in long/ 15 mil gauge</i>					
Hand-Specific SKU	5B1532	6B1532	7B1532	8B1532	-
Ambidextrous SKU	5B1532A	6B1532A	7B1532A	8B1532A	10B1532A
<i>32 in long/ 30 mil gauge</i>					
Hand-Specific SKU	5B3032	6B3032	7B3032	8B3032	-
Ambidextrous SKU	5B3032A	6B3032A	7B3032A	8B3032A	10B3032A



8LA1832A/9Q

### North Nitri-Box™ Nitrile

- One piece design is more convenient and safer than nitrile glove-and-sleeve assemblies
- Proprietary North nitrile formulation offers a great combination of chemical resistance, mechanical protection and wearer comfort
- No other glovebox gloves offer greater wearer comfort than Nitri-Box. They are light in weight (up to 30% lighter than comparable gloves) and have a unique, soft and flexible feel
- Compatible with alcohol cleaning practices and will not degrade or become slippery
- Textured grip provides safer grip of both wet and dry objects
- Inherently anti-static — surface resistance is 1011 Ω/sq providing safer working where electro-static build-up is a concern
- Complies with USDA and FDA regulations, 21 CFR, for use in food processing.

Cuff/Port Diameters	8 Inch	10 Inch
<i>32 in long/ 18 mil gauge</i>		
Ambidextrous SKU	8LA1832A/9Q	10LA1832A/10H

SKU	Cuff/Port Diameter	Length/Gauge	Inner/Case
<i>Nitrile Isolator Sleeves</i>			
NIT2708	8"	27" / 23 mil	1 Pr / 96 Pr
NIT2710	10"	27" / 23 mil	1 Pr / 96 Pr

Most glovebox gloves are available in sizes 8H(8½), 9Q(9¼) and 10H(10½)



## Honeywell

 Call Customer Care at 800 430-4110.

**CUT-RESISTANT GLOVES**

**NorthFlex Nitri Task KL™** 

**Kevlar®, Nitrile Coated**

- Advanced seamless shell containing Kevlar® for cut resistance and Lycra® for comfort and fit
- Textured nitrile coating gives impressive grip on wet or oily surfaces and offers good abrasion, tear and heat performance and are resistant to solvents, oils, and fats
- Complies with USDA and FDA regulations, 21 CFR, for use in food processing



NFKL13

SKU	ANSI / EN388 Cut Level	Description	Sizes	Inner Pack/ Case Pack
NFKL13	2/2	Kevlar®/Lycra® shell, with black textured nitrile	6XS-11XXL	12 Pr / 144 Pr

**Honeywell Tuff-Coat®** 

**Kevlar®, Coated**

- 10 gauge medium weight 100% Kevlar seamless liners provide excellent cut and slash protection
- Latex dipped coating helps to minimize injury from puncture
- Nitrile dipped coating provides excellent abrasion protection
- Durable gloves for a value price



KV200

SKU	ANSI / EN388 Cut Level	Description	Sizes	Inner Pack/ Case Pack
KV200	2/NA	Kevlar liner w/blue latex coating	7S-10XL	12 Pr / 144 Pr
KV250	2/NA	Kevlar liner w/green nitrile coating	7S-11XXL	12 Pr / 144 Pr

**Honeywell Perfect-Coat®** 

**Kevlar®, Coated**

- Ergonomic curved finger design provides comfort and reduces hand fatigue
- 10 gauge, 100% Kevlar seamless knit liners provide excellent cut protection
- Latex dipped coating, helps to minimize injury from puncture
- Nitrile dipped coating provides excellent abrasion protection
- KV303 blends Kevlar and steel together for a highly cut-resistant liner



KV300

SKU	ANSI / EN388 Cut Level	Description	Sizes	Inner Pack/ Case Pack
KV300	2/4	Kevlar liner w/blue latex coating	7S-10XL	12 Pr / 144 Pr
KV350	2/4	Kevlar liner w/green nitrile coating	7S-10XL	12 Pr / 144 Pr
KV303	4/5	Kevlar/steel liner with black latex coating	7S-10XL	12 Pr / 144 Pr



**Honeywell**

 Call Customer Care at 800 430-5490.

 Call Customer Care at 800 430-4110.

## CUT-RESISTANT GLOVES



NFF13C

### NorthFlex Nitri Task C5™

Aramid/Steel, Foam Nitrile Coated

- 10 gauge seamless shell contains aramid and steel for high resistance to cuts and other mechanical hazards
- Foam nitrile coating provides impressive grip on wet or oily surfaces and offers excellent abrasion, tear and heat performance and is resistant to solvents, oils and fats
- Coating extends over the knuckles to provide additional wearer protection

SKU	ANSI / EN388 Cut Level	Description	Sizes	Inner Pack/ Case Pack
NFF13C	4 / 5	Aramid/steel shell w/dark blue foamed nitrile	7S-10XL	6 Pr / 72 Pr



NFD15

### NorthFlex™ Light Task Plus™

Dyneema®, PU Coated

- Lightweight, 13 gauge Dyneema® fiber liner offers good protection from cut and slash
- PU (polyurethane) coating is comfortable and lightweight for high tactile sensitivity and provides good abrasion and puncture resistance
- Complies with USDA and FDA regulations, 21 CFR, for use in food processing

SKU	ANSI / EN388 Cut Level	Description	Sizes	Inner Pack/ Case Pack
NFD15	1 / 2	White Dyneema® liner, w/white PU	6XS-11XXL	12 Pr / 72 Pr
NFD16G	1 / 3	Gray Dyneema® liner, w/gray PU	7S-11XXL	12 Pr / 72 Pr



NFD15B

### NorthFlex™ Light Task Plus™

Dyneema®, Bi-Polymer Coated

- Seamless 13 gauge Dyneema fiber liner is cool and comfortable
- Bi-polymer coating blends the best properties of nitrile and PU (polyurethane) to provide a surface that is mechanically tough, grippy and flexible
- Black and gray colors hide grime making this glove a great choice for dirty applications

SKU	ANSI / EN388 Cut Level	Description	Sizes	Inner Pack/ Case Pack
NFD15B	2 / 3	Gray Dyneema liner, w/black coating	6XS-11XXL	12 Pr / 72 Pr
NFD20B	3 / 5	Dark blue Dyneema liner w/black coating	7S-11XXL	12 Pr / 72 Pr

NFD16ESD



### Northflex-Answer™

Electrostatic Dissipative

- Electrostatic conductive Dyneema and Thunderon blend
- 13 gauge seamless knit liner with gray PU palm coating

SKU	ANSI / EN388 Cut Level	Description	Sizes	Inner Pack/ Case Pack
NFD16ESD	2 / 3	Copper Dyneema/Thunderon, PU palm	7S-11XXL	12 Pr / 72 Pr



**Honeywell**

Call Customer Care at 800 430-4110.

**CUT-RESISTANT GLOVES**

**Northflex** 

**Oil Grip™ Gloves**

- Lightweight Dyneema and fiberglass liner provides excellent cut and slash protection
- Advanced MicroFinish provides excellent grip in oily applications
- The nitrile surface is textured with thousands of microscopic pockets that disperse fluids and allow a high level of surface contact between glove and object
- Two-stage coating is impermeable to liquids, helping to keep hands dry
- 3/4 dipped coating extends over the knuckles to help reduce liquid penetration

SKU	ANSI / EN388 Cut Level	Description	Sizes	Inner Pack/ Case Pack
NFD35X	3/5	Dark green liner, black micro-finish	7S-11XXL	12 Pr / 144 Pr



**Workeasy®** 

**Value, Dyneema®, Coated**

- 13 gauge, lightweight, seamless knit liners
- Soft, thin and flexible polyurethane coating
- Economical without sacrificing quality

SKU	ANSI / EN388 Cut Level	Description	Sizes	Inner Pack/ Case Pack
WE300	3/5	Light gray, Dyneema fiber liner with gray PU	7S-11XXL	12 Pr / 144 Pr



**Pure Fit™** 

**Dyneema Blend, Coated**

- Lightweight, 13 gauge Dyneema® fiber liners offer exceptional cut resistance
- PF570 is blended with stainless steel for even more cut protection and an interior plating of Dyneema and spandex for great fit and cool feel for worker comfort
- PU and nitrile dip options

SKU	ANSI / EN388 Cut Level	Description	Sizes	Inner Pack/ Case Pack
PF541	2/3	Dyneema, gray, with gray PU	7S-10XL	12 Pr / 144 Pr
PF542	1/NA	Dyneema, white, with gray PU	7S-10XL	12 Pr / 144 Pr
PF545	2/2	Dyneema, gray, with blue nitrile	7S-10XL	12 Pr / 144 Pr
PF570	4/5	Dyneema/stainless, plated, with gray nitrile	7S-11XXL	12 Pr / 144 Pr



**Tuff-Glo™** 

**Hi-Viz, Dyneema Blend, Coated**

- Hi-Viz yellow and orange gloves for worker protection and awareness
- 13 gauge, lightweight, Dyneema and lycra seamless knit liners
- Soft, thin and flexible polyurethane coating

SKU	ANSI / EN388 Cut Level	Description	Sizes	Inner Pack/ Case Pack
PF541HVZ	2/NA	Dyneema with PU	7S-11XXL	12 Pr / 144 Pr
PF5413QHVS	2/NA	Dyneema with PU, 3/4 dip	7S-11XXL	12 Pr / 144 Pr



**Honeywell**

 Call Customer Care at 800 430-5490.

 Call Customer Care at 800 430-4110.

## CUT-RESISTANT GLOVES



52/6647

### North Grip N® Kevlar

- Nitrile “N” coating improves grip and extends life due to better abrasion resistance
- Blended design offers economical alternative, Kevlar outer to optimize cut/slash protection and cotton/polyester inner to help wick away moisture for worker comfort
- Complies with USDA and FDA regulations, 21 CFR, for use in food processing

SKU	ANSI / EN388 Cut Level	Description	Sizes	Packaging
52/6647M	2 / 3	Medium-weight	Men's (10XL)	12 Pr /144 Pr
52/6645M	3 / 5	Heavy-weight	Men's (10XL)	12 Pr /72 Pr
52/6647S	2 / 3	Medium-weight	Ladies	12 Pr /144 Pr



52/7457

### North Grip N® Kevlar Hot Mill

- Provides protection against intermittent heat up to 400° F
- Coated styles feature nitrile “N” coating for excellent grip and longer life
- Outer glove Kevlar fiber, inner glove cotton/poly
- Complies with USDA and FDA regulations, 21 CFR, for use in food processing

SKU	ANSI / EN388 Cut Level	Description	Sizes	Packaging
52/7457	3 / 5	Nitrile “N” pattern, reversible	Men's (M)	12 Pr /144 Pr



TTC24GC

### Perfect Fit™

#### Aramid, Terry Gloves

- Heavyweight aramid and cotton blend loop-out provide excellent cut protection
- Loft from terry loops adds cushion and comfort when carrying heavy objects
- Incidental thermal heat protection and excellent grip in oily applications

SKU	ANSI / EN388 Cut Level	Description	Sizes	Packaging
TTC24GC	3/NA	Continuous cuff, mock-twist terry	7S – 10XL	12 Pr /144 Pr



KVD18AR-100

### Perfect Fit™

#### Kevlar Seamless Knit

- Seamless knit construction eliminates uncomfortable seams that can rub or chafe
- Kevlar fiber can withstand temperatures up to 900°F (480°C) without breaking down
- Gloves are easily laundered with minimized shrinking
- Offered in a variety of weights, sizes and coating options
- Kevlar can be blended with other fibers to improve fit and function
- Safety dot coating provides extra protection from hands slipping over sharp surfaces

SKU	ANSI / EN388 Cut Level	Description	Sizes	Packaging
<i>Uncoated</i>				
KV13A	2/NA	13 gauge lightweight, yellow	Men's, (L)	12 Pr /144 Pr
KV18A-100	3/NA	7 gauge medium weight, yellow	Men's, (L)	12 Pr /144 Pr
BK-KV18	3/NA	7 gauge medium weight, black	Men's, (L)	12 Pr /144 Pr
BK20A-100	4/NA	7 gauge heavyweight, black	Men's, (L)	12 Pr /144 Pr
<i>Safety Dot Coated</i>				
KVD18A-100	3/NA	7 gauge medium weight	Men's, (L)	12 Pr /144 Pr
KVD18AR-100	3/NA	7 gauge medium weight	Men's, (L)	12 Pr /144 Pr
KVD20AR-100	3/NA	7 gauge heavyweight	Men's, (L)	12 Pr /144 Pr



**Honeywell**

Call Customer Care at 800 430-5490.

Call Customer Care at 800 430-4110.



**CUT-RESISTANT GLOVES**

**Perfect Fit™ – CRT** 

**Cut-Resistant Technology**

- Proprietary blend of cut-resistant fibers
- ANSI Level 4 cut protection, lightweight comfort without sacrificing protection
- Seamless knit construction, eliminates irritation caused from seams which can chafe
- High abrasion level allows gloves to wear longer
- Safety dot coating provides extra protection from hands slipping over sharp surfaces

SKU	ANSI / EN388 Cut Level	Description	Sizes	Inner Pack/ Case Pack
<i>Uncoated</i>				
CRT13	4/NA	13 gauge seamless knit	Men's (L,J,Y)	12 Pr /144 Pr
CRT17	4/NA	7 gauge standard weight	Men's (L,J,Y)	12 Pr /144 Pr
<i>PVC Safety Dot Coating</i>				
CRTD13	4/NA	13 gauge lightweight	Men's (L,J,XJ)	12 Pr /144 Pr
CRTD13R	4/NA	13 gauge lightweight, reversible	Men's (L,J,XJ)	12 Pr /144 Pr
CRTD17R	4/NA	7 gauge, std weight, reversible	Men's (L,J,Y)	12 Pr /144 Pr



CRT13



KV18-45



KV18A-100-50



KV18-55

**Bull Dog™** 

**100% Kevlar Gloves with Leather Reinforcements**

- 100% DuPont Kevlar seamless knit liner provides superior cut protection
- Leather palm is great for grip of oily objects
- Leather covers palm, fingers and wraps between fingers for added protection

SKU	ANSI / EN388 Cut Level	Description	Sizes	Inner Pack/ Case Pack
KV18-45	4/NA	7 gauge, md weight	Men's (L,J)	12 Pr /144 Pr

**Junk Yard Dog®** 

**100% Kevlar Gloves with Leather Reinforcements**

- 100% DuPont Kevlar seamless knit liner provides excellent cut protection
- Leather palm and reinforced thumb-crotch provides great grip for oily objects

SKU	ANSI / EN388 Cut Level	Description	Sizes	Inner Pack/ Case Pack
KV18A-100-50	3/4	7 gauge, md weight	Men's (L,J,Y)	12 Pr /144 Pr

**Top Dog™** 


**100% Kevlar Armor Gloves with Leather Reinforcements**

- 100% DuPont Kevlar armor seamless knit liner provides superior cut protection
- Leather palm with reinforced thumb crotch provides great grip of oily objects

SKU	ANSI / EN388 Cut Level	Description	Sizes	Inner Pack/ Case Pack
KV18-55	4/NA	7 gauge, md weight	Men's (L,J)	12 Pr /144 Pr



**Honeywell**

 Call Customer Care at 800 430-5490.

## CUT-RESISTANT GLOVES



KV224D

### GuardDog®

#### 100% Kevlar Gloves with Leather & Canvas Reinforcements

- 100% DuPont Kevlar seamless knit liner provides superior cut protection
- Double-lock Kevlar stitched construction for added strength and durability
- Premium grade leather palm adds puncture protection and improves grip in oily applications
- Safety cuff for easy on-off and increased wrist protection
- Kevlar extends to the end of the cuff for wrist cut protection

SKU	ANSI / EN388 Cut Level	Description	Sizes	Inner Pack/ Case Pack
KV224D	3/NA	Premium, heavy duty work	Men's (L,J)	12 Pr/48 Pr



PF13-GY-SS

### Perfect Fit™

#### Dyneema® Seamless Knit

- Dyneema is lightweight, low-linting, and does not easily absorb liquids
- Dyneema, blended with steel, Kevlar or Spandex can add cut protection, durability and improve fit
- Glove styles with steel strand blended with Dyneema adds excellent cut protection
- Color-coded PowerCuff™ helps to eliminate cuff "blow-out" from repeated laundering and can be easily sorted by size
- Leather deerskin palm (on style HPF7-50DS) provides excellent wet or oily grip
- Sold by each
- Complies with USDA and FDA regulations, 21 CFR, for use in food processing

SKU	ANSI / EN388 Cut Level	Description	Sizes	Inner Pack/ Case Pack
<i>Lightweight Seamless Dyneema Gloves</i>				
PF13	4/NA	13 gauge white	6XS-10XL	12 Pr /144 Ea
PF13-GY	4/NA	13 gauge gray	6XS-10XL	12 Pr /144 Ea
<i>Lightweight Seamless Dyneema/Stainless Steel Gloves</i>				
PF13-GY-SS	4/NA	13 gauge gray	7S-10XL	12 Ea /144 Ea
PF13-GY-SS-PL	4/NA	13 gauge gray, plated with Dyneema/Spandex	7S-10XL	12 Ea /144 Ea
<i>Medium-weight Seamless Dyneema Gloves</i>				
PF10-GY	4/NA	10 gauge, gray	7S-10XL	12 Ea /144 Ea
<i>Heavyweight Seamless Dyneema Gloves</i>				
HPF7	5/NA	7 gauge, white,	6XS-10XL	12 Ea /144 Ea
<i>Heavyweight Seamless Dyneema and Kevlar blend Gloves</i>				
KVPF7	5/NA	7 gauge, yellow/white speckled	6XS-10XL	12 Ea /144 Ea
<i>Heavyweight Seamless Dyneema with Deerskin Leather Palm</i>				
HPF7-RH-50DS	5/NA	7 gauge, white, right hand	7S-10XL	12 Ea /144 Ea
HPF7-LH-50DS	5/NA	7 gauge, white, left hand	7S-10XL	12 Ea /144 Ea



KVPF7



**Honeywell**

Call Customer Care at 800 430-5490.

**METAL MESH – CUT-RESISTANT GLOVES**

- Whiting + Davis and Chainex metal mesh products are constructed of individually welded and joined stainless steel rings
- The individually welded rings allow the mesh fabric to flow without harsh edges; gloves are comfortable and easy to wear
- Gloves have seams that are 4-ring joined, sealing the seam so as not to have gaps that would allow knife points to poke through
- Thumbs are attached with a 3-ring join for a strong seam at a high wear area
- Gloves are ergonomically designed and constructed with tapered fingers and palm to prevent mesh from sagging, minimizing the hazard of getting gloves caught in machinery
- Gloves are 3-Step reversible to be worn on either hand
- All mesh is manufactured following the European Standard of EN1082
- Chainex items are CE certified and tested
- Mesh items are sold by the each

**Whiting + Davis® and Chainex® Stainless Steel Mesh Gloves and Garments**

**Whiting + Davis Mesh Glove** 

Anti-Microbial Polypropylene Strap

SKU	Description	Sizes
A513 D	3 finger (thumb, index and middle) design, web strap	XS – 2XL
A515 D	5 finger design, web strap	2XS – 2XL
525	Ultra-Guard™ with replaceable web strap	2XS – 2XL
525 SC	Ultra-Guard™, 3 ½" cuff, two replaceable straps	2XS – 2XL



**Whiting + Davis Mesh Glove** 

Specialty Straps

SKU	Description	Sizes
5902MS	Stainless steel mesh with stainless steel spring cuff	2XS – 2XL



**Chainexpert™ Mesh Glove** 

All Stainless Steel Glove

SKU	Description	Sizes
52300	Stainless steel mesh with stainless steel band cuff	0 (2XS) – 6 (2XL)
53331	Fully enclosed glove, 7 ½" length, stainless steel spring and steel band cuffs, steel stiffeners in cuff	0 (2XS) – 5 (XL)



**Chainextra™ Mesh Glove** 

Replaceable Polypropylene Straps w/Snap Closure

SKU	Description	Sizes
54200	Stainless steel mesh glove, 3 ½" cuff, stiffeners in cuff	0 (2XS) – 6 (2XL)



**Honeywell**

 Call Customer Care at 800 430-5490.

## METAL MESH – CUT-RESISTANT GARMENTS



A2634

### Whiting + Davis Metal Mesh Aprons

Polypropylene Web Straps

SKU	Description
A2634	26" width x 34" length, 2 criss/cross straps and 1 back strap (222EA replacement straps set)
A2634 S/L	26" width x 34" length, 2 criss/cross straps and 1 back strap, 10" split leg (222EA replacement straps set)

*(Other sizes available, contact Customer Care for more information)*



MT50

### Whiting + Davis Metal Mesh T-Shirts and Tunics

SKU	Description	Size
ST100	Crop T-shirt, one sleeve (specify left or right)	S-XL
ST200	Crop T-shirt, two sleeves	XS-3XL
MT50	Full tunic with sleeves, stainless steel	S-2XL
MT50 S/L	Full tunic with sleeves, stainless steel and split leg	S-XL
MT60	Full tunic with sleeves, titanium	S-2XL



A588 E

### Whiting + Davis Metal Mesh Sleeves

SKU	Description	Size
A588 E	Single mesh sleeve, polypropylene strap at wrist (222ES replacement strap set)	XS-2XL
D2588	Double mesh sleeve, polypropylene strap* at wrist and strap harness	2XS-3XL

*\*No replacement straps, must be sent in for repair*

### Lamex Aprons

- Aprons made of 20 x 19 mm rectangular aluminum plates, lightweight for worker comfort
- Plates overlap and are secured together with stainless steel rings, allowing for flexibility and freedom of movement
- Blue textile straps hold the apron securely and comfortably
- CE certified and tested

SKU	Description
AP22X22LP	55 cm x 55 cm apron (ATJBC/J00 replacement strap set)
AP27X18LP	70 cm x 45 cm apron (ATJBC/J00 replacement strap set)
AP30X22LP	75 cm x 55 cm apron (ATJBC/F00 replacement strap set)



by Honeywell

## Honeywell

Call Customer Care at 800 430-5490.

**GENERAL PURPOSE GLOVES**

**Northflex®** 

**Foam PVC Coated**

- Advanced 15 gauge seamless nylon liners are stretchy and form fitting
- Foamed PVC coatings are soft and flexible, for shock and vibration absorption, but are tough enough to offer abrasion resistance comparable to polyurethane
- Specially engineered open surface texture that clears liquids from surfaces and enables a very firm wet-grip

SKU	Description	Sizes	Inner Pack/ Case Pack
<i>Nylon with Foam PVC Coating</i>			
NF11	Red liner, with black PVC	6XS–11XXL	12 Pr/144 Pr
NF11 X	Red-X™ red liner, w/PVC over knuckles	6XS–11XXL	12 Pr/144 Pr
<i>Northflex Neon™ – Hi-Viz Nylon with Foam PVC Coating</i>			
NF11HVY	Hi-Viz yellow liner with Hi-Viz PVC	6XS–11XXL	12 Pr/144 Pr
<i>Northflex Cold Grip™ – Heavyweight, Insulated liner with Foam PVC Coating</i>			
NF11HD*	Blue nylon outer liner and insulated inner, with black PVC over knuckles	8M–11XXL	12 Pr/72 Pr

*\*People react differently to cold. What is comfortable to some may be uncomfortable to others and factors such as level of exertion, precipitation, wind chill and humidity will affect how cold a person feels. Working temperature recommendations are made in good faith but may not apply to all individuals and all situations.*



NF11

**Northflex®** 

**Oil-Grip™ Gloves**

- Advanced MicroFinish® surface provides exceptional grip in oily applications
- The nitrile surface is textured with thousands of microscopic pockets that disperse fluids and allow a high level of surface contact between glove and object
- Two stage coating is impermeable to liquids, helping to keep hands dry
- Lightweight, 13 gauge seamless nylon liner is form-fitting and comfortable

SKU	Description	Sizes	Inner Pack/ Case Pack
NF35	Dark green liner, black micro-finish	7S–11XXL	12 Pr / 144 Pr
NF35F	Dark green liner, black micro-finish full hand coating	7S–11XXL	12 Pr / 72 Pr



NF35F

**Workeasy®** 

**Value, Lightweight Dipped Gloves**

- Economical without sacrificing quality
- 13 gauge lightweight polyester liners offer comfort and great tactile sensitivity
- Style # WE50 features an 18 gauge nylon liner for the ultimate tactile sensitivity and protects against incidental nicks and abrasions
- Soft, thin and flexible polyurethane or nitrile palm coatings

SKU	Description	Sizes	Inner Pack/ Case Pack
WE50	Blue nylon liner with gray thin-coat polyurethane	7S–10XL	12 Pr / 144 Pr
WE110	Black polyester liner with black nitrile	7S–11XXL	12 Pr / 144 Pr



WE50



**Honeywell**

 Call Customer Care at 800 430-5490.

 Call Customer Care at 800 430-4110.

## GENERAL PURPOSE GLOVES



393

### Pure Fit™

#### Lightweight Dipped Gloves

- Lightweight 13 gauge nylon liners are abrasion-resistant and low-linting
- Synthetic coatings resist nicks, cuts and abrasions
- Style # 372 has a full hand coating to minimize liquids from seeping into glove

SKU	Description	Sizes	Inner Pack/ Case Pack
<i>Nitrile Coated</i>			
372	Black nylon with black, full hand coating	7S – 10XL	12 Pr/144 Pr
380	Black nylon with black palm coating	7S – 11XXL	12 Pr/144 Pr
390	White nylon with gray foamed palm coating	7S – 11XXL	12 Pr/144 Pr
393	Black nylon with black breathable foamed palm coating	6XS – 11XXL	12 Pr/144 Pr
395	Black nylon with gray foamed palm coating	7S – 10XL	12 Pr/144 Pr
<i>Polyurethane Coated</i>			
PF550	Black nylon with gray palm coating	7S – 10XL	12 Pr/144 Pr
PF560	Black nylon with black ¾ palm coating	7S – 10XL	12 Pr/144 Pr



395HVZ

### Tuff-Glo™

#### High-Visibility, Dipped

- High-visibility orange helps to keep workers in view
- Durable and highly abrasion resistant nylon liners provide excellent protection in light- to mid-duty jobs
- Foam nitrile coating has excellent grip in wet or dry applications; preventing hands from sliding over sharp edges
- Gloves are soft and lightweight to prevent worker hand fatigue

SKU	Description	Sizes	Inner Pack/ Case Pack
395HVZ	Orange nylon liner w/orange foam nitrile	7S–10XL	12 Pr/144 Pr



125

### Tuff-Coat®

#### Medium Weight, Dipped

- Cotton/poly seamless 10 gauge knit liners offer comfort and flexibility
- Style # 125 features a nylon liner for high abrasion resistance and tactile sensitivity
- Style # 400 features a brushed acrylic liner for added warmth in cold temperatures
- Excellent wet and dry grip to minimize hands slipping over sharp edges
- Textured dipped surface enhances grip and increases protection

SKU	Description	Sizes	Inner Pack/ Case Pack
125	White nylon liner with blue latex*	7S–11XXL	12 Pr/144 Pr
200	Gray cotton/poly liner with black latex*	7S–11XXL	12 Pr/144 Pr
250	Black cotton/poly liner with black nitrile	7S–11XXL	12 Pr/144 Pr
400	Yellow brushed acrylic liner with black latex*	7S–11XXL	12 Pr/144 Pr

\***⚠ WARNING!** This product contains natural rubber latex proteins which may cause allergic reactions in some individuals. These allergies can lead to serious illness or death. If an allergic reaction occurs, stop using this product immediately and consult a medical provider.



**Honeywell**

 Call Customer Care at 800 430-5490.

**GENERAL PURPOSE GLOVES**

**Perfect-Coat™** 

Medium Weight, Dipped

- Cotton/poly 10 gauge seamless knit liners offer comfort and flexibility
- Liners and coatings are ergonomically constructed to conform to the natural curve of the hand to minimize hand fatigue
- Textured dipped surface enhances wet and dry grip to minimize hands slipping over sharp edges
- Style # 451PC is heavyweight with a brushed interior, ideal for cold weather applications

SKU	Description	Sizes	Inner Pack/ Case Pack
300PC	Gray cotton/poly liner with blue latex*	7S-10XL	12 Pr/144 Pr
305PC	Gray cotton/poly liner with blue latex* ¾ coating to extend over knuckles	7S-10XL	12 Pr/144 Pr
350PC	Gray cotton/poly liner with green nitrile	7S-10XL	12 Pr/144 Pr
451PC	Gray heavyweight, brushed cotton/poly liner with gray latex	7S-10XL	12 Pr/144 Pr



300PC

\***▲ WARNING!** This product contains natural rubber latex proteins which may cause allergic reactions in some individuals. These allergies can lead to serious illness or death. If an allergic reaction occurs, stop using this product immediately and consult a medical provider.

**North ECO Knit®** 

Economical, General Purpose Gloves

- Complies with USDA and FDA regulations, 21 CFR, for use in food processing

SKU	Description	Sizes	Inner Pack/ Case Pack
11RK	Natural, standard weight, cotton/poly	S - XL	12 Pr / 240 Pr
12RK	White, standard weight, nylon/poly	S - XL	12 Pr / 240 Pr



11RK

**Honeywell Seamless Knit Gloves** 

- No seams to rub or chafe, workers hands are more comfortable
- Seamless knits allow air to flow; hands are kept cooler and dryer than wearing leather gloves
- Low-linting styles are safer for sensitive applications, e.g. electronics and paint room

SKU	Description	Sizes	Inner Pack/ Case Pack
CP13-1	13 gauge, lightweight, cotton/poly, natural	Men's, Ladies (L)	12 Pr/360 Pr
PAK18A	7 gauge, std weight, acrylic, white	Men's, Ladies (L)	12 Pr/288 Pr
WK18ATC	7 gauge, std weight, cotton/poly, 4" cuff	Men's, Ladies (L)	12 Pr/144 Pr
LFN13A	Low-linting 13 gauge, lightweight, 100% polyester, white	Men's, Ladies (L)	12 Pr/360 Pr
NY13-1	Low-linting 13 gauge, lightweight, 100% nylon, white	Men's, Ladies (L)	12 Pr/360 Pr
TH13A	Low-linting 13 gauge, lightweight, Thermostat, white	One size	12 Pr/360 Pr
TH13A-BL	Low-linting 13 gauge, lightweight, Thermostat, blue	One size	12 Pr/360 Pr




TH13A-BL



**Honeywell**

 Call Customer Care at 800 430-5490.

 Call Customer Care at 800 430-4110.

## GENERAL PURPOSE GLOVES



### Honeywell Coated Seamless Knit Gloves

- PVC safety coatings help to keep hands from slipping over sharp edges, minimizing worker cut and slash injuries to hands
- Seamless knits allow air to flow; hands are kept cooler and dryer than wearing leather gloves
- Styles are available in lightweight and standard weight to suit worker's needs
- PKD18A complies with USDA and FDA regulations, 21 CFR, for use in food processing

SKU	Description	Sizes	Inner Pack/ Case Pack
PKD18A	7 gauge, standard weight, acrylic, white, single side white dot	Men's (M), Ladies (L)	12 Pr/144 Pr



### North Grip N®

#### PVC Coated Gloves

- PVC N-Tread coating has non-skid grip and outstanding abrasion resistance
- Seamless design does not chafe or tear, excellent dexterity
- Reversible PVC coating provides excellent grip and durability
- Comply with USDA and FDA regulations, 21 CFR, for use in food processing

SKU	Description	Sizes	Inner Pack/ Case Pack
K511	Natural, blue "N", reversible	Men's (M), Ladies' (S)	12 Pr/144 Pr



### North Smitty®

#### Nitrile Palm Coated

- Cotton/polyester shell can be laundered or dry cleaned with minimal shrinkage
- Nitrile coating on palm provides a sure grip, good abrasion resistance and durability
- Gloves are made in the U.S.A
- Complies with USDA and FDA regulations, 21 CFR, for use in food processing

SKU	Description	Sizes	Inner Pack/ Case Pack
81/1162	Cotton/poly, nitrile palm coated	Men's (M), Ladies' (S)	12 Pr/144 Pr
81/1762	100% Polyester, nitrile palm coated	Men's (M), Ladies' (S)	12 Pr/144 Pr



### North Nitri-Kote®

#### Nitrile Fully Coated


- Unique nitrile coating process allows gloves to be fully coated for long wear, yet remain breathable for worker comfort
- Blended cotton/polyester string knit shell reduces shrinkage when laundered
- Ambidextrous design can be worn on either hand, prolonging the life of the glove
- Seamless construction provides superior comfort with no seams to rub and chafe
- Coated in the USA
- Complies with USDA and FDA regulations, 21 CFR, for use in food processing

SKU	Description	Sizes	Inner Pack/ Case Pack
78/1142	Fully coated hand, knit wrist	Men's (XS, M, XL) Ladies' (S)	12 Pr/144 Pr



**Honeywell**

 Call Customer Care at 800 430-5490.

 Call Customer Care at 800 430-4110.



**GENERAL PURPOSE GLOVES**

**Honeywell Seamless Terrycloth Gloves** 

- Terrycloth gloves provide pockets of air for added cushion and heat protection
- No seams to rub or chafe, workers' hands are more comfortable
- Seamless knits allow air to flow; hands are kept cooler and dryer than wearing leather gloves

SKU	Description	Sizes	Inner Pack/ Case Pack
TK14A-1	14 ounce, loop-in, natural	Men's/Ladies'	12 Pr / 120 Pr
24AC-GY-1	24 ounce, loop-out, gray, continuous cuff	Men's/Ladies'	12 Pr / 120 Pr



TK14A-1

**North Grip N<sup>®</sup> Hot Mill** 

**Nitrile Coated**

- Provides protection against intermittent heat up to 400° F
- Nitrile "N" design, palm coating provides excellent grip and longer life
- Knit allows for air to flow, unlike cut/sewn hot mill gloves
- Available with extended cuffs for added wrist protection
- Steamproof version has a three layer design; inner layer of cotton, protective steam layer and outer coated layer for safe grip

SKU	Description	Sizes	Inner Pack/ Case Pack
51/7147	Natural, wide knitwrist	Men's (M)	12 Pr / 72 Pr
51/7147C	Natural, wide, 4" extended, knitwrist	Men's (M)	12 Pr / 72 Pr
51/7147SP	Natural, steam proof liner, wide knitwrist	Men's (M)	12 Pr / 72 Pr



51/7147

**CUT AND SEWN – GENERAL PURPOSE**

**North Worknit<sup>®</sup>** 

- Heavy-weight cotton lining gives workers superior protection for tough jobs
- Absorbs perspiration for greater comfort
- Gunn cut, wing-thumb style construction keeps seams out of high-wear areas extending the life of the glove and improving worker comfort
- Excellent dry grip provides excellent non-slip grip for safer handling

SKU	Description	Sizes	Inner Pack/ Case Pack
85/3729	Slip-on with black stripe back	8M–10XL	12 Pr / 72 Pr
85/3719	Slip-on with black stripe back	Universal	12 Pr / 72 Pr
85/3721	Slip-on, black dash back	8M–10XL	12 Pr / 72 Pr
85/8721	Slip-on, black dash back, gauntlet cuff	8M–10XL	12 Pr / 72 Pr




85/3729



**Honeywell**

 Call Customer Care at 800 430-5490.

 Call Customer Care at 800 430-4110.

## CUT AND SEWN – GENERAL PURPOSE



M3000

### North EXPERT™

- Top-of-the-line mechanic-style gloves, fit as good as they look
- Deer skin grain palm for extreme comfort, added sensitivity and grip
- Reinforced knuckle band provides additional back of hand protection
- Leather palm is reinforced to add additional strength and wear
- Spandex backing offers form-fitting elasticity and comfort



M2900

### North SENIOR-PRO™

- Excellent dexterity and durability
- Extremely abrasion-resistant bi-color Clarino® synthetic leather on palm, thumb and index finger
- Padded palm patch provides additional protection
- Blue stretch Spandex backing for comfort and fit
- Hook and loop closure provides adjustability and secure closure

SKU	Description	Sizes	Inner Pack/ Case Pack
M3000	Mecano Expert	8M-10XL	1 Pr / 72 Pr
M2900	Senior Pro	8M-10XL	1 Pr / 72 Pr

Clarino® is a registered trademark of Kuraray Co., Ltd



70/6465NK

### North Polar® – Insulated Leather Palm

- 3M Thinsulate® liner for temperatures down to -36°F (-38°C)
- Waterproof vinyl liner reduces liquid penetration
- Gunn cut with wing thumb for wearer comfort

SKU	Description	Sizes	Inner Pack/ Case Pack
70/6465NK	Split leather/ canvas, blue/yellow	Men's (11XXL)	12 Pr/ 72 Pr
70/6465NK/S	Split leather/ canvas, blue/yellow	Ladies' (8XL)	12 Pr/ 72 Pr

## ARM PROTECTION



CS-2-18TH

### Honeywell Cotton Sleeves

- 2-ply cotton sleeves are cool and comfortable, and offer protection against dirt, grime and incidental scratches and abrasions

SKU	Description	Inches	Inner Pack/ Case Pack
CS-2-(length)	Standard sleeve	18, 20	25 Ea/ 100 Ea
CS-2-(length)TH	Standard sleeve with thumb-hole	18	25 Ea/ 100 Ea



**Honeywell**

Call Customer Care at 800 430-5490.

Call Customer Care at 800 430-4110.

**ARM PROTECTION**

**Perfect Fit™ Kevlar Sleeves**

- 100% DuPont™ Kevlar brand fiber provides excellent protection from cut, slash and abrasion hazards
- Yellow, 2-ply sleeve

SKU	Description	Inches	Inner Pack/ Case Pack
KVS-2-(length)	Standard sleeve	14, 18, 24, 25	10 Ea/100 Ea
KVS-2-(length)TH	Standard sleeve with thumb-hole	14, 18, 24, 25	10 Ea/100 Ea
KVS-2-(length)TH-90	Standard sleeve with thumb-hole and leather patch	14, 18	10 Ea/100 Ea
<i>100% Kevlar, Black</i>			
BK-KVS-2-(length)	Standard sleeve	10, 14, 18, 24	25 Ea/100 Ea
BK-KVS-2-(length)TH	Standard sleeve with thumb-hole	18, 23	25 Ea/100 Ea



KVS-2-14TH-90

**Perfect Fit™ 4x4**

- Economical, Kevlar and cotton blended 2 ply sleeves provide good cut protection
- ANSI Cut level 2

SKU	Description	Sizes	Inner Pack/ Case Pack
KVS44-2-(Length)	Standard sleeve	14, 18	25 Ea/100 Ea
KVS44-2-(Length)TH	Standard sleeve with thumb-hole	14, 18	25 Ea/100 Ea



KVS44-2-14

**Perfect Fit™ CRT**

- Economical, Kevlar and fiberglass blended 2 ply sleeves provide excellent cut protection
- ANSI Cut level 4

SKU	Description	Sizes	Inner Pack/ Case Pack
CRTS-2-(Length)	Standard sleeve	14, 18	25 Ea/100 Ea
CRTS-2-(Length)TH	Standard sleeve with thumb-hole	14, 18	25 Ea/100 Ea
CRTS-2-24TH-3BT	Standard sleeve with thumb-hole and 3-finger bar tack	24	25 Ea/100 Ea



CRTS-2-24TH-3BT

**Comfortrel™**

- Economical blend of HPPE and fiberglass, 2-ply sleeves
- ANSI Cut level 4

SKU	Description	Sizes	Inner Pack/ Case Pack
CTSS-2-(length)	Standard sleeve	14, 18	25 Ea/100 Ea
CTSS-2-(length)TH	Standard sleeve with thumb-hole	14, 18	25 Ea/100 Ea
CTSS-2-20THNS	Standard sleeve with thumb-hole and no-slip top	20	25 Ea/100 Ea



CTSS-2-14TH



**Honeywell**

Call Customer Care at 800 430-5490.

## WHAT'S INSIDE

# Honeywell

251 • General Purpose

252 • Traffic Safety

253 • Rain Gear



## Full Line of Garments & Accessories

Honeywell offers a full line of garments and accessories to provide protection to workers in the work place. We strive to develop innovative products that exceed our customers' needs and expectations, while ensuring that the work environment is a safer place.

### North Gen Series Disposable Coveralls

- Knitted or elastic cuffs offer superior resistance to noxious dust and splash
- Elastic ankles and waist to reduce inward contaminations
- 2-way zip with a resealable taped storm flap
- Hood and enclosed neck to prevent inward contamination
- Ergonomic pattern for greater user comfort
- Silicon-free components to prevent product contamination

**▲ WARNING!** Honeywell equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury or death.

**GENERAL PURPOSE**

The North Gen Coveralls are made from a breathable fabric and therefore are very comfortable to wear – even for long periods of time. Ideal for a wide range of applications, North Gen Coveralls have been designed to be both practical and comfortable with a generous cut.

**Ideal for a wide range of applications**

**North Gen “AIR” Coverall**

- Revolutionary fabric that is soft and breathable.
- Superior resistance to noxious dust and splash in accordance with CE type 5 and 6
- Low lint and therefore ideal for use in a wide range of applications where the wearer needs protection and the environment must not be contaminated with fibers
- Vented for coolness for greater wearer comfort
- Elastic waist and knitted cuffs



85596

Item #	Description	Sizes
85596	North Gen “Air” disposable coverall	S to 4XL

**North Gen “FSR” Coverall**

- Unique combination of non-woven fabrics, meets with CE Type 5 and 6 protection
- Resistant to noxious dust, oil and chemical splashes, and anti-static to meet EN1149-1
- Flame retardant to NFPA701 and EN533 Index 1
- Elastic waist and cuffs



25596

Item #	Description	Sizes
25596	North Gen “FR” disposable coverall	S to 4XL

**North Gen “Pro” Coverall**

- Unique combination of non-woven fabrics
- Meets CE Type 5 and 6 protection
- Resistant to noxious dust and splash
- Elastic waist and knitted cuff



35596

Item #	Description	Sizes
35596	North Gen “Pro” disposable coverall, blue	S to 4XL
35596W	North Gen “Pro” disposable coverall, white	S to 4XL
35767	Boot cover with elastic top, 10 in (25 cm) high	One Size

Call Customer Care at 800 430-4110.

## GENERAL PURPOSE



TV30RS

### Aprons for General and Incidental Splash Protection

- Various materials to suit multiple applications allows for flexibility in the workplace
- Different options available to suit job needs and environment protection level, allowing workers to choose the correct apron for their needs
- Quality material and construction provides durability and long wear
- Bib style aprons provide coverage and protection to upper chest

SKU	Description	Size
1265/8BLU	Frosted vinyl 8 mil, metal grommets, 36 in x 48 in (91 cm x 122 cm), blue	One Size
1285	PVC coated nylon, sewn on tie, 36 in x 48 in (91 cm x 122 cm), yellow	One Size
1289	Denim carpenter apron, top pocket w/pencil holder and three waist pockets, sewn on tie, 36 in x 30 in (91 cm x 76 cm), blue	One Size

## TRAFFIC SAFETY



TV30RS



TV55RS/1S

### Economical Traffic Safety Vests

- Front hook and loop closure for quick and easy dressing
- Polyester mesh fabric vests are lightweight and durable
- Hemmed edges keep material from fraying, extending the service life of your vest
- Elastic adjustments on each side to customize fit
- Bright orange vests for daytime safety and awareness
- Vests with safety reflective stripes provide added visual awareness at night

SKU	Description	Size	Pack/Case
TV50	Safety vest without reflective stripe	One size	1 ea / 100 ea
TV15RSC	Safety vest with two 1" silver reflective stripes on front and back	One size	1 ea / 25 ea
TV15RSC/75	Safety vest with two 1" yellow reflective stripes on front and back	One size	1 ea / 25 ea
TV30RS	Safety vest with two 2" yellow/green reflective stripes on front and back	One size	1 ea / 25 ea

### North-Brite™ Reflective Vests

- North-Brite microprismatic technology is fluorescent and retroreflective, providing excellent brightness levels for day or night time use
- Provides increased visibility for workers, reducing the risk of injury on the job
- Front hook and loop closure for quick and easy dressing
- Polyester mesh fabric vests are lightweight and durable
- Hemmed edges keep material from fraying, extending the service life of your vest
- Elastic adjustments on each side to customize fit

SKU	Description	Size	Pack/Case
TV55RS/1S	Safety vest with two 1" North-Brite stripes on front and back	One Size	1 ea / 25 ea

## Honeywell

Call Customer Care at 800 430-4110.

**TRAFFIC SAFETY**

**ANSI / ISEA 107 Compliant Traffic Vests**

- Vests meet or exceed the ANSI/ISEA 107-2004 High Visibility Standard, providing workers 360° visibility
- Class 2 features, North-Brite retro-reflective stripes; 2 vertical stripes on front and back, 1 horizontal stripe on waist
- Features two color choices: hi-viz orange or yellow/green
- 100% polyester fabric, North-Brite™ retroreflective tape
- Zipper closure and same color fabric binding



TVA2/15NZ/O

SKU	Description	Size	Pack/Case
TVA2/15NZ/O	1.5 in. (3.8 cm) North-Brite tape, orange vest	L-3XL	1 ea / 25 ea
TVA3/2NZ/L	2 in. (5 cm) North-Brite tape, yellow/green vest	L-3XL	1 ea / 25 ea

**North-Lite™ Reflective Belts**

- Constructed of elasticized yellow/silver/yellow North-Lite™ reflective material
- Fully adjustable belt buckles at waist
- Reflective 1½ in. (3.8 cm) straps fit over the shoulders and criss-cross on the back



TV20E

SKU	Description	Size	Pack/Case
TV20E	Reflective belt, 2 vertical stripes, "X" on back	One Size	1 ea / 100 ea

*Traffic Cones and Barricade Tape can be found on page 283.*

**HIGH PERFORMANCE RAIN GEAR**

**Xtreme FR Rain Gear**

- Made from flame retardant PVC coated on polyester for extra strength
- Flame retardant, water repellent, abrasion resistant
- Heavy weight 35 mil thickness
- Electronically sealed seams, hardware is rust proof
- Comes in three pieces: bib pant, jacket and hood
- Economical protection for general clean-up construction work

SKU	Description	Size	Pack/Case
85JPH	"FR Rain Gear" FR rainsuit, 3 pieces (jacket, bib pant and hood)	S to 3XL	1 ea / 10 ea



85JPH

**Honeywell**

Call Customer Care at 800 430-4110.

## WHAT'S INSIDE

**SERVUS**  
by Honeywell

BOOTMAKERS  
**OLIVER**  
SINCE 1887  
by Honeywell

**Honeywell**



**XTRATUF**

256 • Oliver Metatarsal Guard  
Chemical-Resistant  
Heavy Fabrication  
General Purpose  
PVC Gum

259 • Muck®

259 • XTRATUF®

260 • Servus® PVC  
Neoprene,  
Rubber  
Leather Top  
Overboots  
Overshoes

276 • Accessories



Oliver  
65-393

Muck  
CHM-000A

XTRATUF  
22273G



Honeywell's protective footwear line includes high performing, durable shoes and boots that are ergonomically engineered for superior comfort, protection and style. Our footwear products let you focus on the important things that you do all day, while feeling safe and at ease. With over a century of expertise and a strong heritage of craftsmanship, Honeywell offers a collection of footwear brands that offer you the right protection in any hazardous environment.

Honeywell's portfolio of premium safety footwear brands offers a one-stop-shop for Leather, Neoprene, PVC and Rubber footwear in a variety of boot and shoe styles, with safety features to suit most hazardous environments.

*Your choice in Footwear can help you reduce the cost of injury, increase worker productivity and, more importantly, save your workers from a possible lifetime of chronic pain.*

*Our Honeywell Sales Representatives can perform an on-site, slip-and-trip hazard assessment to demonstrate how you can increase your safety record by selecting the correct footwear for the environment.*

**▲ WARNING!** Honeywell Safety Products should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury or death.



HONEYWELL PROTECTIVE FOOTWEAR BRANDS

## Our Premium Safety Footwear Brands



by Honeywell

**Oliver footwear** is Honeywell's latest addition with a full line of leather footwear for Mining, Oil & Gas, Construction and general industrial applications. The roots of Oliver footwear date back to the mid 1800s, in the mining fields of Australia – founder James Oliver saw a need for greater protection and crafted his first pair of safety boots. Today, Oliver utilizes technology like Poron® XRD™ metatarsal guard, NANOLite footbed comfort system, and NATUREform wide profile steel toe caps; all designed for extreme comfort, performance and durability. [See page 256](#)



by Honeywell

**Servus®** is Honeywell's most inclusive line of safety footwear. PVC, Neoprene and Rubber polymer footwear offer a wide range of protection from liquid and chemical hazards ranging from organic, common in petrochemical and food processing industries, to acids and oils in heavy manufacturing industries. Servus boots are available in a variety of styles and protection levels to service the needs of any workplace with quality, durable and long-lasting industrial safety footwear. [See page 260](#)



**The Original Muck Boot Company** began with a singular goal: to provide the most comfortable, 100% waterproof, high-performance footwear on the market. Today, the Muck® Boot brand defines the standard reference for comfort, fit and quality. Professional hunters, fishermen and outdoor sport enthusiasts are loyal to their Muck boots. Now, industrial workers can experience the benefits of wearing our top-rated Muck boots. Naturally lightweight and extremely comfortable, Muck boots keep workers' feet warm and dry in almost any climate or condition. Made of rubber, these boots are durable and long-lasting for the investment made. [See page 259](#)



**XTRATUF®** neoprene boots, originally developed in the 1960s for fishermen, today are a staple in the commercial fishing, canneries and food processing industries. XTRATUF footwear is built tough, with a seamless construction that is triple-dipped for 100% waterproof protection. XTRATUF's Chevron sole and heel are self-cleaning, providing workers with excellent slip protection on slick, oily surfaces. [See page 259](#)

### STANDARDS

Standards		
<b>ASTM (American Standard for Testing and Materials) F2413-11</b>		
Section 5.1 for Steel toe	Impact/75	Dropping a weight of 50 lbs from a height of 18 inches
Section 5.2 for Steel toe	Compression/75	Crushing test of 2,500 lbs (forklift running over the shoe)
Section 5.3 for Metatarsal	Impact test	Dropping a weight of 50 lbs from a height of 18 inches
Section 5.7 for Puncture protection	Puncture test	270 lbs on 3 different points of steel midsole using a steel nail

## METATARSAL-GUARD, MINING WORK BOOTS



55-246

### 55-246

- PORON® XRD™ metatarsal guard is soft and flexible for outstanding comfort, but hardens upon impact for top-rated protection
- Qflex Zero, non-metallic puncture protection for underfoot safety
- NATUREform steel toe cap has a wider profile and latex cushion liner to ensure toes are comfortable and not in direct contact with the cap
- NANOLite and COMFORTcushion technology enhance comfort and reduce leg fatigue
- Heavy duty Kevlar stitching for extra reinforcement and longer life
- Fully lined with padded comfort collar and tongue, for greater worker comfort
- Meets ASTM F2413-11 M I/75 C/75 MT/75, PR and EH

SKU	Description	Whole/Half Sizes
55-246	Black, water-resistant leather, lace up, 6 in (150 mm)	6-15 / 7½-11½



65-691

### 65-691

- PORON® XRD™ metatarsal guard is soft and flexible for outstanding comfort, but hardens upon impact for top-rated protection
- Qflex Zero, non-metallic puncture protection for underfoot safety
- Heavy duty Nomex heat and flame resistant stitching for added reinforcement and longer life
- SYMPATEX waterproof liner keeps feet dry and comfortable
- Fully lined with padded comfort collar and padded, full-bellows tongue, for greater worker comfort
- Outsole is heat-resistant up to 572° F (300° C) and chemical-resistant to mineral oils, acids, alkalies, animal fats and oils
- Optional lace in zipper attachment (sold separately)
- Meets ASTM F2413-11 M I/75 C/75, MT/75, SD and PR

SKU	Description	Whole/Half Sizes
65-691	Black, water-resistant leather, lace up, 14 in (350 mm)	6-15 / 7½-11½



65-690

### 65-690

- PORON® XRD™ metatarsal guard is soft and flexible for outstanding comfort, but hardens upon impact for top-rated protection
- Qflex Zero, non-metallic puncture protection for underfoot safety
- Heavy duty Nomex heat and flame resistant stitching for added reinforcement and longer life
- SYMPATEX waterproof liner keeps feet dry and comfortable
- Fully lined with padded comfort collar and padded, full-bellows tongue, for greater worker comfort
- Outsole is heat-resistant up to 572° F (300° C) and chemical-resistant to mineral oils, acids, alkalies, animal fats and oils
- Optional lace in zipper attachment (sold separately)
- Meets ASTM F2413-11 M I/75 C/75, MT/75, SD and PR

SKU	Description	Whole/Half Sizes
65-690	Black, leather, lace up, 10 in (250 mm)	6-15 / 7½-11½



by Honeywell

Call Customer Care at 800 777-9021.

**CHEMICAL-RESISTANT LEATHER WORK BOOTS**

**65-393**

- Chemical and liquid resistant leather upper with PVC reinforcement for excellent protection from oils and minerals
- PORON® XRD™ metatarsal guard is soft and flexible for outstanding comfort, but hardens upon impact for top-rated protection
- NATUREform steel toe cap has a wider profile and latex cushion liner to ensure toes are comfortable and not in direct contact with the cap
- NANOLite and COMFORTcushion technology enhance comfort and reduce leg fatigue
- Heavy duty Kevlar stitching on critical seams for extra reinforcement and longer life
- Pull-on Riggers boot with large, easy grip loops
- Meets ASTM F2413-11 M I/75 C/75, MT/75 and SD

SKU	Description	Whole/Half Sizes
65-393	Tan, leather, pull-on, 10 in (250 mm)	6-15 / 7½-11½



65-393

**65-392**

- Chemical and liquid resistant leather upper with PVC reinforcement for excellent protection from oils and minerals
- PORON® XRD™ metatarsal guard is soft and flexible for outstanding comfort, but hardens upon impact for top-rated protection
- NATUREform steel toe cap has a wider profile and latex cushion liner to ensure toes are comfortable and not in direct contact with the cap
- NANOLite and COMFORTcushion technology enhance comfort and reduce leg fatigue
- Heavy duty Kevlar stitching on critical seams for extra reinforcement and longer life
- Meets ASTM F2413-11 M I/75 C/75, MT/75 and SD

SKU	Description	Whole/Half Sizes
65-392	Tan, leather, lace-in quick release zipper closure, 8 in (200 mm)	6-15 / 7½-11½



65-392

**65-390**

- Chemical and liquid resistant leather upper with PVC reinforcement for excellent protection from oils and minerals
- NATUREform steel toe cap has a wider profile and latex cushion liner to ensure toes are comfortable and not in direct contact with the cap
- NANOLite and COMFORTcushion technology enhance comfort and reduce leg fatigue
- Heavy duty Kevlar stitching on critical seams for extra reinforcement and longer life
- Meets ASTM F2413-11 M I/75, C/75 and SD

SKU	Description	Whole/Half Sizes
65-390	Tan, leather, lace up, 6 in (150 mm)	6-15 7½-11½



65-390



by Honeywell

Call Customer Care at 800 777-9021.

## HEAVY METAL FABRICATION – SMELTER BOOT



25-299

### 25-299

- Heat resistant and flame retardant leather providing excellent protection from hot metal
- Hook and eye closure system for ease in donning or doffing
- NATUREform steel toe cap has a wider profile and latex cushion liner to ensure toes are comfortable and not in direct contact with the cap
- PORON® XRD™ metatarsal guard is soft and flexible for outstanding comfort, but hardens upon impact for top-rated protection
- NANOLite and COMFORTcushion technology enhance comfort and reduce leg fatigue
- Nitrile, dual soling has a soft interior for comfort and a high-density outer for durability and abrasion resistance; can withstand heat up to 572° F (300° C)
- Three rows of heavy duty Kevlar® stitching for added durability and longer life of your boot
- Fully lined with padded comfort collar, for greater worker comfort
- ASTM F2413-11 M I/75 C/75, MT/75 and EH

SKU	Description	Whole/Half Sizes
25-299	Black, leather, hook and eye closure, 6 in (150 mm)	6-15 / 7½-11½

## LEATHER WORK BOOTS – GENERAL PURPOSE



55-232

### 55-232

- NANOLite and COMFORTcushion technology enhance comfort and reduce leg fatigue
- NATUREform steel toe cap has a wider profile and latex cushion liner to ensure toes are comfortable and not in direct contact with the cap
- Fully lined with padded comfort collar and tongue, for greater worker comfort
- Meets ASTM F2413-11 M I/75, C/75 and SD

SKU	Description	Whole/Half Sizes
55-232	Wheat, water-resistant leather, lace up, 6 in (150 mm)	6-15 / 7½-11½

## PVC GUM BOOT



22-205

### 22-205

- Green PVC gumboot is seamless for 100% waterproof protection
- Steelflex steel midsole penetration protection for underfoot safety
- Metprotect Metatarsal protection, patented inbuilt design to protect the impact strike zone, helping to reduce worker foot injuries from crush
- NATUREform steel toe cap has a wider profile and latex cushion liner to ensure toes are comfortable and not in direct contact with the cap
- NANOLite and COMFORTcushion technology enhance comfort and reduce leg fatigue
- Two trim heights
- ASTM F2413-11 M I/75 C/75, MT/75, PR and EH

SKU	Description	Whole Sizes
22-205	Green, PVC gumboot	6-14



by Honeywell

Call Customer Care at 800 777-9021.

**INDUSTRIAL PREMIUM WORK BOOTS**

**Muck® Industrial Work Boots**

- Lightweight, self-insulating CR flex-foam bootie provides a snug fit to keep out cold temperatures and keep workers' feet warm
- Hand-layered construction is sealed for 100% waterproof reliability to ensure workers' feet stay dry and comfortable
- Removable EVA sock liner adds support and slipper-soft molded comfort in the footbed for all day comfort
- Breathable air-mesh lining wicks away humidity and perspiration keeping workers' feet cool during long work days
- Diamond textured toe and heel reinforcements resist scuffs and scratches preserving the life of your Muck boot
- Extra wide kick off lugs for easy hands free removal of boots to prevent workers from bending over and straining backs
- Wide cut heel base adds extra stability



CHM-000A



SKU	Description	Men's Whole Sizes	Packaging
<b>Deep Cleated, Extra Traction Outsole</b>			
CHM-000A	Chore™ 12 in (30.5 cm), Plain Toe, Black	5-16	1 pr/bag, 4 pr/case
CHH-000A	Chore™ 16 in (40.6 cm), Plain Toe, Black	5-16	1 pr/bag, 4 pr/case

**NEOPRENE PREMIUM FOOTWEAR**

**XTRATUF® – Insulated, Chevron Sole and Heel, Hi-Pac**

- Seamless construction is 100% waterproof to keep workers' feet dry and comfortable
- Built-in Polymeric foam insulation provides added warmth
- Chevron outsoles provide excellent traction to reduce injuries from slip or fall hazards
- Removable insoles and durable fabric linings provide shock absorption and wick away moisture to keep workers' feet dry and comfortable
- Neoprene is highly resistant to many organic and inorganic acids, chemicals, and contaminants, prolonging the life of the boot and keeping workers free of harmful irritants
- 22274G meets ASTM F2413-11 EH
- 22273G meets ASTM F2413-11 M I/75, C/75 and EH



22273G

SKU	Description	Men's Whole Sizes	Packaging
22274G	16 in (40.6 cm), Plain Toe	5-14	1 pr/bag, 6 pr/case
22273G	16 in (40.6 cm), Steel Toe	3-15	1 pr/bag, 6 pr/case



Call Customer Care at 800 777-9021.

## PVC VALUE FOOTWEAR



74928

### Safety Mid Boot

- Seamless, PVC injection-molded footwear is 100% waterproof to keep workers' feet dry and comfortable
- Reinforced construction provides a durable and long lasting boot

SKU	Description	Men's Whole Sizes	Packaging
74928	12 in (30.5 cm), Plain Toe, White/Beige	4-13	1 pr/bag, 6 pr/case



73505

### Safety Hi Boot

- Seamless, PVC injection-molded footwear is 100% waterproof to keep workers' feet dry and comfortable
- Reinforced construction provides a durable and long lasting boot
- Meets ASTM F2413-11 M I/75 C/75

SKU	Description	Men's Whole Sizes	Packaging
73505	15 in (38.1 cm), Steel Toe, Black/Red	6-13	1 pr/bag, 6 pr/case



18821

### CT™ – Comfort Technology

- Seamless, PVC injection molded footwear is 100% waterproof to ensure workers' feet are dry and comfortable
- CT offers a unique scalloped top-line design to accommodate flexing and prevent irritating rubbing on legs for added comfort
- Unique Trac10™ outsole pattern engineered to reduce slip & falls in hazardous environments
- Contour heel cup molding and removable Foot Form contour cushion insoles reduce heel slippage and provides added support for all day comfort
- 18821 meets ASTM F2413-11 M I/75 C/75

SKU	Description	Men's Whole Sizes	Packaging
18822	16 in (40.6 cm), Plain Toe, Black	3-15	1 pr/bag, 6 pr/case
18821	16 in (40.6 cm), Steel Toe, Black	3-15	1 pr/bag, 6 pr/case



18801

### Iron Duke® and Northerner Footwear

- Seamless, PVC injection molded footwear is 100% waterproof to ensure workers' feet are dry and comfortable
- Flexible and durable upper allows for ease of movement for greater worker comfort
- Reinforced construction at critical stress points provides a durable, long-wearing boot
- Deep angle cleated sole and heel help to grip slick surfaces preventing slips and falls
- 73104 and 18801 meets ASTM F2413-11 M I/75 C/75

SKU	Description	Men's Whole Sizes	Packaging
18802	15 in (38.1 cm), Plain Toe, Black	5-13	1 pr/bag, 6 pr/case
18805	15 in (38.1 cm), Plain Toe, Brown	3-13	bulk, 6 pr/case
73104	6 in (15.2 cm), Steel Toe, Black	6-13	1 pr/bag, 6 pr/case
18801	15 in (38.1 cm), Steel Toe, Black	5-13	1 pr/bag, 6 pr/case



Call Customer Care at 800 777-9021.

**PVC MID-RANGE FOOTWEAR**

**PRM™**

- Seamless, injection molded footwear is 100% waterproof to ensure workers' feet are dry and comfortable
- Flexible steel midsoles provide outstanding under-foot puncture protection
- Open pattern outsole design self-cleans liquid and debris with every step, helping to prevent slip and trip hazards
- Removable FOOT FORM contour cushion insoles provide all-day comfort and support
- Meets ASTM F2413-11 M I/75 C/75 and PR

SKU	Description	Men's Whole Sizes	Packaging
75145C	15 in (38.1 cm), Steel Toe Steel Midsole, Black/Orange	7-14	1 pr/bag, 6 pr/case



75145C

**PVC PREMIUM FOOTWEAR**

**XTP™ – “Xtra Traction Performance”**

- XTP™ is engineered with reinforced construction and chemical resistance formulation to provide superior protection in harsh environments
- Seamless, 3-stage, PVC injection molded construction is 100% waterproof to keep feet comfortable and dry
- TDT outsole compounds are formulated for long wear and slip resistance, reducing the cost of inventory and injury
- Engineered outsole has a dual compound, durable exterior for abrasion and harsh conditions and a softer interior for comfort and excellent traction to prevent slips and falls
- Removable FOOT FORM contour cushion insoles provides support for comfort and wicks away moisture to keep workers' feet dry
- Higher, wider, kick-off lugs for easy on/off convenience
- 75109 meets ASTM F2413-11 M I/75 C/75

SKU	Description	Men's Whole Sizes	Packaging
75108	15 in (38.1 cm), Plain Toe, Black/Red/Gray	3-15	1 pr/bag, 6 pr/case
75109	15 in (38.1 cm), Steel Toe, Black/Yellow/Gray	3-15	1 pr/bag, 6 pr/case



75108

**PRO™**

- Seamless, PVC, 3-stage injection molded construction is 100% waterproof to keep workers' feet comfortable and dry
- TDT outsole compounds are formulated for long wear and slip resistance, reducing the cost of inventory and injury
- Steel shank is longer, larger and positioned for optimal support to help prevent foot pain when standing all day
- Boot heights are graduated and proportional to sizing to ensure comfort and prevent chafing when walking
- Removable FOOT FORM contour cushion insoles provide support and wick away moisture to keep workers' feet dry
- 75101 meets ASTM F2413-11 M I/75 C/75

SKU	Description	Men's Whole Sizes	Packaging
75102	15 in (38.1 cm), Plain Toe, Gray/Red/Black	5-15	1 pr/bag, 6 pr/case
75101	15 in (38.1 cm), Steel Toe, Gray/Yellow/Beige	5-15	1 pr/bag, 6 pr/case



75101



Call Customer Care at 800 777-9021.

## PVC PREMIUM FOOTWEAR



75105

### PRO+™

- Seamless, 3-stage PVC injection molded construction is 100% waterproof to keep workers' feet comfortable and dry
- TDT outsole is engineered with dual compounds, a durable exterior for longer wear to reduce inventory costs and a softer interior to increase surface contact and decrease slip hazards to reduce the costs associated with injury
- Removable FOOT FORM contour comfort insole provides support for comfort and wicks away moisture to keep workers' feet dry
- Tread design prohibits hydroplaning and provides better contact between the outsole and floor preventing slips and falls and reducing injuries
- Meets ASTM F2413-11 M I/75 C/75

SKU	Description	Men's Whole Sizes	Packaging
75105	15 in (38.1 cm), Steel Toe, Gray/Yellow/Beige	5-15	1 pr/bag, 6 pr/case

## NEOPRENE PREMIUM FOOTWEAR



22103

22148

### Neoprene III

#### Neo-Grip Sole and Heel

- 100% waterproof seamless construction keeps workers' feet dry and comfortable
- Unique dipping process makes boots soft and pliable for less leg fatigue
- Neo-Grip outsoles provide excellent traction on wet surfaces to reduce injuries from slips and falls
- Removable insoles provide shock absorption and wicks away moisture to keep workers' feet dry and comfortable
- 22158 meets ASTM F2413-11 EH
- 22103 and 22148 meet ASTM F2413-11 M I/75 C/75 and EH

SKU	Description	Men's Whole Sizes	Packaging
22158	12 in (30.5 cm), Plain Toe	6-13	1 pr/bag, 6 pr/case
22103	6 in (15.2 cm), Steel Toe	6-13	1 pr/bag, 6 pr/case
22148	12 in (30.5 cm), Steel Toe	6-13	1 pr/bag, 6 pr/case



22114

### Neoprene III

#### Chevron Sole and Heel, Mid-Pac

- 100% waterproof seamless construction keeps workers' feet dry and comfortable
- Unique dipping process makes boots soft and pliable for less leg fatigue
- Chevron outsoles provide excellent traction to prevent slips and falls on wet and slick surfaces, reducing risk of worker injury
- Removable insoles provide shock absorption and wick away moisture to keep workers' feet dry and comfortable
- 22115 meets ASTM F2413-11 EH
- 22114 meets ASTM F2413-11 M I/75 C/75 and EH

SKU	Description	Men's Whole Sizes	Packaging
22115	12 in (30.5 cm), Plain Toe	4-14	1 pr/bag, 6 pr/case
22114	12 in (30.5 cm), Steel Toe	3-15	1 pr/bag, 6 pr/case



Call Customer Care at 800 777-9021.



**NEOPRENE PREMIUM FOOTWEAR**

**Neoprene III**

**Chevron Sole and Heel, Hi-Pac**

- 100% waterproof seamless construction keeps workers' feet dry and comfortable
- Unique dipping process makes boots soft and pliable for less leg fatigue
- Chevron outsoles provide excellent traction to prevent slips and falls on wet and slick surfaces, reducing the risk of worker injury
- Removable insoles provide shock absorption and wicks away moisture to keep workers' feet dry and comfortable
- 22215 meets ASTM F2413-11 EH
- 22214 meets ASTM F2413-11 M I/75 C/75 and EH

SKU	Description	Men's Whole Sizes	Packaging
22215	16 in (40.6 cm), Plain Toe	3-14	1 pr/bag, 6 pr/case
22214	16 in (40.6 cm), Steel Toe	3-15	1 pr/bag, 6 pr/case



22214

**Neoprene Duraguard**

**Chevron Sole and Heel, Hi-Pac with Metatarsal Guard**

- 100% waterproof seamless construction keeps workers' feet dry and comfortable
- Unique dipping process makes boots soft and pliable for less leg fatigue
- Chevron outsoles provide excellent traction to prevent slips and falls on wet and slick surfaces, reducing the risk of worker injury
- Floating metatarsal guard protects workers' feet from crush and impact hazards
- Meets ASTM F2413-11 M I/75 C/75, Mt/75 and EH

SKU	Description	Men's Whole Sizes	Packaging
22206	16 in (40.6 cm), Steel Toe, Metatarsal Guard	5-15	1 pr/bag, 6 pr/case



22206

**Neoprene III**

**V-Wave Sole and Heel, Hi-Pac**

- 100% waterproof seamless construction keeps workers' feet dry and comfortable
- V-Wave outsole provides superior traction on surfaces with liquid and debris, reducing worker injury due to slips and falls
- Expandable gusset is more comfortable and accommodating for wider calves
- Removable insoles provide shock absorption and wicks away moisture to keep workers' feet dry and comfortable
- Meets ASTM F2413-11 M I/75 C/75 and EH

SKU	Description	Men's Whole Sizes	Packaging
22234	16 in (40.6 cm), Steel Toe	3-15	1 pr/bag, 6 pr/case
22235	16 in (40.6 cm), Steel Toe, Insulated	3-15	1 pr/bag, 6 pr/case



22234



Call Customer Care at 800 777-9021.

## RUBBER FOOTWEAR – IMPACT PROTECTION



R1141

### Ranger Safety Work Shoes

- Premium grade rubber is formulated to resist ozone deterioration for longer life and less inventory spend
- Ultra-composite shank is longer, wider and positioned for optimal support to help prevent foot pain when standing all day
- Heavy Trac Tread™ sole and heel and knurled protective overlays are tough and durable providing longer life to your footwear to help reduce purchasing spend
- Meets ASTM F2413-11 M I/75 C/75

SKU	Description	Men's Whole and Half Sizes	Packaging
R1141	6 in (15.2 cm), Lace Up, Steel Toe, Black/Yellow	5-14 (Half Sizes 7.5-12.5)	1 pr/bag, 6 pr/case



2141

### Rubber Safety Boots

- Specialized compound prevents ozone deterioration for longer life of your footwear
- Ultra-composite shank is longer, wider and positioned for optimal support to help prevent foot pain when standing all day
- Cushion insoles provide support and wicks away moisture
- Heavy Trac Tread™ sole and heel and knurled protective overlays are tough and durable providing longer life to your footwear to help reduce purchasing spend
- Meets ASTM F2413-11 M I/75 C/75

SKU	Description	Men's Whole Sizes	Packaging
21607	Engineer, 12 in (30.5 cm) Lace-up, Steel Toe, Olive	6-13	1 pr/bag, 6 pr/case
2141	16 in (40.6 cm), Steel Toe, Black	6-14	1 pr/bag, 6 pr/case

## RUBBER FOOTWEAR – IMPACT AND PUNCTURE PROTECTION



2144

### Ranger™ Safety Work Boot – Hi-Pac

- Commercial grade rubber compound prevents ozone deterioration for longer life of your footwear
- Hand-layered construction is vulcanized to seal seams for 100% waterproof protection, workers feet remain dry for all day comfort
- Durable and comfortable fabric linings for ease in donning and doffing of footwear
- Heavy Trac Tread™ sole and heel and knurled protective overlays are tough and durable providing longer life to your footwear to help reduce purchasing spend
- Meets ASTM F2413-11 M I/75 C/75 and PR

SKU	Description	Men's Whole Sizes	Packaging
2144	16 in, (40.6 cm), Steel Toe, Steel Midsole, Black	6-15	1 pr/bag, 6 pr/case



Call Customer Care at 800 777-9021.

**RUBBER FOOTWEAR – METATARSAL PROTECTION**

**Rubber Flexible Metatarsal Guard**

- Specialized compound prevents ozone deterioration for longer life of your footwear
- Ultra-composite shank is longer, wider and positioned for optimal support to help prevent foot pain when standing all day
- SAFE-STEP puncture-resistant steel midsoles for maximum puncture protection
- SAFE-TOE steel toe protects worker from crush and impact hazards
- Removable FOOT FORM contour cushion insoles, supports and wicks away moisture
- Heavy Trac Tread™ sole and heel and knurled protective overlays are tough and durable providing longer life to your footwear to help reduce purchasing spend
- Meets ASTM F2413-11 M I/75 C/75 Mt/75 and PR

SKU	Description	Men's Whole Sizes	Packaging
2149	Flex-Gard, 12 in (30.5 cm), Lace-up, Olive	6-13	1 pr/bag, 6 pr/case
2169	Flex-Gard, 16 in (40.6 cm), Buckle, Olive	5-14	1 pr/bag, 6 pr/case
2221	Flanker, 16 in (40.6 cm), Lace-up, Black	6-15	1 pr/bag, 6 pr/case



**RUBBER FOOTWEAR – THERMAL AND IMPACT PROTECTION**

**TurtleBack™**

**Rubber Full Metatarsal Guard**

- Specialized rubber compound prevents ozone deterioration for wearer protection and longer life of your footwear
- Ultra-composite shank is longer, wider and positioned for optimal support to help prevent foot pain when standing all day
- SAFE-STEP puncture-resistant steel midsoles for maximum protection under foot
- SAFE-TOE steel toe protects worker from crush and impact hazards
- Anchored metatarsal guard provides the ultimate in compression and impact protection
- Removable FOOT FORM contour cushion insole provides support, wicks away moisture
- Heavy Trac Tread™ sole and heel and knurled protective overlays are tough and durable providing longer life to your footwear
- Meets ASTM F2413-11 M I/75 C/75, Mt/75 and PR

SKU	Description	Men's Whole Sizes	Packaging
2155	12 in (30.5 cm), Red	6-13	1 pr/bag, 6 pr/case
R2145	16 in (40.6 cm), Black	6-14	1 pr/bag, 6 pr/case



Call Customer Care at 800 777-9021.

## RUBBER FOOTWEAR – THERMAL AND IMPACT PROTECTION



6147

### Ranger™

#### Insulated Safety Mid-Pac

- Specialized compound prevents ozone deterioration for longer life of your footwear
- Vulcanized construction is 100% waterproof, workers' feet remain dry for all day comfort
- Ultra-composite shank is longer, wider and positioned for optimal support to help prevent foot pain when standing all day
- Insulated for added warmth in cold weather applications keeping workers' feet warm
- Heavy Trac Tread™ sole and heel and knurled protective overlays are tough and durable providing longer life to your footwear to help reduce purchasing spend
- Lace up closure for a customizable fit for worker preference and comfort
- Meets ASTM F2413-11 M I/75 C/75

SKU	Description	Men's Whole Sizes	Packaging
<b>Fleece Insulated</b>			
6147	12 in (30.5 cm), Red/Black, Steel Toe	6-13	1 pr/bag, 6 pr/case
<b>Polymeric Foam Insulated</b>			
6145	12 in (30.5 cm), Red/Black, Steel Toe	6-14	1 pr/bag, 6 pr/case



2165

### Ranger™

#### Flexible Metatarsal, Insulated Safety Boots

- Specialized compound prevents ozone deterioration for longer life of your footwear
- Vulcanized construction is 100% waterproof, workers feet remain dry for all day comfort
- Ultra-composite shank is longer, wider and positioned for optimal support to help prevent foot pain when standing all day
- Flexible metatarsal guard for worker safety from crush and impact hazards
- Polymeric foam insulation for added warmth in cold weather applications
- Heavy Trac Tread™ sole and heel and knurled protective overlays are tough and durable providing longer life to your footwear to help reduce purchasing spend
- Lace up closure for a customizable fit for worker preference and comfort
- 2165 meets ASTM F2413-11 M I/75 C/75, Mt/75 and PR
- 9810 meets ASTM F2413-11 M I/75 C/75 and Mt/75

SKU	Description	Men's Whole Sizes	Packaging
2165	12 in (30.5 cm), Red/Black, Steel Toe, Steel Midsole, Metatarsal Guard	6-14	1 pr/bag, 6 pr/case
9810	16 in (40.6 cm), Red/Black, Steel Toe, Metatarsal Guard	6-15	1 pr/bag, 6 pr/case

**RUBBER FOOTWEAR – ELECTRICAL HAZARD PROTECTION**

**Electrical Hazard (EH) – Safety Footwear**

- Neo-Grip sole and heel have more surface-to-surface contact for excellent traction on wet or slick surfaces to protect workers from slips and falls
- Meets ASTM F2413-11 M I/75 C/75 and EH

SKU	Description	Men's Whole Sizes	Packaging
6141	7 in (17.8 cm), Steel Toe, Red	5-13	1 pr/bag, 12 pr/case
R6130	12 in (30.5 cm), Steel Toe, Red	6-13	1 pr/bag, 6 pr/case



6141

**Electrical Hazard (EH)**

**Linemen's All Weather Safety Footwear**

- Premium grade rubber is durable and flexible for worker safety and comfort
- Hand-layered construction is vulcanized to seal seams for 100% waterproof protection
- Convenient zipper closure for ease in donning and doffing of boots
- Full polymeric foam insulation for cold weather keeping workers' feet warm and comfortable
- Safe-Step steel midsole and Safe-Toe steel toe for worker safety from punctures and impacts
- Meets ASTM F2413-11 M I/75 C/75, PR and EH

SKU	Description	Men's Whole Sizes	Packaging
21622	12 in (30.5 cm), Steel Toe, Steel Midsole, Black	4-13	1 pr/bag, 6 pr/case



21622

**RUBBER FOOTWEAR – WEATHER PROTECTION**

**Irrigation and Swamp Hi Boots**

- Specialized compound prevents ozone deterioration for longer life of your footwear
- Shovel shank reinforces construction and arch support for maximum wearer comfort
- Built in cushion insoles provide support and wicks away moisture
- Heavy Trac Tread™ sole and heel and knurled protective overlays are tough and durable providing longer life to your footwear to help reduce purchasing spend

SKU	Description	Men's Whole Sizes	Packaging
A383	Swamp Boot, 16 in (40.6 cm) Black /Red, Plain Toe	5-14	1 pr/bag, 6 pr/case
T111	Irrigation Boot, 17 in (43.2 cm) Black, Plain Toe	3-15	1 pr/bag, 6 pr/case
78590	16 in (40.6 cm) 2 Buckle Insulated, Plain Toe, Marsh Brown	7-14	1 pr/bag, 6 pr/case



T111

**SERVUS**  
by Honeywell

Call Customer Care at 800 777-9021.

## RUBBER FOOTWEAR – WEATHER PROTECTION



11146



A2070

### Rubber Hip Boots

- Specialized compound prevents ozone deterioration for longer life of your footwear
- Vulcanized construction is 100% waterproof, workers' feet remain dry for all day comfort
- Adjustable, stay-tight strap for a snug and secure fit
- Ultra-composite (A111, A2300 and A2070) or durable steel shanks (11135, 11444 and 11146) are longer, wider and positioned for optimal support to help prevent foot pain when standing all day
- Sole and heel patterns engineered specifically to keep debris out and workers free from slip and trip hazards
- Heavy Trac Tread™ sole and heel and knurled protective overlays are tough and durable providing longer life to your footwear to help reduce purchasing spend
- Rugged yet comfortable fabric lining offers ease in putting on or taking off boots

SKU	Description	Men's Whole Sizes	Packaging
<b>Plain Toe, Heavy Trac Tread™</b>			
A111	Ranger Stormking, 26 in (66 cm), Forest Green	4-14	1 pr/bag, 6 pr/case
11135	Northerner® Irrigation Stormking, 26 in (66 cm), Olive	5-14	1 pr/bag, 6 pr/case
11444	Seafarer,™ 31 in (78.7 cm), Black	6-14	1 pr/bag, 6 pr/case
11146	Full Hip Boot, 33 in (83.8 cm), Black	5-14	1 pr/bag, 6 pr/case
<b>Plain Toe, Insulated</b>			
A2300	Ranger Bullhead 32 in (81.3 cm) Cleated Outsole, Black	4-14	1 pr/bag, 4 pr/case
A2070	*Bluecat, Chest Wader, Cleated Outsole, Forest Green	6-14	1 pr/bag, 4 pr/case
<b>Steel Toe, Footwear meets ASTM F2413-11 M I/75 C/75</b>			
2142	Ranger Stormking, 26 in (66 cm), Black	6-15	1 pr/bag, 6 pr/case
2143	Ranger, 36 in (91.4 cm), Black	6-14	1 pr/bag, 6 pr/case
T112	Hip Boot, 36 in (91.4 cm), Black	7-15	1 pr/bag, 6 pr/case

\* Suspenders and belt sold separately

## LEATHER-TOP WORK BOOTS



A485

### Ranger Apun Thermolite Leather Work Boot

- Nylon, fabric liner wicks away moisture to keep workers' feet dry and comfortable
- Molded two-color ClawMax outsole for outstanding traction and grip, minimizing worker injury from slips and falls
- Cold weather comfort to -50 F
- 3/8" felt midsole for added warmth and cushion to keep workers feet comfortable

SKU	Description	Men's Whole Sizes	Packaging
A485	10" (25.4 cm), Thinsulate, Brown	7-14	1 pr/bag, 6 pr/case



Call Customer Care at 800 777-9021.

**LEATHER-TOP WORK BOOTS**

**Servus® Leather-Top Insulated Work Boot**

- Leather upper and waterproof rubber bottom keep workers' feet warm and dry for full day comfort
- Bar Grip outsole and heel provide excellent traction, minimizing worker injury from slips and falls
- 3/8" felt midsole for added warmth and cushion to keep workers' feet comfortable
- Insulated for cold weather comfort to -50°F
- Meets ASTM F2413-11 M I/75 C/75

SKU	Description	Men's Whole Sizes	Packaging
A521	10" (25.4 cm) , Steel Toe Leather work boot, Black	6-15	1 pr/bag, 6 pr/case



A521



**Servus® Double Insulated Leather-Top Work Boot**

- Leather upper and weatherproof rubber bottom keep workers' feet warm and dry for full day comfort
- Trac Tread outsole and heel provide excellent traction, minimizing worker injury from slips and falls
- Built in double-insulating foam provides incredible warmth and shock absorbing cushion for worker comfort
- Cold weather comfort to -75°F
- 3/8" felt midsole for added warmth and cushion to keep workers' feet comfortable
- Meets ASTM F2413-11 M I/75 C/75

SKU	Description	Men's Whole Sizes	Packaging
A422	10" (25.4 cm), Steel toe, Black	7-14	1 pr/bag, 6 pr/case



A422



**VALUE OVERBOOTS**

**Disposable Bootie – Value Overboot**

- Easy and convenient protection, perfect for site guests to protect shoes and site floors
- Texturized, slip-resistant outsole, helps to prevent injury due to slips and falls
- 100% waterproof protection

SKU	Description	Men's Whole Sizes	Packaging
A352	12 in (30.5 cm), Latex, Yellow	S-2XL	1 pr/bag, 50 pr/case



A352



**Sizing Conversions**

Sizes	XS	S	M	L	XL
Fits Men's Sizes	6 - 7	8 - 9	10 - 11	12 - 13	14 - 15



Call Customer Care at 800 777-9021.

## SF™ SUPERFIT OVERBOOTS



11993

### SF™ SuperFit – Standard Overboots

- Over-sized design to fit over leather work boots protecting them from harsh environments, increasing the longevity of expensive footwear
- PVC injection molded footwear is 100% waterproof protection to keep leather work boots and feet dry
- Extra large molded kick-off lugs for easy boot removal
- Boot buttons are molded to eliminate seams, providing waterproof protection
- Closure loops are tabbed to allow for easy, one hand closure, even when wearing gloves

SKU	Description	Men's Whole Sizes	Packaging
<b>4 in (10.2 cm) height</b>			
11993	Black	XS-XL	1 pr/bag, 12 pr/case
11993B	Black	XS-XL	1 pr/box, 12 pr/case
11994	Yellow	XS-XL	1 pr/bag, 12 pr/case
11995	Amber	XS-XL	1 pr/bag, 12 pr/case
<b>12 in (30.5 cm) height</b>			
11924	Black	XS-XL	1 pr/bag, 6 pr/case
11924B	Black	XS-XL	1 pr/box, 6 pr/case
11926	Yellow	XS-XL	1 pr/bag, 6 pr/case



11924

### SF™ SuperFit – Premium Overboots

- Over-sized design to fit over leather work boots protecting them from harsh environments, increasing the longevity of expensive footwear
- 100% waterproof protection to keep leather work boots and feet dry
- PVC injection molded, dual compounds provides a stretchy top and long wearing extra-wide grip outsole, providing ease of use and protection from slip hazards
- Dual compounding molds high-stretch uppers to long-wearing, slip-resistant outsoles
- Extra large molded kick-off lugs for easy boot removal
- Boot buttons are molded to eliminate seams and providing waterproof protection
- Closure loops are tabbed to allow for easy, one hand closure, even when wearing gloves
- Style 11095 meets commercial specification A-A-59520 for chemical hazard specification



11003

SKU	Description	Men's Whole Sizes	Packaging
11003	4 in (10.2 cm), Black	XS-XL	1 pr/bag, 12 pr/case
11004B	4 in (10.2 cm), Black/Yellow	XS-XL	1 pr/bag, 12 pr/case
11001	12 in (30.5 cm), Black	XS-XL	1 pr/bag, 6 pr/case
11002B	12 in (30.5 cm), Black/Yellow	XS-XL	1 pr/bag, 6 pr/case
11095	SF™ Chem, 12 in (30.5 cm), Black	S-XL	1 pr/bag, 6 pr/case

#### Sizing Conversions

Sizes	XS	S	M	L	XL
Fits Men's Sizes	4 - 5	6 - 8	9 - 10	14 - 13	14 - 15



Call Customer Care at 800 777-9021.



**PREMIUM RUBBER OVERBOOTS**

**Supersized Rubber Overboots**

- Over-sized design to fit over leather work boots protecting them from harsh environments, increasing the longevity of expensive footwear
- Hand-layered rubber compound is vulcanized to prevent seams from leaking providing a 100% waterproof boot to keep feet dry
- Rugged ribbed outsoles add traction to keep workers from slipping and falling
- Rust-resistant buckles secure your overboots for a secure fit to prevent trip hazards
- Net lining for ease in donning and doffing of boots

SKU	Description	Men's Whole Sizes	Packaging
T469	5 in (12.7 cm), 2 Buckle, Black	8-16	1 pr/bag, 12 pr/case
T419	12 in (30.5 cm), 4 Buckle, Black	8-16	1 pr/bag, 6 pr/case
T369	15 in (38.1 cm), 5 Buckle, Black	8-16	1 pr/bag, 6 pr/case
A351	13 in (33 cm), 5 Buckle, Black	8-15	1 pr/bag, 6 pr/case



T469



**Supersized, Dress Rubber Overboots**

- Over-sized design to fit over leather work boots protecting them from harsh environments, increasing the longevity of expensive footwear
- Hand-layered rubber compound is vulcanized to prevent seams from leaking providing a 100% waterproof boot to keep feet dry
- T315 has a full fleece lining for extra warmth and comfort in cold weather conditions
- Rugged ribbed outsoles add traction to keep workers from slipping and falling

SKU	Description	Men's Whole Sizes	Packaging
41463	5 in (12.7 cm), Fabric lined, Black	8-14	1 pr/bag, 12 pr/case
T314	10 in (25.4 cm), Dress, Zipper closure, Black	8-15	1 pr/bag, 12 pr/case
T315	13 in (33 cm), Fleece lined, Zipper closure, Supersized, Black	8-14	1 pr/bag, 6 pr/case



T314



**Hi Strap-On Rubber Overboot**

- Over-sized design to fit over leather work boots protecting them from harsh environments, increasing the longevity of expensive footwear
- Hand-layered rubber compound is vulcanized to prevent seams from leaking providing a 100% waterproof boot to keep feet dry
- Cross Rib™ outsoles add traction to keep workers with secure footing
- Strap secures the top of the boot keeping irritating and harmful substances away from worker's skin – great boot for pouring cement
- Comfortable net lining for ease in donning and doffing of boots

SKU	Description	Men's Whole Sizes	Packaging
A380	18 in (45.7 cm), Yellow	8-16	1 pr/bag, 6 pr case



A380



**Overboots for Metatarsal Guards**

- Roomy comfort and flexible movement for specific use in protecting work boots w/metatarsal guards from harsh environments, increasing the longevity of expensive footwear
- Hand-layered rubber compound is vulcanized to prevent seams from leaking providing a 100% waterproof boot to keep feet dry
- Anti-Skid tread outsole to keep workers from slipping and falling on slick surfaces

SKU	Description	Men's Whole Sizes	Packaging
7361	4 in (10.2 cm), Slip-On, Black	7-15	1 pr/bag, 12 pr/case
7362	10 in (25.4 cm), 4 Buckle, Black	8-15	1 pr/bag, 12 pr/case



7361



Call Customer Care at 800 777-9021.

## OVERSHOES – SLIP-RESISTANT



VNS1

### NEOS™ Voyager™ STABILicers®

- Nylon with waterproof membrane for protection against harsh winter environments
- Adjustable velcro cuff provides a snug fit
- STABILicers® outsoles provide excellent traction on ice and snow. NOT to be used on hard surfaces
- Cleat wrench included with convenient internal pocket to keep wrench handy and available to change cleats on the job
- Optional 10 mm removable EVA insole adds comfort and warmth (sold separately)

SKU	Description	Men's Whole Sizes	Packaging
VNS1	11 in (27.9 cm), Black	XS-3XL	1 pr/bag, 6 pr/case



EXSG

### NEOS™ Explorer™ STABILicers® – Insulated

- STABILicers® outsoles with 32 replaceable cleats, per pair, to provide excellent traction on ice and snow. NOT to be used on hard surfaces
- Cleat wrench included with convenient internal pocket to keep wrench handy and available to change cleats on the job
- Nylon upper with waterproof membrane to protect feet from harsh winter environments
- 4 mm polyurethane foam insulation for added warmth
- Optional 10 mm removable EVA insole adds comfort and warmth (sold separately)

SKU	Description	Men's Whole Sizes	Packaging
EXSG	11 in (27.9 cm), Black	XS-3XL	1 pr/bag, 6 pr/case



N5P3S

### NEOS™ Navigator 5™ STABILicers® – Insulated

- STABILicers® outsoles with 32 replaceable cleats, per pair, to provide excellent traction on ice and snow. NOT to be used on hard surfaces
- Cleat wrench included with convenient internal pocket to keep wrench handy and available to change cleats on the job
- Expandable gaiter top can roll-out to increase boot height to 20 inches, providing added snow and wind protection
- Polyester upper and 4 mm polyurethane foam insulation add comfort and protection in harsh winter environments
- Optional 10 mm removable EVA insole adds comfort (sold separately)

SKU	Description	Men's Whole Sizes	Packaging
N5P3S	15 in (38.1 cm) extends to 20 in (50.8 cm), Gray	XS-3XL	1 pr/bag, 6 pr/case
SRC	NEOS replacement cleats		32 per pack

Sizing Conversions							
Sizes	XS	S	M	L	XL	XXL	XXXL
Fits Men's Sizes	3 - 4.5	5 - 6.5	7 - 8.5	9 - 10.5	11 - 12.5	13 - 14.5	15 - 16.5
Fits Women's Sizes	4.5 - 6	6.5 - 8	8.5 - 10	10.5 - 12	—	—	—
Insole dimensions (inches)	10.3 x 4	11 x 4.3	11.8 x 4.4	12.4 x 4.5	12.8 x 4.6	13.5 x 4.8	14.5 x 5.5

We recommend going up a size when wearing boots. For the most accurate sizing, the shoe/boot sole should be measured.



Call Customer Care at 800 777-9021.

**OVERSHOES – THERMAL PROTECTION**

**NEOS™ Uptowner X™ Insulated Overshoe**

- Nylon with waterproof membrane protects expensive work boots from harsh weather environments
- Primaloft® lining keeps workers' feet warm in the harshest cold weather conditions
- Overshoes are lightweight to prevent foot and leg fatigue
- Wide, easily opened gusset provides ease in putting on or taking off overshoes
- Perma outsole offers good traction in tough weather conditions to reduce the risk of slips and falls
- Optional 10 mm removable EVA insole adds comfort (sold separately)



SKU	Description	Men's Whole Sizes	Packaging
UNX1	11 in (27.9 cm), Black	XS-2XL	1 pr / bag, 6 pr/case

**NEOS™ Explorer™ Insulated Overshoe**

- Nylon upper with waterproof membrane protects expensive work boots from harsh weather environments
- Insulated inner keeps workers' feet warm in the harshest cold weather conditions
- Perma outsole offers good traction in tough weather conditions to reduce the risk of slips and falls for worker's safety
- Overshoes are lightweight to prevent foot and leg fatigue
- Wide, easily opened gusset provides ease in putting on or taking off overshoes
- Optional 10 mm removable EVA insole adds comfort (sold separately)



SKU	Description	Men's Whole Sizes	Packaging
EXPG	11 in (27.9 cm), Black	XS-3XL	1 pr / bag, 6 pr/case

**NEOS™ Navigator 5™ Expandable Overshoe**

- Polyester upper with waterproof membrane protects expensive work boots from harsh weather environments
- Aggressive Vibram® Ninja™ outsole offers superior traction on ice, snow and slush
- Overshoes are lightweight to prevent foot and leg fatigue
- Wide, easily opened gusset provides ease in putting on or taking off overshoes
- Optional 10 mm removable EVA insole adds comfort (sold separately)



SKU	Description	Men's Whole Sizes	Packaging
N5P3	15 in (38.1 cm) extends to 20 in (50.8 cm), Gray	XS-4XL	1 pr/bag, 6 pr/case

Sizing Conversions							
Sizes	XS	S	M	L	XL	XXL	XXXL
Fits Men's Sizes	3 - 4.5	5 - 6.5	7 - 8.5	9 - 10.5	11 - 12.5	13 - 14.5	15 - 16.5
Fits Women's Sizes	4.5 - 6	6.5 - 8	8.5 - 10	10.5 - 12	—	—	—
Insole dimensions (inches)	10.3 x 4	11 x 4.3	11.8 x 4.4	12.4 x 4.5	12.8 x 4.6	13.5 x 4.8	14.5 x 5.5

*We recommend going up a size when wearing boots. For the most accurate sizing, the shoe/boot sole should be measured.*



Call Customer Care at 800 777-9021.

## OVERSHOES – ALL WEATHER



VIS1

### NEOS™ Villager™ Mid-Overshoe

- Nylon upper with waterproof membrane protects expensive work boots from harsh weather environments
- NEOS Superlite outsole are lightweight to prevent foot and leg fatigue
- Wide, easily opened gusset provides ease in putting on or taking off overshoes
- Optional 10 mm removable EVA insole adds comfort (sold separately)

SKU	Description	Men's Whole Sizes	Packaging
VIS1	10 in (25.4 cm), Black	XS-2XL	1 pr / bag, 12 pr/case



TRS7

### NEOS™ Trekker™ Overshoe

- Nylon with waterproof membrane protects expensive work boots from harsh weather environments
- Overshoes are lightweight to prevent foot and leg fatigue
- Wide, easily opened gusset provides ease in putting on or taking off overshoes
- NEOS Superlite outsoles are lightweight to prevent foot and leg fatigue
- Optional 10 mm removable EVA insole adds comfort (sold separately)

SKU	Description	Men's Whole Sizes	Packaging
TRS7	20 in (50.8 cm), Mushroom	XS-2XL	1 pr / bag, 12 pr/case



VNN1

### NEOS™ Voyager™ Mid-Overshoe

- Nylon upper with waterproof membrane protects expensive work boots from harsh weather environments
- Perma outsole offers good traction in tough weather conditions to reduce the risk of slips and falls for worker's safety
- Overshoes are lightweight to prevent foot and leg fatigue
- Wide, easily opened gusset provides ease in putting on or taking off overshoes
- Optional 10 mm removable EVA insole adds comfort (sold separately)

SKU	Description	Men's Whole Sizes	Packaging
VNN1	11 in (27.9 cm), Black	XS-3XL	1 pr / bag, 12 pr/case



ANN1

### NEOS™ Adventurer™ Hi-Overshoe

- Nylon upper with waterproof membrane protects expensive work boots from harsh weather environments
- Perma sole offers good traction in tough weather conditions to reduce the risk of slips and falls for worker's safety
- Overshoes are lightweight to prevent foot and leg fatigue
- Wide, easily opened gusset provides ease in putting on or taking off overshoes
- Optional 10 mm removable EVA insole adds comfort (sold separately)

SKU	Description	Men's Whole Sizes	Packaging
ANN1	15 in (38.1 cm), Black	XS-2XL	1 pr / bag, 12 pr/case



Call Customer Care at 800 777-9021.

**OVERSHOES – ALL WEATHER**

**NEOS™ River Trekker™ Hipper-Overshoe**

- Nylon with waterproof membrane is snag and brush-resistant for a durable boot that will last for years
- Adjustable hook and loop belt strap keeps boots up for comfort and worker safety
- Wide, easily opened gusset provides ease in putting on or taking off overshoes
- Vibram® Ninja™ outsole offers excellent traction on snow and very good traction on ice to reduce the risk of slips and falls
- Optional 10 mm removable EVA insole adds comfort (sold separately)



RTK8

SKU	Description	Men's Whole Sizes	Packaging
RTK8	30 in (76.2 cm), Brown	M-2XL	1 pr / bag, 6 pr/case

Sizing Conversions							
Sizes	XS	S	M	L	XL	XXL	XXXL
Fits Men's Sizes	3.5 - 5	5.5 - 7	7.5 - 9	9.5 - 11	11.5 - 13	13.5 - 15	15.5 - 17
Fits Women's Sizes	5 - 6.5	7 - 8.5	9 - 10.5	11 - 12.5	—	—	—
Fits Euro Sizes	35 - 37	38 - 40	41 - 42	43 - 45	46 - 48	49 - 50	51 - 53
Insole dimensions (inches)	10.3 x 4	11 x 4.3	11.8 x 4.4	12.4 x 4.5	12.8 x 4.6	13.5 x 4.8	14.5 x 5.5

*We recommend going up a size when wearing boots. For the most accurate sizing, the shoe/boot sole should be measured.*

**OVERSHOES – PROCESSING**

**NEOS™ Processing™ Overshoe**

- Heavy-duty thermo-plastic upper is easily sanitized and is 100% waterproof to keep workers' feet dry
- Polyurethane outsole and open tread design are lightweight to prevent foot and leg fatigue
- Unique strap system provides a secure fit to prevent boot from slipping and causing a trip hazard
- Wide, easily opened gusset provides ease in putting on or taking off overshoes



IT12PT17



SKU	Description	Men's Whole Sizes	Packaging
IT12PT17	12 in (30.5 cm), Plain Toe, Blue	XS-3XL	1 pr / bag, 6 pr/case
IT12ST17	12 in (30.5 cm), Steel Toe, Blue	XS-3XL	1 pr / bag, 6 pr/case
IT12ST01*	12 in (30.5 cm), Steel Toe, White	XS-3XL	1 pr / bag, 6 pr/case

\* Special order, contact Customer Care for details.

Sizing Conversions							
Sizes	XS	S	M	L	XL	XXL	XXXL
Fits Men's Sizes	3.5 - 5	5.5 - 7	7.5 - 9	9.5 - 11	11.5 - 13	13.5 - 15	15.5 - 17
Fits Women's Sizes	5 - 6.5	7 - 8.5	9 - 10.5	11 - 12.5	—	—	—
Fits Euro Sizes	35 - 37	38 - 40	41 - 42	43 - 45	46 - 48	49 - 50	51 - 53
Insole dimensions (inches)	10.3 x 4	11 x 4.3	11.8 x 4.4	12.4 x 4.5	12.8 x 4.6	13.5 x 4.8	14.5 x 5.5

*We recommend going up a size when wearing boots. For the most accurate sizing, the shoe/boot sole should be measured.*



Call Customer Care at 800 777-9021.

## ACCESSORIES



SR101

### Studs®

- Steel studs bites into snow and ice for added grip and safety to wearer
- Made of extra strong stretch rubber to draw snugly over shoes and boots – easily fits a wide range of footwear
- Over soles are compact and easily stored in a pocket or work belt

SKU	Description	Sizes	Packaging
SR101	Black	S-2XL	1 pr/bag, 6 pr/ case
SR201	Studs replacement kit	N/A	1 pack



EVA

### NEOS EVA Insoles

- Added insulation and warmth against cold weather applications
- Added cushion provides increased shock absorption for all day comfort
- Easily washable to reduce bacteria

SKU	Description	Sizes	Packaging
EVA	Removable 10 mm EVA insoles	XS-2XL	90 pr/ case



27001

### Foot Form Contour Comfort Replacement Insoles

- Extra layer of stabilizing support and comfort
- Contour formed to lift the arch and support the heel

SKU	Description	Men's Whole Sizes	Packaging
27001	Replacement Insoles	3-15	90 pr/ case



28114

### Servus 3/8" Felt Insoles

- Perfect footbed for waterproof boot, thick cushion provides workers with comfort and insulation from the ground
- Insoles help to wick away moisture, keeping feet dry and are removable and washable

SKU	Description	Men's Whole Sizes	Packaging
28114	Cushion felt insoles	3-15	100 pr/ case



27002

### Servus Breathe-O-Prene Replacement Insoles

- Breathe-O-Prene open cell technology wicks away moisture for dryer more comfortable feet
- Easily washable to reduce bacterial contamination and open cell structures reduce insole drying time
- Excellent added shock absorption for support and comfort for workers on their feet all day

SKU	Description	Men's Whole Sizes	Packaging
27002	Replacement Insoles	3-5	Pair



28500

### Servus Bama Sokket

- Insulating boot liners are removable and washable to reduce bacterial contamination
- Acrylic and cotton fibers wick away moisture to keep workers' feet dry and comfortable
- Provides added shock absorbing cushion and insulates for cold weather wear

SKU	Description	Men's Whole Sizes	Packaging
28500	Servus Bama Sokket	5-15	24 pr/ case



Call Customer Care at 800 777-9021.

**ACCESSORIES**

**Ranger Thermolite® Insulating liners**

- 3/4" thick foam insulating liners to replace worn liners in most leather upper boots
- Removable and washable to reduce bacterial contamination

SKU	Description	Men's Whole Sizes	Packaging
A417	Thermolite® boot liner	6 - 14	12 pr/ case



A417

**Ranger Deep Pile Boot Liners**

- Deep pile lining adds warmth and comfort in cold temperatures
- Added cushion provides increased shock absorption for all day comfort
- Fits most non-insulated knee boots; wear one size larger boot to maximize worker foot comfort

SKU	Description	Sizes	Packaging
28000	Boot Liners	S (6-7), M (8-9), L (10-11) XL (12-13), 2XL (14-15)	25 pr/ case



28000

**AQUASEAL® Boot Repair**

- Urethane adhesive repairs neoprene, rubber and coated fabric boots and waders
- Permanently seals and repairs leaks with a waterproof bond

SKU	Description	Packaging
25002	Boot Repair	each



25002

**Ranger Chest Wader Suspenders**

- Rugged, suspenders of comfortable wide-band ballistic nylon strapping
- H-Back comfort and support
- Adjustable "set it and forget it" clips
- Dark brown, for Ranger A2070

SKU	Description	Packaging
20000	Chest Wader Suspenders	each



20000

**NEOS STABILicers® Cleats**

- Easily replace worn or clogged cleats
- Kit comes complete with 32 cleats and socket wrench

SKU	Description	Packaging
SRC	Replacement cleats	Package of 32



SRC



SR201

**Servus Replacement Studs Kit**

- Easily replace worn studs on the SR101
- Includes tungsten steel studs and extraction/replacement tool

SKU	Description	Packaging
SR201	Replacement studs	Package of 12



29000

**Servus Puncture-Resistant Midsole**

- Cushion-covered, flexible steel inserts provide puncture protection underfoot
- Use as an insole or midsole, will fit most over-the-foot boots

SKU	Description	Men's Whole Sizes	Packaging
29000	Pair of steel inserts	5-14	1 pr/bag, 50 pr/case



Call Customer Care at 800 777-9021.

WHAT'S INSIDE



- 279 • First-Aid Kits
- 293 • Emergency Preparedness
- 294 • Burn Care
- 295 • Medicinals
  - Outdoor Products
- 296 • Bandages & Dressings
- 297 • Ointments & Creams
- 298 • Wound Care
  - Cold/Hot Packs
  - CPR Products
- 299 • Biohazard Protection
  - Skin Care
  - Miscellaneous



## Custom Program Customize Your First-Aid Kits

Our enhanced custom first-aid program offers a new, broad portfolio of products, increased flexibility and improved turn-around times for custom quotations. Select one of the standard kits and add or subtract items you desire, or we can completely customize kits to meet your specific needs. You may also choose one of the many customization options to promote your company or your customer's organization.

- Customize the front cover label and/or refill label
- Choose between a label or screen-print option
- Utilize a Rapid label for a professional, semi-custom product
- Refer to Artwork Requirements and options for details
- Receive your custom quote within 48 hours
- Three different Custom Imprint options available: Customized Four-Color Label, Screen Printing or Rapid Label Program. For more information regarding these Custom Print options, please contact Customer Care

*For additional details, please contact Customer Service/ Custom Quoting Department at 866-299-2438 for assistance in customizing your first aid program.*

**▲ WARNING!** North® equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury or death.



**FIRST AID KITS**



019721-0010L

**First-Aid Stations**

- Equipped to handle minor injuries or aches and pains that occur in the work environment
- Contains a large assortment of non-drowsy medications for pain, cold and indigestion
- Ideal for large office or manufacturing settings
- All North bulk kits are ANSI Z308.1-2009 compliant

*(see more options next page)*

	Stations		
<b>Item #:</b>	019720-0009L	019721-0010L	019722-0011L
<b>Size:</b>	100 person	150 person	200 person
<b>Dims:</b>	15" x 10-1/2" x 4-3/4"	18" x 11-7/8" x 6"	22" x 17" x 6"

Refill Item #	Description	Pieces/Unit	Units/Kit	Units/Kit	Units/Kit
016433	Adhesive bandage, 3/4" x 3", cloth	100	1	1	2
010050	Adhesive bandage, 1" x 3", plastic	100	2	2	2
032176	Adhesive bandage, extra large, plastic	25	1	1	1
048007	Adhesive tape, 1/2" x 5 yd., spool	1	1	1	2
048006	Adhesive tape, 1" x 5 yd., spool	1	-	1	1
021047	Alcohol prep pads	10	2	3	3
020126	Antibiotic ointment	10	1	2	3
032203	Antiseptic pump spray, 2 oz.	1	1	1	1
032204	Burn pump spray, 2 oz.	1	1	1	1
210050	Cherry cough drops, 50 per carton	50	-	1	1
051820	Conforming bandage 2" x 4.1 yd., non-sterile	1	4	5	10
051830	Conforming bandage 3" x 4.1 yd., non-sterile	1	4	5	10
121090	CPR Filtershield	1	1	1	1
041961	Elastic bandage, 3"	1	1	1	1
020300	Eye dressing pads with adhesive strips	4	1	1	1
240803	Swifteez eyewash, 4 oz.	1	1	1	2
011350	Fingertip bandage, cloth	40	1	1	1
045027	First aid guide	1	1	1	1
031570K	Forceps, pointed plastic	1	1	1	1
020667	Instant Cold Pak	1	2	3	4
013940	Knuckle bandage, cloth	40	1	1	1
063721	Non adherent pads, 2" x 3"	10	1	3	3
161581	Aypanalt, non-aspirin	100	1	1	-
161583	Aypanalt, non-aspirin	250	-	-	1
021201X	PVP iodine wipes	10	4	4	4
061910	Bloodstopper bandage	1	1	1	1
752577	Scissors, angles, red handle	1	1	1	1
067533	Sterile gauze pads, 3" x 3"	25	1	1	1
067422	Sterile gauze pads, 2" x 2"	10	1	1	1
029990	Medical gloves, synthetic, (pair)	2	5	5	5
045009	Triangular bandage, non-sterile	1	1	2	2

Call Customer Care at 800 430-4110.

**FIRST AID KITS**

**Industrial First-Aid Stations**

Refill Item #	Contents	Kits						
		Item #:	34140LFP	34180LFP	34400LFP	34140FP	34180FP	34400LFNP
		Description:	2 shelf kit w/ liner + pump	3 shelf kit w/ liner + pump	4 shelf kit w/ liner + pump	2 shelf kit w/ pump	3 shelf kit w/ pump	4 shelf kit w/ liner, no tab
Qty/Kit	Qty/Kit	Qty/Kit	Qty/Kit	Qty/Kit	Qty/Kit	Qty/Kit		
010045	Swift 3/4 x 3 plastic 100/box	1	1	-	-	1	1	
010050	Swift 1 x 3 plastic 100/box	1	1	1	1	1	1	
011350	Fingertip "T" woven 4	1	1	1	1	1	1	
012315	Swift 1 x 3 woven single	1	1	1	1	1	1	
013940	Swift knuckle 40/box	1	1	1	1	1	1	
010819	Woven 2" x 3" 25/box	1	1	-	-	-	-	
032170	Tape adhesive tri-cut	1	1	1	1	1	1	
028105	Elastic tape 1"	1	1	1	1	1	1	
051820	Gauze clean-wrap bandage	6	6	4	4	4	4	
061910	Bloodstopper	2	1	1	1	2	2	
067444	Gauze pads sterile 4" x 4"	1	1	1	1	1	1	
067522	Gauze pads sterile 2" x 2"	2	1	2	1	2	2	
103200T	Co-flex bandage 2" x 5"	1	-	1	1	1	1	
12803VI	3" cotton tips 100 per	1	1	1	1	1	1	
150910	Antiseptic wipes BZK	1	1	1	1	2	1	
154818	Alcohol wipes	1	1	-	-	1	1	
161512	Aspirin 5 grain ind pk 2	1	-	1	1	1	1	
161581	Aypanal non-asprin ind 2/env 100	1	-	-	-	-	-	
2106250	Sinus decongestant 2/env 250	1	-	-	-	-	-	
171547	Miralac tabs ind pk 2/env 250	1	-	-	-	-	-	
151901	First aid pump spray 2 oz	1	1	-	-	1	1	
032204	Burn spray pump 2 oz	1	1	1	1	1	1	
232124	Triple biotic 1/32 oz	1	1	1	1	1	1	
240803	Swifteez eye wash single	1	1	1	1	1	1	
32BS412	Scissor 4" red handle	1	1	1	1	1	1	
3249320	Kit tweezer 3-1/2" slanted	1	1	1	1	1	1	
045027	First aid booklet	1	1	1	1	1	1	
020225	Ammonia inhalant 10 per	1	1	1	1	1	1	
020667	Cold pack unit	1	1	1	1	1	1	
021602	Red biohazard waste 2/box	-	1	1	1	1	1	
40709TM	Tongue blades	1	1	1	1	1	1	
522000	2 pair gloves large zip	1	1	1	1	1	1	
045009	Triangular 36" x 36" x 52"	2	2	2	2	2	2	
061961	Non-adherent pad 2" x 3"	1	1	10	10	1	1	
348030	Pocket insert for #140	-	-	1	-	-	-	
348010	Pocket insert for #400	1	1	-	-	-	-	
348020	Pocket insert for #180	-	-	-	-	1	-	

Call Customer Care at 800 430-4110.

**FIRST AID KITS**



Item # – Plastic:

Item # – Metal:

Size:

**Bulk First-Aid Kits**

- Kits are available in either plastic and metal, and most are waterproof
- Economical bulk supplies of most commonly used first aid products
- Ideal for both work and home settings
- All North bulk kits are ANSI Z308.1-2009 compliant

*(see more options next page)*

Kits			
019700-0001L	019702-0002	019704-0003L	019706-0004L
---	019703-0002L	019705-0003	---
10 person	25 person	50 person	75 person

Refill Item #	Contents	Qty/Kit	Qty/Kit	Qty/Kit	Qty/Kit
010050	Adhesive bandage, 1" x 3", plastic	16	32	100	100
020855	Adhesive bandage, fingertip, cloth	1	3	4	8
020020	Adhesive bandage, knuckle, cloth	-	2	3	6
020915	Adhesive bandage, extra large, plastic	1	1	2	3
020445	Adhesive tape, 1/2" x 2-1/2 yd.	2	2	2	3
021645MD	Antiseptic wipes, BZK	10	6	12	12
045028	Conforming bandage 2" x 6 yd., non-sterile	1	2	3	4
052230	Conforming bandage 3" x 6 yd., non-sterile	1	1	2	2
121090	CPR Filtershield™	-	1	1	1
105020	Elastic bandage, 2"	-	-	1	1
020699	1 oz. eyewash	-	1	1	2
241010A	Eye pad, sterile	-	1	2	3
020135	First aid/burn cream with aloe	6	6	12	12
045027	First aid guide	1	1	1	1
031570K	Forceps, pointed, plastic	1	1	1	1
020667	Instant Cold Pak	1	1	2	2
020555	Aypanal, non-aspirin unit dose	3	3	6	6
752577	Scissors, angled, red handle	1	1	1	1
067422	Antibiotic ointment pouch	6	6	12	12
067422	Sterile gauze pads, 2" x 2"	4	4	10	10
067533	Sterile gauze pads, 3" x 3"	1	1	1	10
021202ST	Sting relief wipes	6	6	12	12
029990	Medical gloves, synthetic, (pair)	2	2	2	5
065590	Trauma pad, 5" x 9", sterile	1	1	1	1
045009	Triangular bandage, non-sterile	1	1	1	1
020380	Wire Splint	-	-	-	1



Call Customer Care at 800 430-4110.

## FIRST AID KITS



### Bulk First-Aid Kits

		Kits		
Item #:		34P25EF	3425EF	3450EF
Description:		#25 Econo Plastic w/ Logo	#25 Econo Steel w/ Logo	#50 Econo Fill w/ Logo

Refill Item #	Contents	Qty/Kit	Qty/Kit	Qty/Kit
023143	Adhesive tape w/p 1/2" x 5 yd	1	1	1
522000V	Bg 2 pr vinyl gloves	1	1	1
067533	Gauze pads "swift" 3" x 3	4	4	10
067522	Gauze pads "swift" 2 "x 2	-	-	5
242001D	Eye pads std oval sterile	2	2	-
021645MD	BZK antiseptic wipe	10	10	10
020225	Ammonia inhalant	2	2	4
020135	First aid cream 1.0gr	6	6	-
065590	Abd combine pad 5" x 9"	1	1	2
051820	Gauze clean-wrap bandage	1	1	6
045009	Triangular bandage, non-sterile	1	1	1
151020	First aid cream 10	1	1	-
020667	Instant cold pack	1	1	2
020305	Gauze bandage, 4" x 6"	1	1	1
3249320	Kit tweezer 3-1/2"	1	1	1
32BS412	Bandage scissor 4" red	1	1	1
045027	First aid guide	1	1	1
010050	1x3 plastic 100/box	1	1	-
010045	3/4 x 3 plastic 100/box	-	-	1
020125	Triple antibiotic 10 per	1	1	-
021020	Burn Jel 1/8 oz, 6 per	1	1	-
121090	CPR filtershield	-	-	-
021201X	PVP iodine wipes 10 per	-	-	4
020956	1 oz eye wash w/pads & strips	-	-	1
020125	Triple antibiotic 10 per	-	-	1



by Honeywell

Call Customer Care at 800 430-4110.

**FIRST AID KITS**



**Bulk First-Aid Kits**

	Kits		
Item #:	340025F	3425PFG	340050F
Description:	#25 Standard Fill and Logo	#25 Plastic Wet Proof Kit w/ Logo	#50 Standard Kit w/ Logo

Refill Item #	Contents	Qty/Kit	Qty/Kit	Qty/Kit
020667	Instant cold pack 4" x 6"	1	1	2
063721	Non-adherent pad 2 x 3"	5	5	10
067533	Gauze pads "swift" 3"x3	4	4	1
067522	Gauze pads "swift" 2"x2	1	-	5
043170	Gauze bandage, 1" x 2 yd	-	-	2
043171	Gauze bandage, 2" x 2 yd	-	-	2
043172	Gauze bandage, 3" x 4 yd	-	-	1
020305	Gauze bandage, 4" x 6 yd	-	1	1
065590	Combine ABD pad 5" x 9"	1	1	1
023143	Adhesive tape w/p 1/2"x5 yds	-	-	1
023141	Adhesive tape w/p 1"x2 1/2 yds	1	1	-
051820	Gauze clean-wrap bdge	1	1	-
045009	Triangular bandage, non-sterile	1	1	1
8003164	Adhesive tape eye strips	-	-	2
242001D	Eye pads std oval sterile	2	2	2
240015	Eye wash single use 1/2 oz	1	1	1
3249320	Kit tweezer 3 1/2"	1	1	1
32BS412	Scissor bandage 4" red	1	1	1
015050	Woven assorted 20/bx	1	1	-
522000V	Bg 2 pr vinyl gloves	1	1	1
045027	First aid guide	-	1	1
010150	1 x 3 plastic 50/bx	-	1	1
020125	Triple antibiotic 10 per	-	1	1
021201X	Pvp iodine wipes 10 per	-	-	1
021020	Burn Jel 1/8 oz, 6 per	-	-	1
021645MD	BZK antiseptic wipe	6	6	10
151020	First aid cream 1gr	6	6	-
020225	Ammonia inhalant	2	2	4



Call Customer Care at 800 430-4110.

## FIRST AID KITS



019708-0005L

### Unitized First-Aid Kits

- Color-coded cartons individually sealed unit dose applications
- All North unitized kits are ANSI Z308.1-2009 compliant
- Kits are available in either plastic and metal, and most are waterproof

	Kits			
<b>Item # – Metal:</b>	019709-0005L	019711-0006L	019713-0007L	019715-0008L
<b>Units / People Served:</b>	10	16	24	32
<b>Dims:</b>	8" x 5" x 2-5/8"	9-1/2" x 6-5/8" x 2-5/8"	9-7/8" x 9-7/8" x 2-7/8"	14" x 9-1/2" x 2-5/8"
<b>Item # – Plastic:</b>	019708-0005L	019710-0006L	019712-0007L	019714-0008L
<b>Units / People Served:</b>	10	16	24	32
<b>Dims:</b>	8" x 5-1/8" x 2-3/4"	10-1/4" x 7" x 3"	10" x 10" x 3"	14" x 11" x 3-1/4"

Refill Item #	Contents	# Per Unit	Units/Kit	Units/Kit	Units/Kit	Units/Kit
020795	Adhesive bandage, 1" x 3", plastic	16	1	1	3	2
020445	Adhesive tape, 1/2" x 2-1/2 yd.	2	1	1	1	2
020767	Bandage compress, 3"	2	-	-	-	1
020768	Bandage compress, 4"	1	-	1	1	1
020699	1 oz. Buffered eyewash	1	-	1	1	2
020855	Fingertip bandage, cloth	10	-	-	1	2
020135	First aid/burn cream with aloe	6	1	1	2	2
045027	First aid guide	1	1	1	1	1
020550	Forceps and scissors	2	-	1	1	1
020667	Instant Cold Pak	1	1	1	1	2
020630	Gauze bandage 2" x 6 yd.	2	-	-	1	2
020645	Gauze compress, 36" square	1	1	1	1	2
020430	Gauze pads, 3" x 3", sterile	4	1	1	2	2
020020	Knuckle bandage, cloth	8	-	1	1	2
021201X	PVP iodine wipes	10	1	1	2	2
752577	Scissors, angled, red handle	1	1	-	-	-
021202ST	Sting relief wipes	10	-	1	1	1
029990	Medical gloves, synthetic, (pair)	2	1	1	2	2
020374	Triangular bandage	1	1	1	1	1
020125	Triple Antibiotic	10	1	1	1	2



by Honeywell

Call Customer Care at 800 430-4110.

**FIRST AID KITS**



68WP2-01

**Bulk Heavy Duty Waterproof First-Aid Kit**

- Securely housed in rugged plastic cases
- Ideal for marine and other environments where water spray and moisture may compromise first aid content

Item #:	Kits		
	68WP1-01	68WP2-01	68WP3-01
Size:	Small	Medium	Large

Refill Item #	Contents	Qty/Kit	Qty/Kit	Qty/Kit
021020	Burn gel 1/8 oz 6/bag	1	-	-
202099	Burn gel 1/8 oz 12/bag	-	1	1
021201X	PVP iodine wipes 10/un	-	1	2
023143	Adhesive tape w/p 1/2"x 5 yd	1	1	2
35171TB	TRI bandage loose pk 36 x 36 x 52	1	1	2
021645MD	Antiseptic towelettes 10 per	1	-	-
150910	Antiseptic Bzk chloride wipes 20's	-	1	1
020667	Cold pack unit sz 5" x 6**box	1	2	2
028001	1" x 3" Woven bands 16's	1	2	2
020618	Rescue blanket silver 52" x 84"	-	-	1
042115SW	Bulky gauze 4.5"x4.1yd 6ply roll	-	-	1
320009	Thermometer digital fever	-	-	1
321006E	Penlight disposable	-	-	1
121051	CPR Mask one	1	-	-
121055	CPR Mask, wipes, gloves 1 pr	-	-	1
065590	Combine ABD pad 5" x 9"	-	-	2
069559	ABD pads 8"x10" sterile	1	2	2
324410P	Splinter forceps 4 1/2"	1	1	1
752577	Scissors, angled, red handle	1	1	-
325701P	Lister Bandage scissors, 5-1/2"	-	-	1
105020	Elastic bandage 2" x 4.5yd	1	1	1
105030	Elastic bandage 3" x 4.5yd	-	1	2
045027	First aid guide	1	1	1
051820	Gauze clean-wrap bandage n/s 2	2	-	2
051830	Gauze clean-wrap bandage n/s 3	-	2	2
051840	Gauze clean-wrap bandage n/s 4	-	-	2
803201E	Eye pads std oval sterile	2	2	-
8003164	Adhesive tape eye strips 2's	2	2	-
020956	1 oz eye wash w/pads and strips	-	-	1
020225	Ammonia inhalants	2	3	10
522000V	2 pr vinyl gloves zip lock bag	1	-	-
523000V	3 pr vinyl gloves zip lock bag	-	1	-
524000V	4 pr vinyl gloves zip lock bag	-	-	2
802212E	Gauze pads "Swift" 2"x2" 12ply	-	-	3
803312E	Gauze pads "Swift" 3"x3" 12ply	4	1	6
804412E	Gauze pads "Swift" 4"x4" 12ply	2	1	3
825X5ZP	Zip-lock bag 5" x 5"	1	1	1
821070	2" x 4.5" Plastic bandage each	-	-	10

Call Customer Care at 800 430-4110.

## FIRST-AID KITS



019743-0030L

### Specialty First-Aid Kits

- Kits specifically designed to address the needs of particular work settings
- Large variety of commercial, industrial, and other specialty environments

(see more options next page)

	Kits	
Item #:	019730-0017L	019732-0019L
Description:	16 unit steel construction kit	32 unit steel construction kit

Refill Item #	Contents	# Per Unit	Units/Kit	Units/Kit
020795	Adhesive bandage, 1" x 3", plastic	16	2	4
020020	Adhesive bandage, knuckle, cloth	8	-	2
020915	Adhesive bandage, XL, plastic	6	-	1
020445	Adhesive tape, 1/2" x 2-1/2 yd.	2	1	1
020615	Adhesive tape, 1" x 2-1/2 yd.	1	-	-
021047	Alcohol prep pads	10	1	2
020225	Ammonia inhalant	10	1	1
020699	Buffered eyewash, 1 oz.	1	1	1
020766	Compress bandage, 2" offset	4	-	1
020768	Compress bandage, 4" offset	1	1	2
020645	Compress gauze, 1728 sq. in.	1	-	1
020300	Eye dressing with (4) adhesive strips	4	1	1
020956	Eyewash with (4) eye pads and strips	4	-	-
020135	First aid burn cream with aloe	6	1	2
031570K	Forceps, pointed, plastic	1	1	1
020630	Gauze bandage, 2" x 6 yd., sterile	1	-	-
020430	Gauze pads, 3" x 3", sterile	4	1	2
020667	Instant Cold Pak	1	1	3
029990	Medical gloves, synthetic, (pair)	2	1	1
021201X	PVP iodine wipes	10	1	3
752577	Scissors, angled, red handle	1	-	-
021202ST	Sting relief wipes	10	-	2
020374	Triangular bandage, non-sterile	1	1	2
020380	Wire splint	1	-	1
045027	First aid guide	1	1	1



by Honeywell

Call Customer Care at 800 430-4110.



**FIRST AID KITS**



**Specialty First-Aid Kits**

	Kits	
	Item #:	019742-0029L
Description:	10 person plastic bulk construction	25 person plastic bulk construction

Refill Item #	Kit Contents	Qty/Kit	Qty/Kit
010050	Adhesive bandage, 1" x 3", plastic	16	32
020445	Adhesive tape, 1/2" x 2-1/2 yd.	1	1
020225	Ammonia inhalants	-	-
020126	Antibiotic ointment pouch	6	6
021635MD	Antiseptic wipes, BZK	10	10
061910	Buffered eyewash, 1 oz.	-	-
061910	Emergency pressure bandage	-	-
241010A	Eye pad, sterile	1	3
031570K	First aid/burn cream with aloe	6	6
031570K	Forceps, pointed, plastic	1	1
067433	Gauze pads, sterile, 3" x 3"	4	6
020667	Instant Cold Pak	1	1
020020	Knuckle bandage, cloth	-	-
522000V	Medical gloves, synthetic (pair)	2	2
161581	Aypanol, non-aspirin	3	3
052230	Roller bandage, 3" x 4.1 yd., non-sterile	1	2
752577	Scissors, angled, red handle	1	1
021202ST	Sting relief wipes	6	6
065590	Trauma pad, 5" x 9", sterile	1	1
045009	Triangular bandage, non-sterile	1	1



Call Customer Care at 800 430-4110.

**FIRST-AID KITS**



340420FP

**Specialty First-Aid Kits**

	Kits				
<b>Item #:</b>	340420F	340420FP	340460F	340002F	340410F
<b>Material:</b>	Steel	Steel	Steel	Plastic	Steel
<b>Description:</b>	Truck/auto water proof, fill and logo	Truck/auto, medium, water proof w/pump	Truck kit deluxe with logo	Truck/auto First Aid	Truck kit, small, water proof with logo

Refill Item #	Contents	Qty/Kit	Qty/Kit	Qty/Kit	Qty/Kit	Qty/Kit
020795	Adhesive bandage, plastic, 1"x3", 16 per	-	-	-	-	1
013450	Adhesive bandage, 3/4 x 3 plastic 50/bx	-	-	-	1	-
020855	Fingertip "T" bandage	8	8	1	-	-
020020	Knuckle band 8 per	1	1	1	-	-
028001	Adhesive bandage, cloth, 1" x3", 16 per	1	1	-	-	-
020445	Adhesive tape, 1/2" x 2-1/2 yd.	1	1	1	1	1
051820	Gauze clean-wrap bandage n/s 2	1	1	1	1	1
35143TC	Bandage comp 3" w/Telfa pad 2 per	1	1	-	-	-
045009	Triangular bandage, 40" x 40"x 56"	1	1	1	-	-
020667	Instant cold pack 4" x 6"	1	1	1	-	1
161500	Aspirin 5 gr bottle of 100's	-	-	-	-	1
83222AA	Aspirin 5 gr 25/2's	3	3	1	1	-
240015	Eye wash single use 1/2 oz	-	-	-	1	-
240803	Swifteez eye wash 4 oz	1	1	1	-	-
3249320	Kit tweezer 3 1/2"	1	1	1	1	-
32BS412	Scissor bandage 4" red	1	1	1	1	-
20186AM	Pyro-caine aerosol 1/2 oz	-	-	-	1	-
067522	Gauze pads "Swift" 2"x2	-	-	-	3	-
020225	Ammonia inhalant	2	2	-	2	2
063721	Non-adherent pad 2 x 3"	10	10	10	4	4
021645MD	BZK antiseptic wipe	4	4	-	6	-
021047	Wipe alcohol prep Ipa 70%	-	-	6	-	4
021201X	PVP iodine wipes 10 per	-	-	-	-	1
020125	Triple antibiotic 10 per	-	-	1	4	-
521000V	1 pr vinyl gloves	1	1	1	1	1
151019	First aid spray aerosol	1	1	1	-	1
201005	Burn spray 3 oz	-	-	1	-	-
045027	First aid guide	1	1	1	-	1
061910	Bloodstopper	-	-	1	-	-
100520	Medi-rip bandage 2"x5 yd	-	-	1	-	-



by Honeywell

Call Customer Care at 800 430-4110.

**FIRST-AID KITS**



018501-4221

**First Responder Kits**

- Multi-purpose first aid kits with a variety of supplies to treat wounds, cuts, and other emergency medical needs
- Stored in rugged soft sided nylon bags that are light weight and easy to carry

		Kits				
Item #:		018502-4220	018501-4221	018505-4221	018500-4222	018504-4222
Size:		Small	Medium	Medium	Large	Large
Description:		Integral belt loops, compact design	carrying handles and belt loops for portability	CPR barrier, carrying handles and belt loops	carrying handle for portability	CPR barrier and carrying handle for portability

Refill Item #	Contents	Qty/Kit	Qty/Kit	Qty/Kit	Qty/Kit	Qty/Kit
016459	Adhesive bandage, 1" x 3", cloth	-	-	-	100	100
020855	Adhesive bandage, fingertip, cloth	4	4	4	4	4
020020	Adhesive bandage, knuckle, cloth	4	4	4	6	6
020795	Adhesive bandage, 1" x 3", plastic	16	32	32	-	-
032074	Adhesive bandage 2x4"	4	4	4	4	4
020445	Adhesive tape, 1/2" x 2-1/2 yd.	2	2	2	1	2
048006	Adhesive tape, 1" x 5 yd.	-	-	-	1	1
020126	Neomycin Antibiotic .9 G	10	10	10	10	-
021161	Hydrocortisone, 1.0%, 1/32 oz.	-	-	-	10	10
020135	First aid/burn cream with aloe	6	6	6	-	-
032203	Antiseptic spray, 2 oz.	-	-	-	1	1
032204	Burn relief spray, 2 oz.	-	-	-	1	1
020766	Compress, bandage, offset, 2"	-	-	-	4	4
020640	Compress, gauze, 18" x 36"	2	4	2	2	2
052220	Conforming bandage, 2" x 4.1 yd.	-	1	1	-	-
121065	CPR barrier	-	-	1	-	1
048120	Elastic Rolled Gauze 2" St	-	-	1	2	2
051820	Gauze Clean-Wrap Bandage N/S 2"	-	1	-	-	-
241010A	Eye pad, sterile	-	2	2	4	4
240803	Swifteez Eye Wash, 4 oz.	-	-	1	1	1
045027	First aid guide	1	1	1	1	1
031570K	Forceps, pointed, plastic	1	1	1	1	1
752577	Scissors, angled, red handle	1	1	1	1	1



Call Customer Care at 800 430-4110.

**FIRST-AID KITS**



148820

**First Responder Kits**

Kits	
Item #:	148820
Description:	Major trauma kit
	145225
	Deluxe trauma kit

Refill Item #	Contents	Units/Kit	Units/Kit
023146	Adhesive tape, 1" x 10 yd	1	1
105400T	Co-flex bandage, 4" x 5 yd	2	2
105300T	Co-flex bandage, 3" x 5 yd	2	2
5517350S	Antiseptic hand gel 4 oz	1	1
061910	Bloodstopper	2	2
201216	Water-Jel facial dressing	1	1
100530	Medi-Rip bandage, 3" x 5 yd	2	2
24R5201	Sodium chloride 0.9%, 500ml	1	1
100560	Medi-Rip bandage, 6" x 5 yds.	2	2
240803	Swifteez eye wash 4 oz	1	1
105030	Elastic bandage, 3" x 4-1/2 yd	2	4
320115G	Sphyg aneroid (No Pin) adult	1	1
105060	Elastic bandage, 6" x 4-1/2 yd	2	4
320415G	Steth. nurses various colors	1	1
551003	Emergency yellow blanket, 54" x 80" poly	2	4
321006E	Penlight disposable	1	1
14FLASH	Flashlight		1
045009	Triangular bandage, 40" x 40"x 56"	2	2
32190EP	Forceps w/ mag.	1	1
80264RB	Rescue blanket silver	2	2
3253874	Scissors-utility shears, 7-1/4"	1	1
069564	Trauma dressing, 12" x 30"	4	4
325701P	Lister Bandage scissors, 5-1/2"	1	1
30100K	Cold Pack, 5" x 9"	4	4
045027	First aid guide	1	1
069559	ABD pad, 8" x 10"	6	6
028001	Woven bandages, 1" x 3" 16 per	1	1
065590	ABD pad, 5" x 9"	8	8
020020	Woven knuckle bandages	8	8
067433	Gauze pads 3" x 3"	10	10
020855	Woven fingertip "T"	8	8
067444	Gauze pads, 4" x 4"	10	10
020300	Eye pads, w/ adhesive strips, 4 ea.	1	1
121065	CPR microshield clear mouth barrier	1	1
-	Radio Am Freq, battery powered	-	1
431007	Splint board, w/ pad, small, 12" x 6"	4	4
280746	Insta-Glucose, 31 grams	-	2
522000V	Gloves, in zip lock bag	10 pair	10 pair

Call Customer Care at 800 430-4110.

(continued on next page)

**FIRST-AID KITS**



145225

**First Responder Kits (continued)**

		Kits	
Item #:		148820	145225
Description:		Major trauma kit	Deluxe trauma kit

Refill Item #	Contents	Units/Kit	Units/Kit
020225	Ammonia inhalants 10 per	-	1
150910	Antiseptic wipes BZK chl 20 per	1	1
40712TM	Tongue blades, Sr. wrapped	-	1
233020	Hydrocortisone 1% .9 grm pkt 20	1	1
412007	Safety pins, large #3 doz	-	1
232124	Triple biotic .5 gram pkt 20	1	1
431001	Splint-cardboard hand & wrist	-	6
154818	Alcohol wipes 50 per	1	1
-	Battery - Size AA	-	2
-	Battery - Size D	-	2

**First Responder Kits**

		Kits	
Item #:		148805	
Description:		Emergency medical fanny pack	

Refill Item #	Contents	Units/Kit
061910	Bloodstopper	1
023143	Adhesive tape w/p 1/2"x5 yds	1
240803	Swifteez eye wash 4 oz	1
105030	Elastic bandage, 3" x 4-1/2 yds.	1
043172	Gauze bandage 3"x4 yd stretch gauze	1
043173	Gauze bandage 4"x4 yd stretch gauze	1
045009	Triangular bandage, 40" x 40" x 56"	1
325701P	Listor Bandage scissors 5-1/2"	1
522000V	Bg 2 pr vinyl gloves	1
80100K	Cold pack 5" x 9"	2
065590	ABD pads 5" x 9"	2
069559	ABD pad, 8" x 10"	2
067433	Gauze pads 3" x 3"	1
020855	Fingertip "T" bandage	8
020020	Knuckle band 8 per	2
028001	ADH bandage, cloth, 1" x 3" ,16 per	1
021645MD	Antiseptic towelettes 10 per	1
021047	Alcohol prep pads 10p	1

Call Customer Care at 800 430-4110.

## FIRST-AID KITS



### First Responder Kits

	Kits	
Item #:	346100	346200
Description:	Emergency medical kit #1	Emergency medical kit #2

Refill Item #	Contents	Units/Kit	Units/Kit
551003	Blanket—emergency yellow 54"x 80"	-	1
061967	Trauma dressing 10"x 30"	-	2
042115SW	Bulky gauze 4-1/2" x 4.1 yds	1	4
032170	Tri-Cut tape	1	2
30100K	Cold Pack,	1	2
061910	Bloodstopper	1	2
065590	ABD pads 5" x 9"	2	2
069559	ABD pad, 8" x 10"	2	2
80264RB	Rescue blanket silver	1	2
201969	Burn sheet sterile 60"x 96"	-	1
240803	Swifteez eye wash 4 oz	1	1
051820	Gauze clean-wrap bandage n/s 2"	2	4
105300T	Co-flex bandage 3" x 5 yds.	1	2
24R5201	Sodium chloride 0.9% 500ml	1	1
4270160	Microshield protection pak	1	1
029999	Gloves-disposable 2 Pair/Unit	1	1
067444	Gauze pads 4"x 4"	15	15
016459	Woven strips 1"x 3"	25	25
8090023	Plastic 2" x 3" patch	10	10
35192EP	Eye pads w/Adhesive strips	-	4
020225	Ammonia inhalants	-	10
049077	Water-Jel Dressing, 4" x 4"	1	1
045009	Triangular bandage, 40" x 40"x 56"	1	2
3253874	Scissors-utility shears 7-1/4"	1	1
324410P	Forceps-plain splinter 4-1/2"	1	1
325701P	Listor Bandage scissors 5-1/2"	1	1
154818	Alcohol wipes	10	10
15PVP40X	PVP Iodine wipes	10	10
045027	First aid guide	1	1



by Honeywell

Call Customer Care at 800 430-4110.

**EMERGENCY PREPAREDNESS**

**Emergency Preparedness**

Item #	Description
5560390CASE	Fire blanket in case
5560390	Wool blanket 62" x 80"
551003	Emergency blanket, yellow, 54" x 80" polypropylene
80264RB	Rescue blanket, silver
149925	One person survival kit <i>Kit contains: Drinking water / Survival food packet 3600 calories / Silver rescue blanket</i>



5560390

	Kits
Item #:	148835
Description:	Survival fanny pack

Refill Item #	Contents	Units/Kit
-	Light sticks 6" 12 hr	1
140968	Poncho 52" x 80"	1
14FLASH	Flashlight	1
-	Battery - size D	2
14233P	Whistle-metal with lanyard	1
-	Mirror signal deluxe pl	1
14323	Finger tip saw 12"	1
140623	Survival knife	1
80264RB	Rescue blanket- silver	1
14349P	Box matches/water proof	2
141310	Water emergency drink 12oz	12
140340	Survival food packet 3600 cal	1
-	Candles emergency 5" ea	5
010810	Heavy flex elastic strip 7/8" x 3"	10
020855	Woven fingertip bandage	5
020020	Woven knuckle	5
067433	Gauze pads 3" x 3	5
021047	Wipe alcohol prep pad IPA 70%	5
021645MD	BZK Antiseptic wipe	5
023143	Adhesive tape, 1/2" x 5 yd.	1
045009	Triangular bandage, 40" x 40"x 56"	1



Call Customer Care at 800 430-4110.

**BURN CARE**

**Burn Care**

- Water-Jel provides controlled cooling by acting as a heat exchanger
- Generous gel coverage provides immediate pain relief
- Water-Jel promotes heat transfer out of the burn wound



049056

Item #	Description
049020	Water-Jel fire blanket construction 6' x 5'
201969	Burn sheet sterile 60" x 90"
021020	Burn Jel, 1/8 oz., 6 per
049050	Burn Jel, 1/8 oz., pk 25/box 6/case
201005	Swift burn spray, 3 oz.
20WJ25	Water-Jel, unit does 1/8 oz, 25 box
049030	Water-Jel burn wrap, construction 36" x 30"
20BFSD6	Burn-free single dose 6/unit
021030	Water-Jel dressing 2" x 2"

		Kits	
Item #:		049056	019725-0012L
Description:		Water-Jel Large, Soft Burn Kit	16 Unit Metal North Utility Burn Kit

Refill Item #	Contents	Units/Kit	Units/Kit
049077	Water-Jel burn dressing, 4" x 4"	3	2
049076	Water-Jel burn dressing, 4" x 16"	1	1
049075	Water-Jel burn dressing, 8" x 18"	1	-
201216	Water-Jel burn dressing for facial burns, 12" x 16"	1	-
049031	Fire blanket/burn wrap, 36" x 30"	1	-
045031	Sterile gauze conforming bandage, 3"	4	-
752577	Scissors, angled, red handle	1	1
-	Instruction cards	1	-
159904	Medical gloves (pair)	-	2
049080	Water-Jel Face Mask, 12" x 16"	-	1



by Honeywell

Call Customer Care at 800 430-4110.



**EMERGENCY PREPAREDNESS**

- Multiple options for relief of minor aches and pains, colds and indigestion
- All tablets are non-drowsy and packaged in tamper-resistant single dose units

Item #	Description
166185	CEDAPRIN (Ibuprofen) 2 Env 250
161617	Pain Stoppers, Individual Pk. 2/Env. 250
171547	MIRALAC Tabs Individual Pk.2/Env. 250
2108250	Multi Symptom Cold 2/Pk 250
210100	Cherry Cough Drops 100
161582	AYPANAL Non-Asprin Individual 2/Env. 250
2106250	Sinus Decongestant 2/Env. 250
161987	AYPANAL Extra Strength 2/Env. 250
163250	Pain Stopper Extra Strength 2/Env. 250
161512	Asprin, Individual Pk 5 Gr 2/Env. 250
2799500F	Electrolyte Tabs 2/Env. 500*
2107250	Sinus Pain Tablet 2/Env. 250
164100F	Back Relief New Formula 2's 100
2165200	Antihistamine 25mg 1 Pk/200 Box



**OUTDOOR PRODUCTS**

- Important protection from mother nature when working outdoors
- Protection against sun, poison ivy and insects
- Available in towelettes, bottles and individual pouches

Item #	Description
130000	Mini bee sting kit
019741-0028L	North bite and sting kit
122000X	Sunx towelette, dispenser 50 per rec
122004Xa	Bugx towelette, dispenser 50
122019	Sunx lotion bottle 4 oz.
113885	North Spray dog shield 1 ½ oz
122001X	Sunx towelette bulk
122010X	Ivix pre towelette dispenser 50 per
113890	Spray insect repellent 5 oz., 1
122021	Sunx lip balm stick 4/bg
122002X	Sunx towelette dispenser, 100 per re
118003	Wasp spray, 13.5 oz, 1 ea.
122015X	Ivix clean towelette dispenser 50 per
122005Xa	Bugx towelette, bulk, 300/cs
122024	Bugx pump spray 2 oz.
122025	Outdoor skin protection kit



Call Customer Care at 800 430-4110.

**BANDAGES & DRESSINGS**

**Bandages**



061910



011325

Item #	Description
016459	1 x 3 woven bandage 100/Bx
017000	Blue woven bandage 1 x 3 100/Bx 12/Cs
010810	Woven bandage 7/8 x 3 50/Bx
061910	Bloodstopper
016459B	Blue detec 1 x 3 woven bandage 100/box
010811	Knuckle woven bandage 40/box
012315	1 x 3 single bandage 50/box
010050	1 x 3 plastic bandage 100/box
010045	¾ plastic bandage 100/box
016433	¾ woven bandage 100/box
013940	Knuckle bandage 40/box
016423	Woven 2" x 3" bandage 40/box
010813	Fingertip woven bandage regular 40/box
011325	Fingertip 8 woven bandage 25/box
011325B	Blue detec fingertip 8 woven bandage 25/box
013940B	Blue detec knuckle woven bandage 40/box
016425	Woven knuckle bandage 100/box
032001	Por. cloth tap 1 x 10 yds 12/box
011360	Fingertip "T" woven bandage 100/box
103300T	Co-Flex bandage 3" x 5 yds Tan
017700	Blue fingertip 8 woven 25/box 72c
015059B	Blue detec plastic 1 x 3 100/box
019459	1 x 3 woven 650/tray
010810C	Woven 7/8 x 3 50/box 24/case
100530	Medi-rip bandage 3" x 5 yards each
672003B	Front line blue fingertip 25/box
016408	Fingertip 8 50/box
0114025	Blue plastic det 1 x 3 black 1500/case
045009	Triangular bandage
672001B	Front line blue 1" x 3" 100/box
032001	Por. Cloth tap 1 x 10 yards 12/box
011360	Fingertip "T" woven 100/box
103300T	Co-flex bandage 3" x 5 yards tan



by Honeywell

Call Customer Care at 800 430-4110.

**BANDAGES & DRESSINGS**

**Dressings**

Item #	Description
0810075	Cohesive tape, green ¾ x 30 16
067644	Gauze pads, sterile, 4" x 4" 100'S
032170	O/H tape, adhesive tri-cut
090272	STOCKINETTE 3 x 25 yards, roll
28UOC352	Quick relief 3 packs of 2/box
023140	Adhesive tape W/P 1/2" x 2 1/2 yards
720071	North self-adhesive wrap, 2 x 5 yards
67GZBG	Assorted gauze in zip bag
067622	Gauze pads, sterile, 2" x 2" 100's
067633	Gauze pads, sterile, 3" x 3" 100/box
028105	Elastic tape, 1" x 5 yards
1383690	Moleskin, 12" x 5 yards



015059B



010810C

**OINTMENTS & CREAMS**

Item #	Description
231209G	Triple biotic foil pk 144/bx
232124	Triple biotic .5 gm packet 20
671152	Triple biotic foil packet 1152/cs
233020	Hydrocortisone 1% .9 gm 20's
151020	Bulk first aid cream 1gm 1152 case
2330144	Hydrocortisone 1% .9 gm 144/bx
1579720	First aid cream 1-1/2 oz. tube
235316	Petroleum jelly 100% 13 oz.
151020	First aid cream 0.9 gm packet 20



231209G



Call Customer Care at 800 430-4110.

**WOUND CARE**



Item #	Description
150935	Alcohol Isopropyl 70% 16 oz.
150937	Alcohol Isopropyl 99% 16 oz.
120806	CTA 6" single tip 100/Bb
156818D	Alcohol pads medium dukal 200/
156818X	Alcohol pads medium dynarex 20
154818	Alcohol wipes 50's
151019	First aid spray aerosol 3 oz.
128980	Cotton balls N/S, medium, 2000
150910	Antiseptic wipes bzk chl 20's
032204	O/H pump burn relief 2 oz.
280540	Stat blood clotter 3 oz.
155818X	Alcohol I pads Dynarex 70% 100/b
032203	O/H pump antiseptic 2 oz.
150932	Alcohol Isopropyl 91% 16 oz.
12803Vi	Cotton tips 100 per vial
1503180	Wound wipes 25's
152000	Antiseptic wipes 2000/cs bulk
281026	Cold spray 4 oz
1534400	Paws per Antimicro wipe 100b
150969	Peroxide hydrogen 3% USP 16. oz.

**COLD/HOT PACKS**



Item #	Description
30100K	Cold pack 5" x 9" box
80100K	Cold pack 5" x 9" bulk
80185MK	Cold pack unit 5" x 6" bulk
30211HB	Kwik heat 110 degrees 4/box

**CPR PRODUCTS**



Item #	Description
121065	CPR microshield PL Pouch 70-150 I
121051	CPR microshield Double unit
121055	Microshield with vinyl gloves and alcohol wipe
121053	CPR MICROKEY W/INST sheet blanket
121090	CPR Filtershield 77-100

Call Customer Care at 800 430-4110.

**BIOHAZARD PROTECTION**

Item #	Description
019746-0032L	16U PL North response kit
552001	Body fluid clean up kit bag
127003	Kit BBP ECONO pack ID H
553001	Body fluid clean-up plastic box
127010	Response kit bloodborne pathog
019740-0027L	24U PL North first response



552001

**SKIN CARE**

Item #	Description
272204	222 4 oz. tube barrier cream, 1
271204	212 4 oz. tube skin cond, each
270104	201 4 oz. tube protect cream, 1
26SBS40	SBS med skin cream #40 5 oz. each
2811604	Poison oak/ivy cleanser 4 oz.



272204

**MISCELLANEOUS**

Item #	Description
320001	Splinter out 10 pieces/pk
281005	Ammonia inhalants 100/Bx
3253874	Scissor utility shears 7-1/4"
045027	First aid Auide ASHI
40705TM	Tongue blades Sr box of 500
325701P	Scissor lister Bdg S/S 5 1/2"
40705S	Tong blades 6" indust 500
049085	Muscle Jel WJ 1/8 oz. 96/box 12 box



2811604



320001



Call Customer Care at 800 430-4110.

## WHAT'S INSIDE

# Honeywell

- 301 • Lockouts
- 302 • Hasps & Valve Covers
- 303 • Accessories
- 303 • Warning Barricades & Traffic Safety
- 304 • Stations



**REMEMBER!** Locks and Tags by themselves do not de-energize equipment. Attach them only after the machinery has been isolated from its energy sources.

**▲ WARNING!** Honeywell equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury or death.

## LOTO Application and Uses

### Steps to safely perform machine maintenance:

- A disconnect switch, circuit breaker, valve or other energy isolation mechanism is put in the safe or off position
- A device is often placed over the energy-isolating mechanism to hold it in the safe position
- A lock is attached so that the equipment can't be energized. In a TAGOUT, the energy-isolating device is placed in the safe position and a written warning is attached to it

### Apply LOTO for safe situations:

- When you must remove or bypass a guard or other safety device
- When you must place any part of your body where you could be caught by moving machinery
- When repairing electrical circuits
- When cleaning or oiling machinery with moving parts
- When clearing jammed mechanisms

## Energy Isolation

Most industrial accidents are caused by the unexpected energization or start up of machines or equipment or by the uncontrolled release of energy. Many of these accidents can be prevented by proper LOCKOUT/TAGOUT procedures. OSHA standards 29 CFR 1910.147 & 1910.269 are designed to prevent deaths and serious injuries to maintenance personnel by controlling unauthorized or accidental use of energy. To perform work on industrial equipment safely, you must know how to apply energy isolation.

**LOCKOUTS**

**B-SAFE – Valve Lockout**

Safe, efficient and affordable. 3 different sizes to lockout your Ball Valves.

SKU	Width	Height	Length of Handle	Lock Hole
BS01	3.100" (80 mm)	3.250" (82 mm)	5.375"–7.500" (135–190 mm)	0.312" (8 mm) dia
BS02	3.750" (95 mm)	5.000" (125 mm)	7.500"–10.000" (190–250 mm)	0.312" (8 mm) dia
BS03	4.000" (95 mm)	7.450" (125 mm)	12.000"–17.500" (190–250 mm)	0.312" (8 mm) dia



BS01

**Butterfly Valve Lockout**

BS04	4.000" (102 mm)	2.750" (70 mm)	12.000" (305 mm)	0.375" (8 mm)
------	-----------------	----------------	------------------	---------------

*\*Available in Red, Yellow, Blue, or Green*

**C-SAFE – Pole Lockout**

SKU	Description
CB01	Single pole lockout, requires switch breaker with recessed hole, 6/pkg
CB02	Double pole lockout, requires switch breaker with recessed hole, 6/pkg
CB03	Single pole lockout, does not require switch breaker with recessed hole, 6/pkg
CB04	Double pole circuit breaker lockout, will fit most major brands of electrical circuit breaker, 6/pkg



CB04

**Multi-Purpose Cable Lockouts**

- Flexible design allows devices to be quickly and safely locked or immobilized
- For use on single or multiple gate valve and circuit breaker boxes
- Also able to immobilize large or awkwardly shaped machines and mechanisms

SKU	Description
CBLOK06R	Cable Lockout Device with 6ft Cable
CBLOK10R	Cable Lockout Device with 10ft Cable
CBL06	6ft Replacement Cable
CBL10	10ft Replacement Cable



CBLOK06R

**E-SAFE – Electrical Plug Lockout**

The “Lock-A-Plug” completely encloses the plug from any accidental reconnection.

SKU	Width	Inside Height	Inside Width	Lock Hole	Cable Hole
LP110	3.250" (82 mm)	1.750" (44.5 mm)	1.750" (44.5 mm)	0.312" (8 mm) dia	0.500" (12 mm) dia
LP550	12" (305 mm)	2.750" (70 mm)	4.000" (102 mm)	0.375" (9.5 mm) dia	1.000" (25 mm) dia




LP110

**Honeywell**

Call Customer Care at 800 430-4110.

## HASPS & VALVE COVERS



MS01

### M-SAFE – Safety Lockout Hasps

#### Dielectric Lockout Hasp

##### SKU MS01

- Constructed of heavy duty nylon
- Bright red color for hi-visibility
- Unbreakable
- Heat and cold resistant
- Highly flexible
- Holds 6 padlocks
- Dielectric

#### Metal Lockout Hasp

##### SKU 666RD

- Dual opening 1 3/4" dia. and 3/4" jaw opening
- 5 1/4" length
- Dual scissor opening
- Rubber dipped handle
- Accommodates 6 padlocks
- Made of tempered steel
- 60/box

#### Metal Lockout Hasp

##### SKU MS86

- 1" diameter jaw opening
- 4 3/8" length
- Single scissor opening
- Rubber dipped handle
- Accommodates 6 padlocks
- Made of tempered steel
- 72/box

#### Metal Lockout Hasp

##### SKU R60ML

- 1" diameter jaw opening
- 4 3/8" length
- Single scissor opening
- Rubber dipped handle
- Accommodates 6 padlocks
- Made of tempered steel
- 96/box



VS04 in various colors

### V-SAFE – Valve Covers

Consists of two flattened half moons that completely cover valve wheel.

- Made of strong polypropylene plastic
- Lock hole size of 0.375" (9.5 mm) (VS02 is 0.312" (8 mm))
- Fully dielectric
- Highly resistant to cracking and abrasion
- Resistant to extreme temperature changes from -50°F (-46°C) to 360° F (183°C)
- Available in Red, Yellow, Blue and Green

SKU	Inside Diam	Inside Height	Outside Diam	Outside Height	Valve Handle Size
VS02	2.75" (70 mm)	1.25" (32 mm)	3.00" (76 mm)	1.50" (38 mm) dia	1" - 2.5" (25-63 mm)
VS04	5.00" (130 mm)	1.25" (32 mm)	5.50" (140 mm)	1.75" (44 mm) dia	2.5" - 5" (63-130 mm)
VS06	6.50" (170 mm)	1.50" (70 mm)	7.00" (77 mm)	2.00" (50 mm) dia	5" - 6.5" (130-170 mm)
VS09	10.00" (305 mm)	2.00" (50 mm)	10.50" (267 mm)	2.50" (63 mm) dia	6.5" - 10" (170-305 mm)
VS13	14.00" (355 mm)	2.50" (63 mm)	14.50" (368 mm)	3.00" (73.8 mm) dia	10" - 14" (305-355 mm)

### Color Options

Red = Fire Quenching Materials (Ex. Halon)

Yellow = Materials Inherently Hazardous (Ex. Propane Gas)

Blue = Gases of Inherently Low Hazard (Ex. Argon)

Green = Liquids of Inherently Low Hazard (Ex. Mill Water)

# Honeywell

Call Customer Care at 800 430-4110.



**ACCESSORIES**

**Universal Circuit Breaker Lockout**

- Designed to fit most electrical circuit breakers
- Can be used on single or double circuit breakers
- No tools required

SKU	Description
CBU01	Universal circuit breaker lockout, 6/pkg



CBU01

**WARNING BARRICADES & TRAFFIC SAFETY**

**Traffic Cones**

- Injection molded LDPE (Low Density Polyethylene)
- UV resistant stabilizer is non-fading unlike lower cost dipped or flow molded cones
- Non-porous surface is resistant to both dirt and grease
- Wide bodied design with weighted orange base for maximum stability
- Non-sticking when stacked vs dipped or flow molded cones

SKU	Description	Pack/Case
1617/12	12 in ( cm) height 13 oz (350 g)	1 ea / 1 ea
1617/183C	8 in ( cm) height, 3lbs. (1385 g)	1 ea / 1 ea
1617/287C	28 in ( cm) height, 7lbs. (3200 g)	1 ea / 1 ea



1617/12

1617/183C

**Barricade Tape**

- Polyethylene barricade tape
- Each roll measures 3" x 1000 ft.
- Dispenser box included for easy handling and storage

SKU	Tape Color	Description/Message
CT3RE8	Red	DO NOT ENTER
CT3RE9	Red	DANGER
CT3YE1	Yellow	CAUTION
CT3YE2	Yellow	DO NOT ENTER

*Note: Other messages available; also available in French and Spanish*

CT3YE1



CT3RE9

**Honeywell**

Call Customer Care at 800 430-4110.

## STATIONS



### Lockout/Tagout (LOTO) Stations

Convenient and high visibility centers that make your LOTO equipment easy to find and use.

- Designed to withstand harsh conditions
- Made of double molded polystyrene with plastic or metal hanging hooks for locks and lockout hasps

#### Small Station — 18" X 24"

SKU	QTY	Contents
LSE101	1 ea	Panel only
LSE101F	1 ea	LSE101 Lockout Panel
	2 ea	VS02 V-Safe Lockout 2"
	1 ea	VS04 V-Safe Lockout 4"
	1 ea	VS06 V-Safe Lockout 6"
	1 ea	BS01 B-Safe Lockout
	2 ea	LP110 E-Safe Lockout 110-220 volts
	1 ea	LP550 E-Safe lockout 220-550 volts
	1 ea	MS86 M-Safe metal hasp
	4 ea	MS01 M-Safe nylon hasp
	1 ea	ELA290 "DO NOT OPERATE" tags/25
	1 ea	ELA255 "DO NOT OPEN" tags/25
	1 ea	3D Master Lock

#### Large Station — 24" X 35"

SKU	QTY	Contents
LSE102	1 ea	Panel only
LSE102F	1 ea	LSE102 Lockout Panel
	2 ea	VS02 V-Safe Lockout 2"
	1 ea	VS04 V-Safe Lockout 4"
	1 ea	VS06 V-Safe Lockout 6"
	1 ea	VS09 V-Safe Lockout 9"
	1 ea	BS01 B-Safe Lockout
	1 ea	BS02 B-Safe Lockout
	2 ea	LP110 E-Safe Lockout 110-220 volts
	1 ea	LP550 E-Safe lockout 220-550 volts
	2 ea	MS86 M-Safe metal hasp
	6 ea	MS01 M-Safe nylon hasp
	1 ea	ELA290 "DO NOT OPERATE" tags/25
	1 ea	ELA255 "DO NOT OPEN" tags/25
	2 ea	3D Master Lock
	2 ea	3DLF Master Lock

**Honeywell**

Call Customer Care at 800 430-4110.

**STATIONS**

**Personal Lockout Station – 11" x 14"**

SKU	QTY	Contents
LSE103	1 ea	Panel only
LSE103F	4 ea	3D Master Lock, blue bumper padlock
	1 pk	ELA290 "DO NOT OPERATE" tags/25



LSE103F

**Four Lockout Station – 11" x 14"**

SKU	QTY	Contents
LSE104	1 ea	Panel only
LSE104F	4 ea	3D Master Lock, blue bumper padlock
	1 pk	ELA290 "DO NOT OPERATE" tags/25
	3 ea	R60 ML 1" Safety Lockout Hasps



LSE104F

**Ten Lockout Station – 14" x 21"**

SKU	QTY	Contents
LSE105	1 ea	Panel only
LSE105F	10 ea	3D Master Lock, blue bumper padlock
	2 pk	ELA290 "DO NOT OPERATE" tags/25



LSE105F

**Departmental Lockout Station – 21" x 29"**

SKU	QTY	Contents
LSE106	1 ea	Panel only
LSE106F	20 ea	3D Master Lock, blue bumper padlock
	4 pk	ELA290 "DO NOT OPERATE" tags/25
	6 ea	R60 ML 1" Safety Lockout Hasps
	3 ea	R60 ML 1" Safety Lockout Hasps



LSE106F

**Honeywell**

Call Customer Care at 800 430-4110.

## WHAT'S INSIDE



- 307 • Safety Eyewear
- 309 • Hard Hats
- 309 • Accessories
- 310 • Reference: Limited Warranty Information
- 311 • Full Line SKU Listing



## Safety Kicks Into a Whole New Gear



Unmistakable Harley-Davidson® styling with innovative designs provide personalized comfort and fit and make this the most distinctive line-up of personal protective equipment available today. An extensive range of products including safety eyewear and hard hats are available to provide complete protection in the broadest range of applications and settings. Loaded with unmatched comfort, fit and protection, Harley-Davidson Personal Safety Wear kicks safety into a whole new gear.

### Safety, Comfort, and Cool at an Unmatched Value

Be safe, comfortable and cool with the HD1200 Series safety eyewear from Harley-Davidson Personal Safety Wear. Lightweight, black frame features popular H-D® logos on both temples and is complemented by flame-orange nose pads and temple tips for Harley-Davidson styling. Priced right, this recent addition to our line puts all of the comfort, safety features, and Harley-Davidson look you want at our best value ever.

**▲ WARNING!** Harley-Davidson® Personal Safety Wear products should be used only in strict accordance with and adherence to the detailed instructions and warnings provided with the product.

**▲ WARNING!** Harley-Davidson® Personal Safety Wear products are not intended for use when riding a motorcycle. Improper use may result in serious personal injury or death.



©2012 H-D. All rights reserved. Manufactured by Honeywell Safety Products under license from Harley-Davidson Motor Company.

**SAFETY EYEWEAR**

**HD1300 Series**

- Interchangeable temples and headband strap, and removable cushioned subframe allow the wearer to switch from spectacle to sealed eyewear
- Silver frame with black temples feature Harley-Davidson® logos and orange detailing
- Black headband strap screams Harley style with large logo embroidered in white
- Available in a variety of indoor and outdoor lens tints, all featuring an anti-fog coating

Item #	Frame Color	Lens Tint	Lens Coating
HD1300	Black/Silver	Clear	Anti-Fog
HD1301	Black/Silver	Gray	Anti-Fog
HD1302	Black/Silver	Blue Mirror	Anti-Fog
HD1303	Black/Silver	Indoor/Outdoor (I/O)	Anti-Fog



HD1300

**HD1200 Series**

- Lightweight, black frame features popular Harley-Davidson logos on both temples
- Flame-orange nose pads and temple tips for H-D® styling and superior comfort
- Priced right, the HD1200 Series puts all of the comfort, safety features and Harley-Davidson look you want at a great value!
- Meets ANSI Z87.1-2010 Standard

Item #	Frame Color	Lens Tint	Lens Coating
HD1200	Black	Clear	Hardcoat
HD1201	Black	Gray	Hardcoat
HD1202	Black	Orange Mirror	Hardcoat



HD1201

**HD1100 Series**

- Weighing less than an ounce, this lightweight style is comfortable for all day, on-the-job use
- Secure wrap-around brow expands to comfortably fit a wide range of wearers
- Custom orange and black temples feature sleek H-D styling including the legendary Bar and Shield logo
- Soft temple inserts and molded “finger” nose pads provide additional comfort
- Meets ANSI Z87.1-2010 Standard
- Certified to the requirements of the CSA Z94.3 standard

Item #	Frame Color	Lens Tint	Lens Coating
HD1100	Orange/Black	Clear	Hardcoat
HD1101	Orange/Black	Gray	Hardcoat
HD1102	Orange/Black	Silver Mirror	Hardcoat



HD1101

**HD1000 Series**

- Raised chrome flame emblem with legendary Harley-Davidson Bar and Shield logo on each temple for unmistakable Harley-Davidson branding
- Dual lens design has a tight orbital wrap for a secure fit and superior protection
- Substantial plastic frame with a painted metallic finish gives a rugged look with lightweight protection for all-day user comfort
- Polycarbonate lenses feature scratch-resistant and anti-fog coatings for long-lasting durability in a wide range of applications
- Meets ANSI Z87.1-2010 Standard

Item #	Frame Color	Lens Tint	Lens Coating
HD1000	Silver	Blue Mirror	Hardcoat and Anti-Fog
HD1001	Black	Gray	Hardcoat and Anti-Fog
HD1002	Gunmetal	Silver Mirror	Hardcoat and Anti-Fog
HD1003	Gunmetal	Orange Mirror	Hardcoat and Anti-Fog



HD1000



Call Customer Care at 800 430-5490.

## SAFETY EYEWEAR



HD800

### HD800 Series

- Double 9-base frameless design is lightweight at just 27 grams
- Silver temples feature trailing flame design and Harley-Davidson® Bar and Shield logo
- Unique Harley-Davidson metal detailing on nosebridge
- Striking mirrored lens options for outdoor work applications
- Meets ANSI Z87.1-2010 Standard
- Certified to the requirements of the CSA Z94.3 standard

Item #	Frame Color	Lens Tint	Lens Coating
HD800	Silver Temples	Orange Mirror	Hardcoat
HD801	Silver Temples	Blue Mirror	Hardcoat
HD802	Silver Temples	Silver Mirror	Hardcoat



HD700

### HD700 Series

- Double 8-base frame features springhinged temples for superior comfort
- Premium gunmetal frame with Harley-Davidson Signature logo on temples
- H-D Bar and Shield logo on lens. Lens options for both indoor and outdoor work applications
- Meets ANSI Z87.1-2010 Standard

Item #	Frame Color	Lens Tint	Lens Coating
HD700	Gunmetal	Brown Mirror	Hardcoat
HD701	Gunmetal	Clear	Hardcoat
HD702	Gunmetal	Gray	Hardcoat
HD703	Gunmetal	Amber	Hardcoat



HD501

### HD500 Series

- Silver chrome or sleek black metal frame with lightweight design.
- Harley-Davidson logo on frame and lens
- Spring-hinged temples for maximum comfort
- Sport style wrap-around design with excellent side protection
- Meets ANSI Z87.1-2010 Standard

Item #	Frame Color	Lens Tint	Lens Coating
HD501	Silver Matte	Clear	Hardcoat
HD502	Silver Matte	Gray	Hardcoat
HD503	Silver Matte	Silver Mirror	Hardcoat
HD510	Black Matte	Blue Mirror	Hardcoat
HD513	Black Matte	Silver Mirror	Hardcoat



HD401

### HD400 Series

- Impact-resistant 9-base wrap-around lens
- 180 degrees of panoramic vision with excellent side and brow coverage
- Black break-away adjustable hang cord is included
- Meets ANSI Z87.1-2010 Standard
- Certified to the requirements of the CSA Z94.3 standard

Item #	Frame Color	Lens Tint	Lens Coating
HD400	Black	Clear	Hardcoat
HD401	Black	Mirror 50	Hardcoat
HD402	Black	Silver Mirror	Hardcoat



Call Customer Care at 800 430-5490.

**SAFETY EYEWEAR**

**HD100 Series**

- Contemporary, wrap-around sport styling with a dual-lens look, molded-in sideshields, browguards and adjustable spatulite temples
- Available in classic black with translucent orange accents
- Special limited edition HD100 features a silver frame with blue mirror lens
- Meets ANSI Z87.1-2010 Standard

Item #	Frame Color	Lens Tint	Lens Coating
HD100	Silver	Blue Mirror	Hardcoat
HD101	Black	Clear	Hardcoat
HD102	Black	Espresso	Hardcoat
HD103	Black	Gold Mirror	Hardcoat



HD100

**HARD HATS**

**H-D® Hard Hat, Flames**

- High-gloss, full graphic shell with realistic flame design and the legendary Harley-Davidson® Bar and Shield logo
- Complies with ANSI Z89.1-2009 Impact Standard

Item #	Description
HDHHAT10FM	High Gloss, Black Hard Hat with Realistic Flames Design



HDHHAT10FM

**H-D Hard Hat, Skulls**

- Orange metallic flames and razor sharp blades surround metallic skulls on the front and back of this high-gloss hard hat
- Classic Harley-Davidson Bar and Shield logo decal on the front
- Complies with ANSI Z89.1-2009 Impact Standard

Item #	Description
HDHHAT30FM	High Gloss, Orange and Black Hard Hat with Silver Skull and Blade Graphics



HDHHAT30FM

**H-D Hard Hat, Skulls – SPECIAL EDITION!**

- Sleek, black matte hard hat features metallic silver flames, blades and skulls
- Three-dimensional silver metal Bar and Shield logo emblem showcased on the front of this Special Edition hard hat
- Complies with ANSI Z89.1-2009 Impact Standard

Item #	Description
HDHHAT35FM	Smooth Matte, Black Hard Hat with Silver Skull and Blade Graphics



HDHHAT35FM

**ACCESSORIES**

**H-D Safety Eyewear/Hard Hat Accessories**

Item #	Description
HD902	Hang Cord for Harley-Davidson Safety Eyewear
HD903	Zipper Storage Case for Harley-Davidson Safety Eyewear
3RW2	Hard Hat - Replacement Ratchet Suspension



HD902



Call Customer Care at 800 430-5490.

## REFERENCE: LIMITED WARRANTY INFORMATION

Honeywell Safety Products distributors must be authorized to distribute Harley-Davidson® Personal Safety Wear. Please see your Honeywell Safety Products Sales Manager for details.



### LIMITED WARRANTY

Honeywell Safety Products warrants that its products are free from defects in material and workmanship. A product that is the subject of a warranty claim must first be made available to an authorized Honeywell Safety Products distributor or to the seller from whom the product was purchased. All warranty returns must be shipped pre-paid. Honeywell Safety Products will then determine whether repair or replacement of the product is the appropriate remedy. This will be done at no charge to the end user.

This limited warranty does not cover any Harley-Davidson® Personal Safety Wear product or component found by Honeywell Safety Products to have been altered, misused, abused, tampered with or improperly maintained or to have deteriorated due to aging of any components made of rubber or any other elastomer.

This limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenance, use or misuse of the product

For details regarding specific brand and product warranties, call 1-800-430-5490.

- ⚠ **WARNING!** Harley-Davidson® Personal Safety Wear products should be used only in strict accordance with and adherence to the detailed instructions and warnings provided with the product.
- ⚠ **WARNING!** Harley-Davidson® Personal Safety Wear products are not intended for use when riding a motorcycle. Improper use may result in serious personal injury or death.



©2013 H-D. All rights reserved. Manufactured by Honeywell Safety Products under license from Harley-Davidson Motor Company.



Call Customer Care at 800 430-5490.



**HARLEY-DAVIDSON® SKU LISTING**

**SAFETY EYEWEAR**

**HD1300 Series**

Item #	Frame Color	Lens Tint	Lens Coating
HD1300	Black/Silver	Clear	Anti-Fog
HD1301	Black/Silver	Gray	Anti-Fog
HD1302	Black/Silver	Blue Mirror	Anti-Fog
HD1303	Black/Silver	Indoor/Outdoor	Anti-Fog

**HD1200 Series**

Item #	Frame Color	Lens Tint	Lens Coating
HD1200	Black	Clear	Hardcoat
HD1201	Black	Gray	Hardcoat
HD1202	Black	Orange Mirror	Hardcoat

**HD1100 Series**

Item #	Frame Color	Lens Tint	Lens Coating
HD1100	Orange & Black	Clear	Hardcoat
HD1101	Orange & Black	Gray	Hardcoat
HD1102	Orange & Black	Silver Mirror	Hardcoat

**HD1000 Series**

Item #	Frame Color	Lens Tint	Lens Coating
HD1000	Silver	Blue Mirror	Hardcoat & Anti-Fog
HD1001	Black	Gray	Hardcoat & Anti-Fog
HD1002	Gunmetal	Silver Mirror	Hardcoat & Anti-Fog
HD1003	Gunmetal	Orange Mirror	Hardcoat & Anti-Fog

**HD800 Series**

Item #	Frame Color	Lens Tint	Lens Coating
HD800	Silver Temples	Orange Mirror	Mirror Lens
HD801	Silver Temples	Blue	Mirror Lens
HD802	Silver Temples	Silver	Mirror Lens

**HD700 Series**

Item #	Frame Color	Lens Tint	Lens Coating
HD700	Gunmetal	Brown Mirror	Hardcoat
HD701	Gunmetal	Clear	Hardcoat
HD702	Gunmetal	Gray	Hardcoat
HD703	Gunmetal	Amber	Hardcoat

**HD500 Series**

Item #	Frame Color	Lens Tint	Lens Coating
HD501	Silver Matte	Clear	Hardcoat
HD502	Silver Matte	Gray	Hardcoat
HD503	Silver Matte	Silver Mirror	Hardcoat
HD510	Black Matte	Blue Mirror	Hardcoat
HD513	Black Matte	Silver Mirror	Hardcoat

**HD400 Series**

Item #	Frame Color	Lens Tint	Lens Coating
HD400	Black	Clear	Hardcoat
HD401	Black	Mirror 50	Hardcoat
HD402	Black	Silver Mirror	Hardcoat

**HD100 Series**

Item #	Frame Color	Lens Tint	Lens Coating
HD100	Silver	Blue Mirror	Hardcoat
HD101	Black	Clear	Hardcoat
HD102	Black	Espresso	Hardcoat
HD103	Black	Gold Mirror	Hardcoat

**HARD HATS**

**H-D® Hard Hat, Flames Design**

Item #	Description
HDHHAT10FM	High Gloss, Black Hard Hat with Realistic Flames Design

**H-D Hard Hat, Racing Design**

Item #	Description
HDHHAT20FM	High Gloss, Silver Hard Hat with Checkered Flag Racing Design

**H-D Hard Hat, Skulls**

Item #	Description
HDHHAT30FM	High Gloss, Orange and Black Hard Hat with Silver Skull and Blade Graphics

**H-D Hard Hat, Skulls SPECIAL EDITION**

Item #	Description
HDHHAT35FM	Smooth Matte, Black Hard Hat with Silver Skull and Blade Graphics

**ACCESSORIES AND REPLACEMENT PARTS**

**H-D Safety Eyewear**

Item #	Description
HD902	Hang Cord for Harley-Davidson Safety Eyewear
HD903	Zipper Storage Case for Harley-Davidson Safety Eyewear
3RW2	Hard Hat – Replacement Ratchet Suspension



Call Customer Care at 800 430-5490.

# Alpha-Numeric SKU Index

2013 CATALOG

<b>Fibre-Metal</b>							
906	101, 111	2001BM10	102, 112	E1SW	110	FMSS10E	96, 110
910	101, 111	2006BK	112	E1W	110	FMSS1WE	96, 110
990	111	2090C1	102, 112	E2QRW	110	FMSS20E	96, 110
998	101, 111	2090XXLBV913SR	102, 112	E2QSW	110	FMSS2WE	96, 110
2001	102	2999BV913SR	102, 112	E2QW	110	FMSSD1BK	96, 110
2006	102	2999BVADCSR	102, 112	E2RW	110	FMXXLBV913	102, 112
2090	102	3RW2	97, 110	E2SW	110	GLSW4	96, 110
3650.75	106, 113	3RW3	97, 110	E2W	110	L501SH	105, 113
3651.00	106, 113	3SW2V	97, 110	F300	98, 111	L502	113
3651.25	106, 113	3SW3	97, 110	F3400CG	99, 111	L502CL	105
3651.50	106, 113	4118CL	100, 111	F3400CGCL	99, 111	L507SH	105, 113
3651.75	106, 113	4118DGN	100, 111	F400	98, 111	P241SH	105, 113
3652.00	106, 113	4178CL	100, 111	F4055SH5	104, 112	P242	105, 113
3652.25	106, 113	4178DGN	100, 111	F4400	98, 111	P247SH	105, 113
3652.50	106, 113	4178IRUV3	100, 111	F4500	98, 111	P248SH	105, 113
4000	97, 110	4178IRUV5	100, 111	F500	98, 111	P2AQRSW	110
4706	103, 112	4178IRUV8	100, 111	F5055SH5	104, 112	P2AQRW	110
4880	103, 112	4178TVGY	100, 111	F5400	98, 111	P2ARW	110
4906	101	4199CL	100, 111	F5500	98, 111	P2ASW	110
4910	101	4199DGN	100, 111	F555SH5	104, 112	P2AW	110
4990	101	4199GDTVGY	100, 111	F55SH5	104, 112	P2HNQRW	110
5000	97, 110	4199IRUV3	100, 111	F6055SH5	104, 112	P2HNRW	110
5706	103, 112	4199IRUV5	100, 111	F6400	98, 111	P2HNW	110
5880	103, 112	42001BM10	102, 112	F6500	98, 111	P451SH	105, 113
5906	101, 111	42006BK	112	FH66	98, 111	P452	105, 113
5910	101, 111	42090XXLBV913SR	102, 112	FLSW1	96, 110	P457SH	105, 113
5990	101, 111	42999BV913SR	102, 112	FM2280XXL	102, 112	P458SH	105, 113
6000	97, 110	4750CL	100, 111	FM400DCAF25	99, 111	S178	100, 111
6706	103, 112	4750IRUV5	100, 111	FM400DCCL	99, 111	S199	100, 111
6880	103, 112	4999BV913DS	100, 111	FM400DCCLC	99, 111	S2FV	96, 110
6906	101, 111	4999BVADCSR	112	FM4400DCCL	99, 111	SBC2	110
6910	101, 111	52001BM10	100, 111	FM4400DCCLC	99, 111	SBCIS07	110
6990	101, 111	52090XXLBV913SR	100, 111	FM44RTV	96, 110	SE2	110
42001	102, 112	52999BV913SR	100, 111	FM500DCCL	99, 111	SE2QC	110
42006	102, 112	52999BVADCSR	102	FM5400DCCL	99, 111	SGOETAPEKIT	110
42090	102, 112	5999BV913DS	101, 111	FM5400DCCLC	99, 111	SGYWTAPEKIT	110
52001	102, 112	5999BVADCSR	112	FM5500DCCL	99, 111	SRTAPEKIT	110
52006	102, 112	6750AF25	100	FM69	96, 110	SWHB8BK	96, 110
52090	102, 112	6750CL	100, 111	FM70	98, 111	SWHH1	96, 110
62001	103, 112	6750IRUV5	100	FM70DCAF25	99, 111	SWHH2	96, 110
62006	103, 112	706GY	103, 112	FM70DCCL	99, 111	SWNW7BE	96, 110
62090	103, 112	880GY	103, 112	FM71	98, 111	SWNW7BK	96, 110
110PBM10	104, 112	999BV913DS	101, 111	FMHVCCSGOE	110	SWTN6BE	96, 110
110PWE	104, 112	CL242	105	FMPSB1	96, 110	SWTT1	96, 110
110WH	104, 112	CL452	105	FMPSB2	96, 110	SWWWC10	96, 110
2001BK	112	CL502	105	FMSCH1RD	96, 110	VG200SH5	104, 112
		E1RW	110	FMSCN1BE	96, 110	VG600SH5	104, 112

VG800SH5	104, 112
VGSH5	104, 112
W2FV	97, 110
W3F	97, 110
WC70	106, 113
WC75	106, 113
WC80	106, 113
WC85	106, 113

**Harley-Davidson**

3RW2	309
HD100	309
HD101	309
HD102	309
HD103	309
HD400	308
HD401	308
HD402	308
HD501	308
HD502	308
HD503	308
HD510	308
HD513	308
HD700	308
HD701	308
HD702	308
HD703	308
HD800	308
HD801	308
HD802	308
HD902	309
HD903	309
HD1000	307
HD1001	307
HD1002	307
HD1003	307
HD1100	307
HD1101	307
HD1102	307
HD1200	307
HD1201	307
HD1202	307
HD1300	307
HD1301	307
HD1302	307
HD1303	307
HDHHAT10FM	309
HDHHAT30FM	309

HDHHAT35FM	309
------------	-----

**Honeywell  
Emergency Eyewash**

32-000100-0000	117, 124
32-000100-0020	117, 124
32-000100-0022	117, 124
32-000100-0070	117, 124
32-000130-0000	117, 124
32-000130-0020	117, 124
32-000130-0022	117, 124
32-000130-0070	117, 124
32-000200-0000	117, 124
32-000200-0020	117, 124
32-000200-0022	117, 124
32-000200-0070	117, 124
32-000230-0000	117, 124
32-000230-0020	117, 124
32-000230-0022	117, 124
32-000230-0070	117, 124
32-000310-0000	117, 124
32-000400-0000	118, 124
32-000400-0022	118, 124
32-000401-0000	118, 124, 125
32-000401-0022	118, 120, 124, 125
32-000402-0000	118, 123-125
32-000435-0000	122, 125
32-000440-0000	118, 124
32-000440-0020	118, 124
32-000445-0000	119, 124
32-000451-0000	119, 124
32-000451-0020	119, 124
32-000452-0000	119, 124
32-000454-0000	119, 124
32-000455-0000	119, 124
32-000456-0000	119, 124
32-000456-0020	119, 124
32-000460-0000	119, 124
32-000461-0000	119, 124
32-000462-0000	119, 124
32-000465-0000	119, 124
32-000489-0000	119, 124
32-000490-0000	119, 124
32-000502-0000	121, 125
32-000502-0020	121, 125
32-000509-0000	121, 125
32-000509-0020	121, 125
32-000511-0000	122, 125

32-000513-0000	121, 125
32-000513-0020	121, 125
32-000517-0000	121, 125
32-000518-0000	122, 125
32-000532-0000	121, 125
32-001000-0000	116, 124
32-001000-0022	116, 124
32-001015-0000	121, 125
32-001050-0000	116, 120, 124
32-001053-0000	116, 120, 124, 125
32-001060-0000	122, 125
32-001061-0000	122, 125
32-001065-0000	122, 125
32-001100-0000	121, 125
32-001100-0022	121, 125
32-002000-0000	115, 124
32-002001-0000	115, 124
32-002015-0000	121, 125
32-ST1050-0000	116, 120, 124
32-ST2050-0000	115, 120, 124

**Honeywell**

**Hand/Arm Protection**

125	244
200	244
250	244
372	244
380	244
390	244
393	244
395	244
400	244
525	241
660	228
52300	241
53331	241
54200	241
52/6647M	238
52/6645M	238
52/6647S	238
52/7457	238
24AC-GY-1	247
300PC	245
305PC	245
350PC	245
395HVZ	244
451PC	245
525 SC	241

5902MS	241
A513 D	241
A515 D	241
A2634	242
A2634 S/L	242
A588 E	242
AP22X22LP	242
AP27X18LP	242
AP30X22LP	242
BK20A-100	238
BK-KV18	238
BK-KVS-2-(length)	249
BK-KVS-2-(length)TH	249
CS-2-(length)	248
CS-2-(length)TH	248
CP13-1	245
CRT13	239
CRT17	239
CRTD13	239
CRTD13R	239
CRTD17R	239
CRTS-2-(Length)	249
CRTS-2-(Length)TH	249
CTSS-2-20THNS	249
CRTS-2-24TH-3BT	249
CTSS-2-(length)	249
CTSS-2-(length)TH	249
D2588	242
HPF7	240
HPF7-LH-50DS	240
HPF7-RH-50DS	240
KV200	235
KV250	235
KV300	235
KV303	235
KV350	235
KV13A	238
KV18-45	239
KV18-55	239
KV224D	240
KV18A-100	238
KVD18A-100	238
KVD18AR-100	238
KVD20AR-100	238
KV18A-100-50	239
KVPF7	240
KVS-2-(length)	249



779000	203	981551	210	14150003	195	B100400	202
779020	203	981553	210	14150013	195	B140074	202
888888	218	981803	223	14150014	195	B210010	200
915140	220	981808	223	14150015	195	B220010	200
915165	220	981812	209, 210	14150040	195	B230010	200
916103	220	981814	209	14150041	195	B250000	200
916123	220	981820	210	14150042	195	B260000	200
917130	220	981840	210	14150086	195	B270000	200
917131	220	985241	210	14150087	195	P968435	216
917145	220	985242	210	14150088	195	P968437	216
917160	220	985244	210	14150089	195	P968445	216
917250	217	985247	210, 211	14150090	195	P968446	216
930424	210, 217	985248	210, 211	14150091	195	P968447	216
930429	210, 217	14110387	194	14150096	195	P968455	216
930433	210, 211, 217	14110388	194	14150097	195	P968457	216
930437	210, 211, 217	14110389	194	14150098	195	P968475	216
930465	210, 211, 217	14110390	194	14510004	211	P968477	216
930466	210, 211, 217	14110391	194	14510019	211	P968500	216
930801	210, 216	14110392	194	14510021	211	P968605	216
930802	210, 216	14110393	194	14510025	211	RFPF100A	214
930804	210, 216	14110394	194	14510027	211	RFPF100C	214
930810	210, 217	14110395	194	14510028	211	RFPF60A	214
930820	211, 217	14110396	194	14900185	211	RFPF60C	214
930830	211, 217	14110397	194	14900186	211	RFPF987295	214
930840	211	14110398	194	14900188	211	RPFPC	214
930861	210, 216	14110399	194	14900409	211	RPFPCO	214
930862	210, 216	14110400	194	14900517	211	RPFPO2	214
930864	210, 216	14110401	194	14900519	211	RPFPR	214
930870	210, 216	14110402	194	14900521	211	T106010	195
945007	217	14110403	194	14900524	211	T117010	195
945010	217	14110404	194	14900531	211		
962331	212	14110428	194	14900538	211		
962333	212	14110429	194	14900743	211		
962352	212	14110430	194	14900744	211		
968513	217	14110431	194	14900976	195		
975080	215	14110439	194	14110094CC	194		
975081	215, 217	14110440	194	7003A	223		
975090	215	14110441	194	7003AL	223		
975091	215	14110444	193	7003L	223		
975154	217	14110445	193	APPA	212		
975163	215	14110446	193	APPB	212		
981177	208, 209	14110451	193	APPC	212		
981178	208, 209	14130475	195	APPF	212		
981500	210	14130476	195	APPG	212		
981501	210	14130477	195	B100100	202		
981503	210	14150001	195	B100200	202		
981550	210	14150002	195	B100300	202		
						<b>Howard Leight</b>	
						280005	138, 159
						280006	138, 159
						1000251	152, 161
						1000364	152, 161
						1000365	152, 161
						1005328	159
						1005329	159
						1006080	148, 153, 161
						1006081	148, 161
						1008000	149
						1010376	149, 161
						1010421	160
						1010632	149, 161
						1010922	145, 160
						1010924	144, 145, 160
						1010925	147, 160

# Alpha-Numeric SKU Index

2013 CATALOG

1010926	160	DPAS-30W	139, 159	MAX1-USA	137, 159	SMF-30	139, 159
1010927	147, 160	EM2177	147, 160	MAX30-USA	159	SMF-30BU	141, 160
1010928	146, 160	EM4157	147, 160	MM-1	159	SMF-30W-P	139, 159
1010929	146, 160	EM7206	147, 160	MM-1-D	159	VERIPRO	154
1010970	144, 146, 160	EM7209	147, 160	MM-1-PB	159		
1010974	146, 153, 161	FDT-30	160	MM-LS4	159		
1010975	146, 153, 161	FDT-30-SM	160	MTX-1-BU	159		
1010976	146, 153, 161	FUS30-HP	139, 159	MTX-1-BU-D	159		
1011142	148, 161	FUS30S-HP	139, 159	MTX-1-GR	159		
1011146	148, 161	HK100	147, 153	MTX-1-GR-D	159		
1011600	146, 160	HK200	147, 153	MTX-1-OR	159		
1011601	146, 160	HK4	148	MTX-1-OR-D	159		
1011602	146, 160	HK400	147, 153	MTX-30-BU	159		
1011603	146, 160	LL-1	138, 159	MTX-30-GR	159		
1011991	145, 160	LL-1-D	138, 143, 159	MTX-30-OR	159		
1011993	145, 160	LL-1-PB	138, 159	MTX-BU-LS4	159		
1011994	145, 160	LL-30	138, 159	MTX-GR-LS4	159		
1011996	145, 160	LL-30-PB	138, 159	MTX-OR-LS4	159		
1011998	145, 147, 153, 161	LL-5	138, 144	PC100	142, 160		
1011999	146, 153, 161	LL-5-30	138, 144	PERCAP	142, 160		
1012000	145-147, 153, 161	LL-LS4	138, 143, 159	PLT-1	140, 159		
1013460	145, 160	LPF-1	138, 159	PLT-30	140, 159		
1013461	145, 160	LPF-1-D	138, 143, 159	QB100HYG	141, 160		
1013941	146, 160	LPF-1-PB	138, 159	QB1HYG	141, 160		
1013942	146, 160	LPF-30	138, 159	QB200HYG	142, 160		
1015280	149, 151, 153, 161	LPF-30-P	138, 159	QB2HYG	142, 144, 160		
1016730	152, 161	LPF-30-PB	138, 159	QB300HYG	142, 160		
1016870	152, 161	LPF-5	138, 144	QB3HYG	142, 160		
1016871	152, 161	LPF-5-30	138, 144	QD-1-DS	140, 159		
1030110	150, 161	LPF-LS4	138, 143, 159	QD-5	140, 144		
1030220	150, 153, 161	LS-400	143, 160	QD-5-30	140, 144		
1030331	151, 161	LS-500	143, 160	QD1	140, 159		
1030333	151, 161	LT-30	141, 160	QD1-LG	159		
1030334	151, 161	LT-30-5	141, 144	QD1-RC	140, 159		
1030390	151, 161	MAX-1	137, 159	QD1-RC-LG	159		
13910033	153, 161	MAX-1-D	137, 143, 159	QD1-RC-SM	159		
13910034	153, 161	MAX-1-D-USA	137, 159	QD1-SM	159		
13910035	153, 161	MAX-1-SD	143	QD30	140, 159		
13910036	153, 161	MAX-1S	137, 159	QD30-LG	159		
13910037	153, 161	MAX-1S-D	137, 159	QD30-RC-LG	159		
13910038	153, 161	MAX-30	137, 159	QD30-RC-SM	159		
13910039	153, 161	MAX-30-PB	137, 159	QD30-SM	159		
AS-1	139, 159	MAX-30-USA	137	QM24+	148, 160		
AS-30R	139, 159	MAX-30S	137, 159	R-01526	149, 161		
AS-30W	139, 159	MAX-5	137, 144, 159	R-01526-MIL	149, 161		
DPAS-1	139, 159	MAX-5-30	137, 144	SDT-30	141, 160		
DPAS-30R	139, 159	MAX-LS4	137, 143, 159	SMF-1	139		

## Miller

9065	179
1005709	186
17D-1/	179
18D-1/	179
18D-2/	179
216M-Z7/6FTGN	172
216TWLS-Z7/6FTGN	173
216WLS/6FTYL	172
219M-Z7/6FTGN	172
219TWRS-Z7/6FTGN	173
219WRS/6FTYL	172
22697/	186
231M-Z7/6FTGN	172
231TWRS-Z7/6FTGN	173
231WRS/6FTYL	172
232TWLS-Z7/6FTGN	173
232WLS/6FTYL	172
25805/	186
300L/50FTBL	178
416/	180
470/	178
496/	179
552T-4/UGK	170
60NL	185
650CN-BDP/UGN	171
650CN-BP/UGN	171
650T-4/UGK	170
650T-58/UGK	170
650T-7/UGK	170
650T/UGK	170
6756RS-Z7	171
6NFLS/6FTYL	184
6YRLS/6FTBR	184
7600B/YL/GP-1	184
7700A/YL/GP-1	184
7NFLS/7FTYL	184
7YRLS/7FTBR	184
8174/U	178
8183/6FTGN	178
8442-Z7/65FT	182
8449-1	185
8798B/6FTGN	174

8798RSS-Z7/6FTGN	173	E650-58/UGN	170	P950QC-4/UGN	169	SEHW/75FT	184
8798SS-Z7/6FTGN	173	E650-7/UGN	170	P950QC-7/UGN	169	SEWPKT/75FT	184
8798T-Z7/6FTGN	173	E650/UGN	170	P950QC-77/UGN	169	SG416/60FT	181
8798TR-Z7/6FTGN	173	E650QC-7/UGN	169	P950QC/UGN	169	SG8183-10/60FT	181
8816-14/	179	E650QC-77/UGN	169	PFL-15-Z7/9FT	176	SG8815-12/60FT	181
88N	185	E650QC/UGN	169	PFL-2-Z7/9FT	176	SGC/120FT	181
88N-1	185	FL11-0-Z7/11FT	177	PFL-4-Z7/9FT	176	SGC/60FT	181
9099/36BULK	171	FL11-1-Z7/11FT	177	PFL-6-Z7/9FT	176	SGCA	181
9099X/12	171	FL11-3-Z7/11FT	177	PFL-7-Z7/9FT	176	SGCB	181
910TWLS-Z7/6FTGN	173	FL11-6-Z7/11FT	177	QP-1/100FT	183	SGS18/120FT	181
913B/6FTGN	174	FL11-8-Z7/11FT	177	QP-1/25FT	183	SGS18/60FT	181
913RSS-Z7/6FTGN	173	GG0020	186	QP-1/50FT	183	SGSB18	181
913SS-Z7/6FTGN	173	GG0050	186	QP-1/75FT	183	SGXK	181
913TWLS-Z7/6FTGN	173	GG0100	186	QP-EP	183	T4000/UAK	187
95N	185	HLLR2/60FT	180	QP-RHA	183	T4007/UAK	187
AC-QC-BDP/UGN	167	M1140	180	QP-SC	183	T4500/UAK	187
AC-QC-D/UGN	167	M1290	180	QP/100FT	183	T4507/UAK	187
AC-QC/UGN	167	M3203	180	QP/25FT	183	T5111/6FTAF	187
AC-TB-BDP/UGN	167	MFL-1-Z7/6FT	175	QP/50FT	183	T5112/6FTAF	187
AC-TB-D/UGN	167	MFL-11/6FT	175	QP/75FT	183	T5113/6FTAF	187
AC-TB/UGN	167	MFL-12/6FT	175	R10CN-MB-BDP/UGN	168	T5122/6FTAF	187
BRFK100/100FT	189	MFL-2-Z7/6FT	175	R10CN-MB/UGN	168	T6111/6FTAF	188
BRFK25/25FT	189	MFL-9-Z7/6FT	175	R10CN-TB-BDP/UGN	168	T6112/6FTAF	188
BRFK50/50FT	189	MFLB-11/6FT	175	R10CN-TB/UGN	168	T6121/6FTAF	188
BRFK75/75FT	189	MFLB-12/6FT	175	RA30-1	179	T6122/6FTAF	188
CFL-2-Z7/9FT	176	MFLB-3-Z7/6FT	175	RA40/	180	T7314/3FTAF	189
CFL-4-Z7/9FT	176	MFLB-4-Z7/6FT	175	RA41/	180	T7314/6FTAF	189
CFL-5-Z7/9FT	176	MFLB/	175	RA45/	180	TF4000/UAK	187
DH-1/	182	MFLT-1/7.5FT	174	RDT-QC-B/UBK	168	TF4007/UAK	187
DH-19-MILLER/	182	MFLT-2/7.5FT	174	RDT-QC-BDP/UBK	168	TF4500/UAK	187
DH-2/	182	MFLT-3/7.5FT	174	RDT-QC-DP/UBK	168	TF4507/UAK	187
DH-20ZP/	182	MFLT-4/7.5FT	174	RDT-QC/UBK	168	TFL-1/11FT	188
DH-22/21	182	MFLT-5/7.5FT	174	RKNAR-QC-BDP/UBK	169	TFL-2/11FT	188
DH-22/33	182	MFLTB-1/7.5FT	174	RKNAR-QC/UBK	169	TFL-3/11FT	188
DH-22/45	182	MP16P-Z7/16FT	177	RKNARRL-QC/UBK	169	TFL-6/11FT	188
DH-23/	182	MP20G-Z7/20FT	177	RKNARRL-QC-BDP/UBK	169	TFL/11FT	188
DH-24	182	MP20P-Z7/20FT	177	RL100G-Z7/100FT	178	TR20/20FT	188
DH-3/	182	MP30G-Z7/30FT	177	RL130G-Z7/130FT	178	TR30/30FT	188
DH-4/	182	MP50G-Z7/50FT	177	RL175G-Z7/175FT	178	TR50/50FT	188
DH-7ZP/	182	MP65G-Z7/65FT	177	RL20G-Z7/20FT	178	TR65/65FT	188
DH-8ZP/	182	MR50GB-Z7/50FT	182	RL20P-Z7/20FT	178	TRK2000/25FT	189
DH-9ZP/	182	MR50GC-Z7/50FT	182	RL50G-Z7/50FT	178	TRK2000/50FT	189
DH-AP-1/	182	P950-4/UGN	170	RL50P-Z7/50FT	178	TRW/20FT	188
DH-AP-3/	182	P950-58/UGN	170	RL65G-Z7/65FT	178	VG/30FT	185
DH-AP-9/	182	P950-7/UGN	170	RLS30G-Z7/30FT	178	VG/50FT	185
E552/UGN	170	P950-77/UGN	170	SE/75FT	184	VG/70FT	185
E650-4/UGN	170	P950/UGN	170	SECRKT/75FT	184	VG/90FT	185

# Alpha-Numeric SKU Index

2013 CATALOG

VGCS-SC/ .....	185	11180031 .....	70, 83	475RL .....	83	A1001 .....	65, 82
X00030 .....	186	11180032 .....	70, 83	476RL .....	83	A1002 .....	65, 82
X00060 .....	186	11180037 .....	70, 83	477RL .....	80	A1003 .....	65, 82
X00090 .....	186	11250800 .....	73, 84	478RL .....	80	A1004 .....	65, 82
X00120 .....	186	11250810 .....	73, 84	479RL .....	80	A1010 .....	65, 82
X00150 .....	186	11250830 .....	73, 84	480RL .....	80	A1011 .....	65, 82
X10000 .....	179	11250850 .....	73, 84	481RL .....	80	A1015 .....	65, 82
X10001 .....	179	11250860 .....	73, 84	482RL .....	80	A1016 .....	65, 82
X10002 .....	179	11340143 .....	77, 85	48393HRL .....	81	A1017 .....	65, 82
X10010 .....	179	11340145 .....	77, 85	483RL .....	80	A1100 .....	64, 81
X10011 .....	179	11380029 .....	78, 85	484RL .....	80	A1101 .....	81
X10020 .....	179	11380030 .....	78, 85	485RL .....	81	A1102 .....	64, 81
X10030 .....	179	11380031 .....	78, 85	486RL .....	81	A1103 .....	64, 81
X10031 .....	179	11380032 .....	78, 85	487RL .....	81	A1104 .....	64, 81
		11380048 .....	77, 85	488RL .....	81	A1105 .....	64, 81
		11380049 .....	77, 85	489HRL .....	81	A1106 .....	64, 81
		11380057 .....	77, 85	500LRL .....	80	A1200 .....	60, 80
		11390044 .....	85	500NRL .....	80	A1201 .....	60, 80
		11390045 .....	85	500WRL .....	80	A1202 .....	60, 80
		11390046 .....	85	501LRL .....	80	A1203 .....	60, 80
		11390047 .....	85	501NRL .....	80	A1204 .....	60, 80
		11390048 .....	78, 85	501WRL .....	80	A1205 .....	60, 80
		11390049 .....	78, 85	502LRL .....	80	A1206 .....	60, 80
		11390054 .....	78, 85	502NRL .....	80	A200 .....	67, 82
		11390055 .....	85	502WRL .....	80	A201 .....	67, 82
		11390056 .....	78, 85	503LRL .....	80	A210 .....	67, 82
		11390057 .....	85	503NRL .....	80	A220 .....	67, 82
		11390058 .....	78, 85	503WRL .....	80	A400 .....	67, 82
		11390064 .....	78, 85	506LRL .....	80	A400AF .....	67, 82
		11390065 .....	78, 85	506NRL .....	80	A401 .....	67, 82
		11390066 .....	78, 85	506WRL .....	80	A402 .....	67, 82
		11390067 .....	78, 85	507LRL .....	80	A403 .....	67, 82
		11390068 .....	78, 85	507NRL .....	80	A404 .....	67, 82
		11390069 .....	78, 85	507WRL .....	80	A610I .....	73, 84
		11391000 .....	78, 85	65RB .....	62, 63, 81	A610S .....	73, 84
		12990056 .....	78, 85	65RBS .....	62, 63, 81	A700 .....	66, 82
		11180025W .....	70, 83	65RX .....	62, 63	A701 .....	66, 82
		451RL .....	81	65RXII .....	62, 81	A702 .....	66, 82
		452RL .....	81	86L .....	83	A703 .....	66, 82
		453RL .....	81	A0150/40 .....	75, 84	A704 .....	66, 82
		454RL .....	81	A0150/60 .....	84	A705 .....	66, 82
		469RL .....	81	A0152/40 .....	75, 84	A706 .....	66, 82
		470RL .....	81	A0152/60 .....	84	A750 .....	67, 82
		471RL .....	81	A0152G/60 .....	84	A751 .....	67, 82
		472RL .....	81	A0200/40 .....	75, 84	A752 .....	67, 82
		473RL .....	83	A0202/60 .....	84	A753 .....	67, 82
		474RL .....	83	A1000 .....	65, 82	A754 .....	67, 82

## Muck

CHH-000A .....

259

CHM-000A .....

259

## North Eye & Face Protection

84 .....

83

86 .....

83

87 .....

83

1080 .....

83

11150400 .....

69, 83

11150401 .....

69, 83

11150405 .....

69, 83

11150410 .....

69, 83

11150750 .....

69, 83

11150751 .....

69, 83

11150754 .....

69, 83

11150755 .....

69, 83

11150756 .....

69, 83

11150800 .....

69, 83

11150801 .....

69, 83

11150804 .....

69, 83

11150805 .....

69, 83

11150806 .....

69, 83

11150900 .....

68, 83

11150901 .....

68, 83

11150904 .....

68, 83

11150905 .....

68, 83

11150906 .....

68, 83

11150910 .....

68, 83

11150911 .....

68, 83

11150914 .....

68, 83

11150915 .....

68, 83

11150916 .....

68, 83

11180029 .....

70, 83



A755	67, 82	CP5004	76, 84	T56505BTCV	61, 80	T5900LTK3.0	60, 80
A756	67, 82	CP5005	76, 84	T56505GRY	80	T5900LTK5.0	60, 80
A800	66, 82	CP5006	76, 84	T56505GRYA	80	T5900LTKA	60, 80
A801	66, 82	CP5007	76, 84	T56505GRYS	80	T5900LTKS	60, 80
A802	66, 82	CP5007SP	76, 84	T56505W	80	T5900LTKTCG	60, 80
A803	66, 82	FK10	77, 84	T56505WBL	80	T5900NBL	80
A804	66, 82	FK11	77, 84	T56515BM	61, 80	T5900NBLS	80
A805	66, 82	FK12	77, 84	T56515BTCG	61, 80	T5900NTK	60, 80
A806	66, 82	FK13	77, 84	T56555B	62, 80	T5900NTK3.0	60, 80
A8150/40	75, 76, 84	FS01	76, 84	T56555BA	62, 80	T5900NTK5.0	60, 80
A8150/60	84	FS03	76, 84	T56555BL	80	T5900NTKA	60, 80
A8151	76, 84	FS03S	76, 84	T56555BLA	80	T5900NTKS	60, 80
A8152/40	75, 84	FV01	76, 84	T56555BLS	80	T5900NTKTCG	60, 80
A8152/60	84	GC2000	73, 84	T56555BS	62, 80	T5900WBL	80
A8152G/40	75, 84	KHG4001	74, 84	T56555GRY	80	T5900WBLS	80
A8153/40	75, 84	KHG5001	74, 84	T56555GRYS	80	T5900WTK	60, 80
A8153/60	84	PHG5000	74, 84	T56565BLM	80	T5900WTK3.0	60, 80
A8154	75, 84	SS51	83	T56565BM	62, 80	T5900WTK5.0	60, 80
A8154G	84	SS52	83	T56565BTCG	62, 80	T5900WTKA	60, 80
A8156	75, 84	SS54	83	T56565GRYM	80	T5900WTKS	60, 80
A8156G	84	T11005	72, 83	T57505B	63, 81	T5900WTKTCG	60, 80
A8160/60	84	T11005A	72, 83	T57505BA	63, 81	T61005B	71, 83
A900	65, 82	T11005S	72, 83	T57505BL	63, 81	T61005BA	71, 83
A900CSA	65, 82	T1300	72	T57505BLA	63, 81	T61005BM	71, 83
A901	82	T13501	72, 83	T57505BLM	63, 81	T61005BS	71, 83
A901CSA	65, 82	T13502	72, 83	T57505BLS	63, 81	T65005	62, 81
A902	65, 82	T13503	72, 83	T57505BM	63, 81	T65005A	62, 81
A902CSA	65, 82	T15005	71, 83	T57505BS	63, 81	T65005M	62, 81
A903	65, 82	T15005A	71, 83	T57505GRY	81	T65005S	62, 81
A903CSA	65, 82	T15005IR3.0	71, 83	T57505GRYA	81	T65015TCG	62, 81
A904	65, 82	T15005IR5.0	71, 83	T57505GRYM	81	T65505B	63, 81
A904CSA	65, 82	T15005M	71, 83	T57505GRYS	81	T65505BA	63, 81
A9200/40	75, 84	T15005S	71, 83	T58505B	63, 81	T65505BL	81
A950	66, 82	T18000	72, 83	T58505BA	63, 81	T65505BLA	81
A950CSA	66, 82	T18010	72, 83	T58505BL	81	T65505BLM	81
A951	66, 82	T18020	72, 83	T58505BLA	81	T65505BLS	81
A951CSA	66, 82	T18030	72, 83	T58505BLM	81	T65505BM	63, 81
A952	66, 82	T18040	72, 83	T58505BLS	81	T65505BR	81
A952CSA	66, 82	T565015GRYM	80	T58505BM	63, 81	T65505BRA	81
A960	66, 82	T56505B	61, 80	T58505BS	63, 81	T65505BRM	81
A960CSA	66, 82	T56505BA	61, 80	T58505GRY	81	T65505BRS	81
A961	66, 82	T56505BL	80	T58505GRYA	81	T65505BS	63, 81
A961CSA	66, 82	T56505BLA	80	T58505GRYM	81	T65505S	81
A962	66, 82	T56505BLM	80	T58505GRYS	81	T65505SA	81
A962CSA	66, 82	T56505BLS	80	T5900LBL	80	T65505SM	81
CHG5002	74, 84	T56505BS	61, 80	T5900LBLS	80	T65505SS	81
CP5002	76, 84	T56505BTCB	61, 80	T5900LTK	60, 80	T65515BTCG	63, 81



28001	285	45027	283	61910	291	105020	281
28001	288	45027	284	61910	292	105020	285
28001	290	45027	285	61910	296	105030	285
28001	291	45027	286	61961	280	105030	290
28105	280	45027	288	61967	292	105030	291
28105	297	45027	289	63721	279	105060	290
29990	279	45027	290	63721	283	113885	295
29990	281	45027	292	63721	288	113890	295
29990	284	45027	299	65590	281	114025	296
29990	286	45028	281	65590	282	118003	295
29999	292	45031	294	65590	283	120806	298
32001	296	48006	289	65590	285	121051	285
32001	296	48007	279	65590	287	121051	298
32074	289	48120	289	65590	290	121053	298
32170	280	49020	294	65590	291	121055	285
32170	292	49030	294	65590	292	121055	298
32170	297	49031	294	67422	279	121065	289
32176	279	49050	294	67422	281	121065	290
32203	279	49056	294	67422	281	121065	298
32203	289	49075	294	67433	287	121090	279
32203	298	49076	294	67433	290	121090	281
32204	279	49076	294	67433	291	121090	282
32204	280	49077	292	67433	293	121090	298
32204	289	49077	294	67444	280	122019	295
32204	298	49077	294	67444	290	122021	295
41961	279	49080	294	67444	292	122024	295
43170	283	49085	299	67522	280	122025	295
43171	283	51820	279	67522	282	127003	299
43172	283	51820	280	67522	283	127010	299
43172	291	51820	282	67522	288	128980	298
43173	291	51820	283	67533	279	130000	295
45009	279	51820	285	67533	281	140340	293
45009	280	51820	288	67533	282	140623	293
45009	281	51820	289	67533	283	140968	293
45009	282	51820	292	67622	297	141310	293
45009	283	51830	279	67633	297	145225	290
45009	287	51830	285	67644	297	148805	291
45009	288	51840	285	69559	285	148820	290
45009	290	52220	289	69559	290	148835	293
45009	291	52230	281	69559	291	148835	293
45009	292	52230	287	69559	292	149925	293
45009	293	61910	279	69564	290	150910	280
45009	296	61910	280	90272	297	150910	285
45027	279	61910	287	100520	288	150910	291
45027	280	61910	287	100530	290	150910	298
45027	281	61910	288	100530	296	150932	298
45027	282	61910	290	100560	290	150935	298

# Alpha-Numeric SKU Index | 2013 CATALOG

150937	298	240803	280	2107250	295	019742-0029L	287
150969	298	240803	288	2108250	295	019743-0030L	287
151019	288	240803	289	2165200	295	019746-0032L	299
151019	298	240803	290	2330144	297	021201X	279
151020	282	240803	291	2811604	299	021201X	282
151020	283	240803	292	3249320	280	021201X	283
151020	297	270104	299	3249320	282	021201X	284
151020	297	271204	299	3249320	283	021201X	285
151901	280	272204	299	3249320	288	021201X	286
152000	298	280540	298	3253874	290	021201X	288
154818	280	280746	290	3253874	292	021202ST	281
154818	291	281005	299	3253874	299	021202ST	284
154818	292	281026	298	4270160	292	021202ST	286
154818	298	320001	299	5560390	293	021202ST	287
159904	294	320009	285	8003164	283	021635MD	287
161500	288	346100	292	8003164	285	021645MD	282
161512	280	346200	292	8090023	292	021645MD	283
161512	295	348010	280	010810C	296	021645MD	285
161581	279	348020	280	011325B	296	021645MD	288
161581	280	348030	280	013940B	296	021645MD	291
161581	287	412007	291	015059B	296	021645MD	293
161582	295	431001	291	016459B	296	021645MD	281
161583	279	431007	290	018500-4222	289	031570K	279
161617	295	522000	280	018501-4221	289	031570K	281
161987	295	551003	290	018502-4220	289	031570K	286
163250	295	551003	292	018504-4222	289	031570K	287
166185	295	551003	293	018505-4221	289	031570K	287
171547	280	552001	299	019700-0001L	281	031570K	289
171547	295	553001	299	019700-0001L	281	042115SW	285
201005	288	671152	297	019703-0002L	281	042115SW	292
201005	294	720071	297	019705-0003	281	103200T	280
201216	290	752577	279	019708-0005L	284	103300T	296
201216	294	752577	281	019709-0005L	284	103300T	296
201969	292	752577	284	019710-0006L	284	105300T	290
201969	294	752577	285	019711-0006L	284	105300T	292
202099	285	752577	286	019712-0007L	284	105400T	290
210050	279	752577	287	019713-0007L	284	122000X	295
210100	295	752577	289	019714-0008L	284	122001X	295
232124	280	752577	294	019715-0008L	284	122002X	295
232124	291	810075	297	019720-0009L	279	122004Xa	295
232124	297	821070	285	019721-0010L	279	122005Xa	295
233020	291	1383690	297	019722-0011L	279	122010X	295
233020	297	1503180	298	019725-0012L	294	122015X	295
235316	297	1534400	298	019730-0017L	286	12803VI	280
240015	283	1579720	297	019732-0019L	286	12803Vi	298
240015	288	2106250	280	019740-0027L	299	14233P	293
240803	279	2106250	295	019741-0028L	295	14349P	293

14FLASH.....	290	340460F.....	288	83222AA.....	288	5N3032A.....	232
14FLASH.....	293	34140FP.....	280	<b>North Hand &amp; Arm Protection</b>		5Y1532.....	233
155818X.....	298	34140LFP.....	280	10B1532A.....	234	5Y1532A.....	233
156818D.....	298	34180FP.....	280	10B3032A.....	234	5Y3032.....	233
156818X.....	298	34180LFP.....	280	10LA1832A/10H.....	234	6B1532.....	234
15PVP40X.....	292	3425EF.....	282	10N1532A.....	232	6B1532A.....	234
164100F.....	295	3425PFG.....	283	10N3032A.....	232	6B3032.....	234
20186AM.....	288	34400LFNP.....	280	10UY2032A.....	233	6B3032A.....	234
20BFSD6.....	294	34400LFP.....	280	10Y1532A.....	233	6N1532.....	232
20WJ25.....	294	3450EF.....	282	10Y3032A.....	233	6N1532A.....	232
231209G.....	297	34P25EF.....	282	115LBR/S.....	232	6N3032.....	232
241010A.....	281	35143TC.....	288	115LNR/S.....	231	6N3032A.....	232
241010A.....	287	35171TB.....	285	115LWR.....	231	70/6465NK.....	248
241010A.....	289	35192EP.....	292	11RK.....	245	70/6465NK/S.....	248
242001D.....	282	40705S.....	299	125LBR/M.....	232	78/1142.....	246
242001D.....	283	40705TM.....	299	125LNR/M.....	231	7B1532.....	234
24R5201.....	290	40709TM.....	280	125LWR.....	231	7B1532A.....	234
24R5201.....	292	40712TM.....	291	12RK.....	245	7B3032.....	234
26SBS40.....	299	521000V.....	288	135LBR/L.....	232	7B3032A.....	234
2799500F.....	295	522000V.....	282	135LNR/L.....	231	7N1532.....	232
28UOC352.....	297	522000V.....	283	135LWR.....	231	7N1532A.....	232
30100K.....	290	522000V.....	285	145LBR/XL.....	232	7N3032.....	232
30100K.....	292	522000V.....	287	145LNR/XL.....	231	7N3032A.....	232
30100K.....	298	522000V.....	290	145LWR.....	231	7UY2032.....	233
30211HB.....	298	522000V.....	291	2115WU/WS.....	231	7UY2032A.....	233
320115G.....	290	523000V.....	285	2215WU/M.....	231	7Y1532.....	233
320415G.....	290	524000V.....	285	2315WU/L.....	231	7Y1532A.....	233
321006E.....	285	5517350S.....	290	2415WU/XL.....	231	7Y3032.....	233
321006E.....	290	5560390CASE.....	293	311LWR/S.....	231	81/1162.....	246
32190EP.....	290	672001B.....	296	314LWR/S.....	231	81/1762.....	246
324410P.....	285	672003B.....	296	321LWR/S.....	231	85/3719.....	247
324410P.....	292	67GZBG.....	297	324LWR/M.....	231	85/3721.....	247
325701P.....	285	68WP1-01.....	285	331LWR/S.....	231	85/3729.....	247
325701P.....	290	68WP2-01.....	285	334LWR/L.....	231	85/8721.....	247
325701P.....	291	68WP3-01.....	285	341LWR/S.....	231	850FWG.....	228
325701P.....	292	80100K.....	291	344LWR/XL.....	231	8B1532.....	234
325701P.....	299	80100K.....	298	51/7147.....	247	8B1532A.....	234
32BS412.....	280	80185MK.....	298	51/7147C.....	247	8B3032.....	234
32BS412.....	282	802212E.....	285	51/7147SP.....	247	8B3032A.....	234
32BS412.....	283	80264RB.....	290	5B1532.....	234	8LA1832A/9Q.....	234
32BS412.....	288	80264RB.....	292	5B1532A.....	234	8N1532.....	232
340002F.....	288	80264RB.....	293	5B3032.....	234	8N1532A.....	232
340025F.....	283	80264RB.....	293	5B3032A.....	234	8N3032.....	232
340050F.....	283	803201E.....	285	5N1532.....	232	8N3032A.....	232
340410F.....	288	803312E.....	285	5N1532A.....	232	8UY2032.....	233
340420F.....	288	804412E.....	285	5N3032.....	232	8UY2032A.....	233
340420FP.....	288	825X5ZP.....	285			8Y1532.....	233

8Y1532A	233	NK803	227	A89RS3	89	89992	215
8Y3032	233	NK803ES	227	A89S3	89	193120	221
8Y3032A	233	NK803ESIN	227	A99R	87	193140	221
AK1815/O	230	NK803IN	227	A99R07	87	194040	221
ATCP1815/Y	230	NK804	227	A99RS2	89	200101	223
B131	228	PNLB1815/O	227	BC86	88	550030	196
B131R	228	SK142W/HEM	231	BC8607	88	760023	222
B144RGI	228	SSA	229	BC86S	89	760024	222
B161	228	SSB	229	FH157	89	770021	221
B161R	228	SSCA	229	FH257	89	770030	196
B174	228	SSG	229	FM10	89	770039	221
B174R	228	SSG29/10	229	GC2000	88	770040	221
B324	228	SSS	229	SB470	88	770046	221
B324R	228	T1841WG	229	SC01	88	880040	206
CE412W	230	T425	226	TVP1X4/ORG	88	880060	206
F284	229	T425PF	226	TVP1X4/WHT	88	880141	206
K511	246	YSL2027	233	TVP1X4/YLW	88	880161	206
LA049	226	<b>North Head Protection</b>		WL1	89	886025	208
LA049IND	226	A119R	88	WL12	89	886050	208
LA049PF	226	A29	87	WL12FP	89	886100	208
LA049PFIND	226	A29R	87	WL20	89	888025	208
LA102G	227	A29R02	87	WL20XL	89	888050	208
LA111EB	227	A29S2	89	WL40RBSP	89	888100	208
LA111EBFL	227	A29SPR	87	WL41RBSP	89	940118	223
LA132G	227	A49	88	WL82/1	89	962260	222
LA142G	227	A49R	88	WL86/1	89	996025	206
LA172G	227	A49R15	88	XG27	88	996050	206
LA225G	227	A49RS2	89	XG28	88	996100	206
LA258G	227	A49S2	89	<b>North Respiratory Protection</b>		998025	206
M2900	248	A59	87	845	215	998050	206
M3000	248	A59R	87	850	215	998100	206
NF11	243	A59RS	89	4001	204	4001HE	204
NF11 X	243	A59S1	89	4003	204	4003HE	204
NF11HD	243	A69	87	4004	204	4004HE	204
NF11HVY	243	A69R	87	4200	195	40HE	204
NF35	243	A69RS2	89	5501	196	4200W	195
NF35F	243	A69S2	89	5503	196	42N95	195
NFD15	236	A69TL	89	7902	215	42R99	195
NFD15B	236	A79	87	7904	215	54001S	197
NFD16ESD	236	A7944	87	54001	197	54001W	197
NFD16G	236	A79R	87	78005	208	5501N95	196
NFD20B	236	A79RS2	89	83219	223	5501R95	196
NFD35X	237	A79S2	89	88600	205, 206	5580P100	196
NFF13C	236	A89	87	88800	205, 206	5581P100	196
NFKL13	235	A89FN	89	89986	223	5583P100	196
NIT2708	234	A89R	87	89987	215	55SCP100	196
NIT2710	234	A89R03	87			7230N95	193

7230N95B	193	N75001L	197	2144	264	29000	277
7240N95	193	N750029	199	2149	265	41463	271
7240N95B	193	N75002L	197	2155	265	73104	260
7506N95	198	N750035	199	2165	266	73505	260
7506N99	198	N750036	199	2169	265	74928	260
7506R95	198	N750037	199	2221	265	75101	261
7531N95	199	N75003L	197	2800	277	75102	261
7531R95	199	N75004L	197	6141	267	75105	262
7535FFP100	199	N750052L	197	6145	266	75108	261
7580P100	198	PA101	206	6147	266	75109	261
7581P100L	198	PA101M	207	7361	271	78590	267
7582P100L	198	PA101S	207	7362	271	11002B	270
7583P100L	198	PA102	207	9810	266	11004B	270
7584P100	198	PA105	222	11001	270	11924B	270
75852P100L	198	PA106	222	11003	270	11993B	270
75FFP100	198	PA111	207	11095	270	75145C	261
75FFP100NL	198	PA112	207	11135	268	A111	268
75SCL	197	PA121	207	11146	268	A2070	268
75SCP100L	198	PA122	207	11444	268	A2300	268
760008A	197	PA131	207	11924	270	A351	271
760008AS	197	PA132	207	11926	270	A352	269
760008ASW	197	PA141	207	11993	270	A380	271
760008AW	197	PA142	207	11994	270	A383	267
7600VA	222	PA201E01	207	11995	270	A417	277
76BAG	223	PA201P01	207	18801	260	A422	269
770039E	221	PA202	207	18802	260	A485	268
770040E	221	PA231E01	207	18805	260	A521	269
77BAG	223	PA231P01	207	18821	260	ANN1	274
79BAG	223	PA232	207	18822	260	EVA	276
80836A	222	PA301	207	20000	277	EXPG	273
80944A	223	PA302	207	21607	264	EXSG	272
BP1002	196	PA331	207	21622	267	IT12PT17	275
CA127	204,205	PA332	207	22103	262	IT12ST01	275
CA127L	204,205			22114	262	IT12ST17	275
CA133	223	<b>Oliver</b>		22115	262	N5P3	273
CA201	204	22-205	258	22148	262	N5P3S	272
CA201D	204	25-299	258	22158	262	R1141	264
CA229	204,205	55-232	258	22206	263	R2145	265
CA229L	204,205	55-246	256	22214	263	R6130	267
CF1001	205	65-390	257	22215	263	RTK8	275
CF1001D	205	65-392	257	22234	263	SR101	276
CF1001DL	205	65-393	257	22235	263	SR201	276
CF1001L	205	65-690	256	25002	277	SR201	277
CF2007	205	65-691	256	27001	276	SRC	272
ER2000CBRN	215	<b>Servus</b>		27002	276	SRC	277
ERBAG	215	2141	264	28114	276	T111	267
ERTRAIN	215	2142	268	28500	276	T112	268
		2143	268				

# Alpha-Numeric SKU Index | 2013 CATALOG

T314 .....	271	32-8LFFB6-0000 .....	48	S112 .....	42	S1620X .....	43
T315 .....	271	32-8LFFB8-0000 .....	32, 48	S1149 .....	42	S1621 .....	43
T369 .....	271	32-8LFFW4-0000 .....	48	S1159 .....	42	S1623 .....	43
T419 .....	271	32-8LFFW5-0000 .....	32, 48	S1169 .....	42	S1623X .....	43
T469 .....	271	32-8LFFW6-0000 .....	32, 48	S1169C .....	42	S1624 .....	43
TRS7 .....	274	32-8LFFW8-0000 .....	32, 48	S1179 .....	42	S1626 .....	43
UNX1 .....	273	S0112 .....	30, 47	S11791 .....	42	S1627 .....	43
VIS1 .....	274	S0112C .....	30, 47	S1179C .....	42	S1650D .....	32, 48
VNN1 .....	274	S0113 .....	30, 47	S129 .....	42	S1650DF .....	32, 48
VNS1 .....	272	S0113C .....	30, 47	S1299C .....	14, 42	S1651D .....	32, 48
<b>Uvex</b>		S0250X .....	29, 47	S1299C .....	42	S1651DF .....	32, 48
11150350 .....	23, 46	S0280X .....	29, 47	S129C .....	42	S1700 .....	43
11150351 .....	23, 46	S0290X .....	29, 47	S130 .....	42	S1700X .....	43
11150352 .....	23, 46	S0300 .....	29, 47	S130C .....	42	S1701 .....	43
11150353 .....	23, 46	S0330 .....	29, 47	S135 .....	14, 42	S1730 .....	16, 43
11150354 .....	23, 46	S0340 .....	29, 47	S1359 .....	14, 42	S1730X .....	16, 43
11150355 .....	23, 46	S0360X .....	29, 47	S1359C .....	14, 42	S1731 .....	16, 43
11150356 .....	23, 46	S0390 .....	29, 47	S135C .....	14, 42	S1732 .....	16, 43
11150360 .....	46	S0391 .....	29, 47	S136 .....	14, 42	S1800 .....	27, 47
11150361 .....	46	S0500 .....	17, 43	S1360 .....	42	S1800X .....	27, 47
11150362 .....	46	S0500X .....	17, 43	S1361 .....	42	S1801 .....	27, 47
11150363 .....	46	S0501 .....	17, 43	S1362C .....	42	S1801X .....	27, 47
11150367 .....	23, 46	S0501X .....	17, 43	S13659X .....	42	S1802 .....	27, 47
11150368 .....	23, 46	S0502 .....	17, 43	S1369 .....	42	S1803 .....	27, 47
11150370 .....	46	S0502X .....	17, 43	S136C .....	42	S1890X .....	34, 48
11150371 .....	46	S0503 .....	17, 43	S137 .....	42	S1900 .....	26, 46
11150372 .....	46	S0504 .....	17, 43	S1379 .....	42	S1900X .....	26, 46
32-00LFB6-0000 .....	48	S0505X .....	17, 43	S145 .....	42	S1901 .....	26, 46
32-00LFB8-0000 .....	31, 48	S0509X .....	17, 43	S1500 .....	22, 46	S1901X .....	26, 46
32-00LFW4-0000 .....	48	S0600 .....	25, 46	S1500X .....	22, 46	S1902 .....	26, 46
32-00LFW6-0000 .....	31, 48	S0600D .....	25, 46	S1501 .....	22, 46	S1903 .....	26, 46
32-00LFW8-0000 .....	48	S0600X .....	25, 46	S1501X .....	22, 46	S1904X .....	26, 46
32-08LFB6-0000 .....	32, 48	S0601X .....	25, 46	S1502 .....	22, 46	S1905 .....	26, 46
32-08LFB8-0000 .....	48	S0602X .....	25, 46	S1502X .....	22, 46	S1906 .....	26, 46
32-08LFW4-0000 .....	32, 48	S0604X .....	25, 46	S1503 .....	22, 46	S1907 .....	26, 46
32-08LFW5-0000 .....	48	S0605X .....	25, 46	S1504 .....	22, 46	S1908 .....	26, 46
32-08LFW6-0000 .....	32, 48	S0609X .....	25, 46	S1505 .....	22, 46	S1930X .....	26, 46
32-08LFW8-0000 .....	48	S0620 .....	46	S1600 .....	17, 43	S1931X .....	26, 46
32-0LFF08-0000 .....	31, 48	S0620X .....	46	S1600X .....	17, 43	S1932X .....	26, 46
32-0LFFB6-0000 .....	31, 48	S0622X .....	46	S1601 .....	17, 43	S1933X .....	26, 46
32-0LFFB8-0000 .....	48	S0624X .....	46	S1603 .....	17, 43	S1934X .....	26, 46
32-0LFFW4-0000 .....	31, 48	S0661X .....	25, 46	S1603X .....	17, 43	S212 .....	31, 48
32-0LFFW5-0000 .....	31, 48	S0662X .....	25, 46	S1604 .....	17, 43	S213 .....	31, 48
32-0LFFW6-0000 .....	31, 48	S0663X .....	25, 46	S1606 .....	17, 43	S214 .....	31, 48
32-0LFFW8-0000 .....	31, 48	S111029 .....	42	S1607 .....	17, 43	S2200 .....	15, 42
32-8LFFB3-0000 .....	32, 48	S1111 .....	42	S1608X .....	17, 43	S2200C .....	15, 42
32-8LFFB4-0000 .....	32, 48	S1112 .....	42	S1620 .....	43	S2212 .....	15, 42



S2450	28, 47	S3102	28, 47	S3241	44	S3510X	45
S2451	28, 47	S3103	28, 47	S3241X	44	S3511X	45
S2453	28, 47	S3104	28, 47	S3242	44	S3512X	45
S2454	28, 47	S3150	14, 42	S3243	44	S3513X	45
S2500	16, 42	S3150D	14, 42	S3244	44	S3520	21, 45
S2500C	16, 42	S3150X	14, 42	S3260	44	S3520-ADV	21, 45
S2501	16, 42	S3151	14, 42	S3260X	44	S3520D	21, 45
S2504	16, 42	S3151X	14, 42	S3263	44	S3520X	21, 45
S2504C	16, 42	S3152	14, 42	S3300	21, 45	S3520X-ADV	21, 45
S2505	16, 42	S3152X	14, 42	S3300-ADV	45	S3521	21, 45
S2506	16, 42	S3153	14, 42	S3300D	21, 45	S3521X	21, 45
S2508	16, 43	S3155	14, 42	S3300X	21, 45	S3522	21, 45
S2509	16, 43	S3160	42	S3300X-ADV	45	S3523	21, 45
S2510	43	S3160X	42	S3301	45	S3524	21, 45
S2510C	43	S3161	42	S3301X	21, 45	S3530X	21, 45
S2514	43	S3162	42	S3302	21, 45	S3531X	21, 45
S2514C	43	S3163	42	S3303X	45	S3532X	21, 45
S2530	43	S3165	42	S3304X	45	S3533X	21, 45
S2530C	43	S3200	19, 44	S3305	45	S360	33, 48
S2534	43	S3200-ADV	19, 44	S3306	45	S3600	44
S2534C	43	S3200D	19, 44	S3307	45	S3600X	44
S2536	43	S3200X	19, 44	S3308	45	S3601	44
S2570	16, 43	S3200X-ADV	19, 44	S3309	45	S3601X	44
S2572	16, 43	S3201	44	S3310X	45	S3602	44
S2574	16, 43	S3201X	19, 44	S3311X	45	S3603	44
S2700	15, 42	S3202	19, 44	S3312X	45	S3604	44
S2700C	15, 42	S3202X	44	S3350	45	S364	33, 48
S2701	15, 42	S3203	19, 44	S3351	45	S3700	20, 44
S2701C	15, 42	S3204	19, 44	S3400X	33, 48	S3700D	20, 44
S2709	15, 42	S3205X	19, 44	S3405X	33, 48	S3700X	20, 44
S2709	42	S3206	19, 44	S3410X	33, 48	S3701	20, 44
S2710	42	S3207	19, 44	S3420X	33, 48	S3701X	20, 44
S2710C	42	S3208	19, 44	S3425X	33, 48	S3702	20, 44
S2711	42	S3209	44	S3430X	33, 48	S3702X	20, 44
S2711C	42	S3210X	44	S3435X	33, 48	S3703	20, 44
S2730	42	S3211X	44	S345C	34, 49	S3704	20, 44
S2730C	42	S3212X	44	S347C	34, 49	S3720	44
S2731	42	S3213X	44	S348C	34, 49	S3720D	44
S2731C	42	S3220	44	S350	33, 48	S3720X	44
S300CS	29, 47	S3220X	44	S3500	45	S3721	45
S301CS	29, 47	S3221	44	S3500X	45	S3721X	45
S302SS	29, 47	S3221X	44	S3501	45	S3722	45
S305CS	29, 47	S3222	44	S3501X	45	S3722X	45
S3100	28, 47	S3223	44	S3502	45	S3723	45
S3100X	28, 47	S3224	44	S3503	45	S3724	45
S3101	28, 47	S3240	44	S3504	45	S3760	20, 44
S3101X	28, 47	S3240X	44	S350CF	33, 48	S3761	20, 44

# Alpha-Numeric SKU Index | 2013 CATALOG

S3762	20, 44	S3975D	35, 49	S4411X	22, 45	S568	43
S3763	20, 44	S3990X	35, 49	S4412	22, 45	S569	43
S3764	20, 44	S3991X	49	S4413	22, 45	S570	42
S3765	44	S3992X	35, 49	S4500	18, 43	S570C	42
S3766	44	S3993X	49	S4500X	18, 43	S571	42
S3767	44	S3994X	35, 49	S4501	18, 43	S571C	42
S3768	44	S4000	19, 44	S4501X	18, 43	S6150	47
S3769	44	S4000C	19, 44	S4502X	18, 43	S6150X	47
S3770	44	S4001	19, 44	S4503	18, 43	S6151	47
S3771	44	S4001C	19, 44	S4504	18, 43	S6151X	47
S3772	44	S4004	19, 44	S461	37, 49	S6152	47
S3773	44	S4005	19, 44	S462	37, 49	S6153	47
S3774	44	S4006	19, 44	S463	37, 49	S6154	47
S3775	44	S4025	23, 45	S464	37, 49	S6200	47
S3776	44	S4100	23, 46	S467	37, 49	S6200X	47
S3777	44	S4110	26, 47	S468	37, 49	S6201	47
S3778	44	S4110X	26, 47	S477	37, 49	S6201X	47
S3779	44	S4111	26, 47	S487	38, 49	S6249	46
S3800	36, 49	S4111X	26, 47	S489	38, 49	S6250	46
S3805	36, 49	S4112	26, 47	S490	38, 49	S6310	43
S3810	36, 49	S4150	31, 48	S491	38, 49	S6310X	43
S3815	36, 49	S4200	24, 46	S493	38, 49	S6311	43
S3820	36, 49	S4200X	24, 46	S501	38, 49	S6312	43
S390	33, 48	S4201	24, 46	S505D	38, 49	S6312X	43
S390CSA	33, 48	S4201X	24, 46	S520	35, 49	S6313	43
S391	33, 48	S4202	24, 46	S521	35, 49	S6314	43
S391CSA	33, 48	S4203	24, 46	S528C	42	S6410	44
S393	33, 48	S4205X	24, 46	S535	42	S6410C	44
S393CSA	33, 48	S4210	46	S535C	42	S6411	44
S3959	49	S4210X	46	S536	42	S6411C	44
S3960C	49	S4211	46	S536C	42	S6413	44
S3960CI	34, 49	S4211X	46	S537	42	S6414	44
S3960D	49	S4212	46	S538	42	S6415	44
S39610C	34, 49	S4213	46	S539C	42	S6440	42
S39611C	49	S4221XC	24, 46	S540	42	S6440D	42
S3961C	34, 49	S4221XXC	24, 46	S541	42	S6440X	42
S3962C	49	S4222XC	24, 46	S5410	42	S6441	42
S39630C	49	S4222XXC	24, 46	S5412	42	S6441X	42
S39630CI	34, 49	S4400	45	S542	42	S6442	42
S39631C	34, 49	S4400X	45	S543	42	S6442X	42
S3970D	35, 49	S4401	45	S544C	42	S6443	42
S3970DF	35, 49	S4401X	45	S560	43	S6445	42
S3971D	35, 49	S4402	45	S561	43	S6450	42
S3971DF	35, 49	S4403	45	S562	43	S6451	42
S3972D	35, 49	S4410	22, 45	S562C	43	S6452	42
S3972DF	35, 49	S4410X	22, 45	S563	43	S6453	42
S3973D	35, 49	S4411	22, 45	S566	43	S6455	42

S6500	46	S6909	44	S821	49	SX0301XP	18, 43
S6500X	46	S6910X	44	S823	48	SX0303	18, 43
S6501	46	S6911X	44	S823	49	SX0304	18, 43
S6501X	46	S6912X	44	S824	48, 49	SX0307	18, 43
S6502	46	S6913X	44	S828	48	SX0308	18, 43
S6503	46	S6920	45	S829	48	SX0312	18, 43
S6504X	46	S6920D	45	S830	49	SX0312XP	18, 43
S6505	46	S6920X	45	S8500	36, 49	SX0400	27, 47
S6506	46	S6921	45	S8505	36, 49	SX0400X	27, 47
S6507	46	S6921X	45	S8510	36, 49	SX0401	27, 47
S6508	46	S6922	45	S8515	36, 49	SX0401D	27, 47
S6509X	46	S6923	45	S8550	49	SX0401X	27, 47
S6512X	46	S6924	45	S8555	49	SX0402	27, 47
S6610	45	S6926X	45	S8560	49	SX0403	27, 47
S6610D	45	S6927X	45	S8565	49	SX0404	27, 47
S6610X	45	S6928X	45	S8580	49	SX0405	27, 47
S6611	45	S6929X	45	S8590	36, 49	SX0406	27, 47
S6611X	45	S6950	45	S8595	49	SX0407X	47
S6612	45	S6950D	45	S8999	49	SX5100	47
S6612X	45	S6950X	45	SX0100	30, 47	SX5100X	47
S6613	45	S6951	45	SX0100X	30, 47	SX5101	47
S6614	45	S6951X	45	SX0101	30, 47	SX5101X	47
S6700	43	S6952	45	SX0101X	30, 47	SX5102	47
S6700X	43	S6953X	45	SX0102	30, 47	SX5102X	47
S6701	43	S6954X	45	SX0102X	30, 47	SX5103	47
S6701X	43	S6955	45	SX0103	30, 47	SX5104	47
S6702X	43	S6956	45	SX0104	30, 47	SX5105X	47
S6703	43	S6957	45	SX0105X	30, 47	SX5150	47
S6704	43	S6958	45	SX0150	47	SX5150X	47
S6710	44	S6959	45	SX0150X	47	SX5151X	47
S6711	44	S6960X	45	SX0151X	47	SX5152	47
S6712	44	S6961X	45	SX0152	47	SX5154	47
S6713	44	S6962X	45	SX0154	47	SX5300	43
S6714	44	S700C	49	SX0195	46, 47	SX5300D	43
S6900	44	S701C	49	SX0200	24, 46	SX5300XP	43
S6900D	44	S702C	49	SX0200X	24, 46	SX5301	43
S6900X	44	S710X	48	SX0202	24, 46	SX5301D	43
S6901	44	S715X	48	SX0209	24, 46	SX5301XP	43
S6901X	44	S740D	49	SX0210X	24, 46	SX5303	43
S6902	44	S741D	49	SX0211X	24, 46	SX5304	43
S6902X	44	S742D	49	SX0213X	24, 46	SX5307	43
S6903	44	S743D	49	SX0214	24, 46	SX5308	43
S6904	44	S745D	49	SX0300	18, 43	SX5312	43
S6905X	44	S780C	49	SX0300D	18, 43	SX5312XP	43
S6906	44	S790	48	SX0300XP	18, 43		
S6907	44	S791	48	SX0301	18, 43		
S6908	44	S792	48	SX0301D	18, 43		

The Honeywell Family of Brands includes:



by Honeywell



by Honeywell



by Honeywell



by Honeywell



by Honeywell



by Honeywell



## Now, ONE Technical Service Number

A single Honeywell Safety Products Technical Service number is now available to all customers in the U.S and Canada. Call **1-800-873-5242** for all technical product and application questions across the legacy Sperian and North portfolios, including Uvex, North, Miller, Howard Leight, Fibre-Metal and Servus brands.

For more information about our PPE products, use the Customer Care telephone numbers indicated at the bottom of each page throughout this catalog.

### USA

800-430-4110 (former North)  
800-572-6346 (former North, fax)  
800-430-5490 (former Sperian)  
800-322-1330 (former Sperian, fax)

### CANADA

888-212-7233  
888-667-8477 (fax)

### LATIN AMERICA

1-514-905-3715 (former North)  
1-401-757-2122 (former Sperian)  
latinamerica@honeywell.com

### MEXICO

1-800-446-1495 (former Sperian)  
1-800-788-3074 (former North)  
hsp.latinamerica@honeywell.com

**Lead them to safety** – Build an enduring culture of safety through comprehensive education, innovative technologies, and comfortable, high-performance products. Honeywell Safety Products is the ideal partner for a cultural transformation that inspires workers to make safer choices on their own: [www.honeywellsafety.com/culture](http://www.honeywellsafety.com/culture)

### Honeywell Safety Products

900 Douglas Pike  
Smithfield, RI 02917

[www.honeywellsafety.com](http://www.honeywellsafety.com)

HSP.209 January 2013  
©2013 Honeywell International Inc.